

**HAIBIKE**



**2021**  
**WE ARE ePERFORMANCE**

TEN YEARS SE	09
YAMAHA PW-X2	11
BOSCH GEN 4	19
FLYON	31
MODULAR RAIL SYSTEM	45
eCONNECT	51
2021 MODEL OVERVIEW	57
GEOMETRIES	167
BRAND WEAR	177



Das größte Geschenk, das man sich und seiner Familie machen kann, ist die eigene Gesundheit. Darüber hinaus sind Gesundheit und Glück auch unmittelbar miteinander verbunden. Das Streben danach ist kein Ziel, sondern eine ständige Reise. Wir sind davon überzeugt, dass unsere eBikes einen äußerst positiven Einfluss auf diese Faktoren haben.

Für das Modelljahr 2021 sind unsere eBikes komfortabler und mit noch mehr Akkukapazität ausgestattet, um weiter als je zuvor fahren zu können. Zusätzlich bieten wir eine große Auswahl an Zubehör, welches Dich auf dieser Reise unterstützt und begleitet.

eBikes können Dir dabei helfen, in Form zu kommen, egal auf welchem Fitness-Level Du Dich befindest, ob Pro oder Newcomer oder wie alt Du bist. Sie eignen sich auch bestens, um Deine Umgebung zu erkunden und zusammen mit Deinen Freunden & Deiner Familie neue Ziele zu erreichen.

Unsere neue eBike Generation ermöglicht es, noch weiter und komfortabler zu fahren als je zuvor und macht die Welt um uns herum noch aufregender, als wir es uns je erträumt haben.

*As the saying goes, the greatest gift you can give your family and the world is a healthy you. Since health and happiness are also so intrinsically linked, being healthy is also the greatest gift you can give yourself.*

*Health and happiness are not a destination, but a constant journey upon which we believe owning a HAIBIKE can have a hugely positive influence.*

*For 2021 our eBikes are more refined, more comfortable, have bigger batteries allowing you to ride further than ever before and are available with a wonderful range of options to help you on this journey.*

*eBikes are not only great for getting into good shape, no matter what fitness level you start at, what riding level you have, or what date of birth is written in your passport, but they are also the best way to get out and explore your surroundings, and rapidly progress as a rider together with your friends and family.*

*Thanks to being able to ride further and more comfortably than we could have ever dreamed on our new generation eBikes, the world closer to us has become more exciting than ever!*



„HAIBIKE wird mit dem Deutschlandtest-Siegel „Höchstes Vertrauen“ ausgezeichnet. Mit 168 Millionen Kundenstimmen handelt es sich um die größte Untersuchung zum Kundenvertrauen aus Verbrauchersicht.“

„HAIBIKE is awarded the German test seal “Highest Confidence”. With 168 million customer votes, this is the largest survey of customer confidence from the consumer’s point of view.“



HAIBIKE  
2021

FOCUS ON PURE  
TRAIL ePERFORMANCE

# YAMAHA PW-X2 CARBON



*Hybrid* 2020

DESIGNED AND ENGINEERED  
IN GERMANY

ALLMTN  
PW-X2

FOCUS ON PURE  
TRAIL ePERFORMANCE





### — SPIELERISCH EINFACHES HANDLING

- Design und entwickelt von Bikern für Biker
- Stabiler, leichter, Vollcarbon-Rahmen
- Verspieltes Handling durch verbesserte Geometrie und Kinematik

### — PLAYFUL EASY HANDLING

- Designed and engineered by racers for racers
- Strong, lightweight, full Carbon frame
- Playful handling due to improved geometry and kinematics

### NATÜRLICHES FAHRGEFÜHL SCHNELL UND EFFIZIENT

- Natürliches Fahrgefühl dank Yamaha PW-X2
- Größerer 600 Wh Akku bietet mehr Reichweite
- Super effizientes und sportliches Motorsystem

### NATURAL RIDE FAST AND EFFICIENT

- Natural ride feeling thanks to the Yamaha PW-X2
- Bigger 600 Wh battery offers more range
- Super efficient and sporty motor system

KOMPROMISSLOSE TRAIL-ePERFORMANCE

# PURE TRAIL ePERFORMANCE, WITHOUT COMPROMISE

Das neue Vollcarbon AllMtn 7  
mit Yamaha PW-X2 System

The all new full carbon AllMtn 7  
featuring the Yamaha PW-X2 system

# FULL CARBON ALLMTN PW-X2 HIGHLIGHTS

Die Idee hinter der neuen AllMtn PW-X Generation war von Anfang an klar. Wir hatten ein Ziel und eine Vision. Pure Trail ePerformance ohne Kompromisse.

*The idea behind the next generation of our race winning AllMtn PW-X model was clear from the start. We had one goal and one vision. Pure trail ePerformance, without compromise.*



NEW AND IMPROVED PW-X2 MOTOR AND BATTERY

## NEU UND VERBESSERT: PW-X2 MOTOR UND BATTERIE

Ein steilerer Sitzwinkel bringt Dich in eine nach vorne geneigtere Position um auch die steilsten Anstiege in Angriff zu nehmen. Der neue PW-X2-Motor bietet dabei eine deutlich verbesserte Motor-Unterstützung bei höheren Kadenzten. Ein natürlicheres Fahrgefühl wird kombiniert mit einem verbesserten Drehmoment in allen Unterstützungsstufen, bei geringerem Tretwiderstand und Gewicht. Dies sorgt für mehr Geschwindigkeit auf dem Trail und einem dauerhaften Grinsen im Gesicht! Zusätzlich haben wir die Batteriekapazität auf 600 Wh erhöht.

*A steeper seat tube angle puts you in a more forward position to tackle the climbs which the new and improved PW-X2 motor handles with ease. Talking of the motor, Yamaha have significantly improved the support of the motor at higher cadences. A more natural ride feeling is complemented with Improved torque in all modes, less pedaling resistance and reduced weight to help you carry speed better down the trail, making it hard to keep the grin on your face from disappearing! We increased the battery capacity to 600 Wh meaning it will stay there longer too.*



STRONG, LIGHTWEIGHT AND AFFORDABLE FULL CARBON FRAME

## STABILER, LEICHTER UND PREISWERTER VOLL CARBON-RAHMEN

Ein längerer Reach, über alle Rahmengrößen hinweg, ermöglicht es Dir, Dich noch dynamischer auf dem Rad zu positionieren und mehr Druck auf das Vorderrad zu bringen. Mit 460 mm wurden die Kettenstreben zudem um 5 mm erhöht, um noch mehr Stabilität und eine bessere Kletterfähigkeit zu gewährleisten, ohne auf die legendäre Agilität des Vorgängermodells zu verzichten. Das überarbeitete Anti-Squat verbessert darüberhinaus deutlich die Tritteffizienz und ist ein Traum für Biker mit einem aktiven Fahrstil.

*Extended reach numbers across all frame sizes let you position yourself more aggressively and apply more weight to the front wheel. At 460 mm the chainstays have increased by 5 mm to offer slightly more stability and better climbing ability without sacrificing the legendary agility of its predecessor. Actually, thanks to improved anti-squat the bike now has improved peddling efficiency and is a dream for those with an active riding style.*

MOTO WHEEL SIZE MIX FOR PRECISION, ROLLOVER AND COMFORT

## LAUFRADGRÖSSEN-MIX FÜR PRÄZISION, ÜBERROLLVERHALTEN UND KOMFORT

Business in the front, party in the back! Das große 29er Vorderrad lässt Dich problemlos über Hindernisse rollen und dank des niedrigeren Profildurchmessers präzise Deine Spur halten. Das 27,5 Zoll Hinterrad mit größerem Volumen sorgt für optimale Traktion. Darüber hinaus bietet es genügend Bewegungsfreiheit, wenn es mal steil bergab geht und sich Dein Schwerpunkt nach hinten verlagert.

*Business in the front, party in the back! The bigger 29er front wheel lets you roll over obstacles with ease, whilst the lower profile casing gives you the precision to hit your marks. Out back the higher volume 27,5 inch wheel is great for finding traction and gives improved clearance compared to a 29er to move around when hanging off the back on descents.*

COMPLETELY UPDATED MODERN GEOMETRY

## KOMPLETT ÜBERARBEITETE MODERNE GEOMETRIE

Wir wollten sicherstellen, dass jede Entscheidung zu einem verbesserten Fahrgefühl auf dem Trail beiträgt. Beispielsweise haben wir den Federweg am Heck auf 160 mm erhöht und dem Bike einen flacheren Lenkwinkel verpasst. Dadurch gibt Dir das Bike das nötige Selbstvertrauen, um neue Lines oder Sprünge zu meistern. Solltest Du doch einmal zu weit springen, schützt Dich unsere neue progressive Kinematik vor unangenehmen Durchschlägen.

Der Begriff YOLO sagt Dir nichts?! Dann kannst Du ebenso gemütlich ins Tal cruisen und im nächsten Biergarten eine Pause einlegen und Deine nächste Tour planen.

*We wanted to make sure that every decision resulted in an improved experience on the trail. For example, we bumped up the rear travel to 160mm and slackened the head tube angle to give you the confidence to tackle new lines in comfort and finally send that gap you have been eyeing up. And hey, if you overshoot, then thanks to our new and improved progressive rear suspension kinematic which ramps up at the end, you should be ok to just pedal back up and try again.*

*If the call of YOLO is not echoing in your head then you can also just cruise comfortably down for a beer and stare at the smooth uninterrupted lines of the frame and plan your next ride.*



PURE ePERFORMANCE, AT GREAT PRICES

## KOMPROMISSLOSE ePERFORMANCE, ZU EINEM TOP PREIS

Zur Auswahl stehen fünf verschiedene Modelle und Spezifikationsstufen. Damit bieten wir für jeden das passende Bike zum gewünschten Preis. Angefangen beim preisgünstigen Einstiegsmodell bis hin zu unserem exklusiven Special Edition Modell mit High End Komponenten.

*Five different models and spec levels available so everybody can find the right bike at the right price. Starting at competitively low prices, all the way up to our exclusive special edition model with the best performing components available on the market.*

# 2021 HAIBIKE YAMAHA PW-X2 FAMILY

## *ALLMTN*



ALLMTN 7 - Iced coffee Seite/Page 70



ALLMTN 7 - Black Seite/Page 70



ALLMTN 6 - Bamboo Green Seite/Page 71



ALLMTN 6 - Urban grey Seite/Page 71





HAIBIKE  
2021

ALL ROUND  
VERSATILITY

# BOSCH GEN 4

VERSATILE ePERFORMANCE

↑ MAX ASSISTANCE  
340%

ALUMINIUM

BOSCH GEN 4  
PERFORMANCE CX

625 Wh

500 Wh  
RANGE EXTENDER  
COMPATIBLE

MODULAR RAIL  
SYSTEM

27.5" / 29"

85 Nm

SKYBEAMER 150 or  
300 COMPATIBLE

TWIN TAIL LIGHTS  
COMPATIBLE

160 mm

160 mm

Max 120 Kg

TERRAIN  
CATEGORY

eCONNECT  
COMPATIBLE

## VIELSEITIGKEIT NEU DEFINIERT

- Design und entwickelt als perfekter Allrounder
- Egal ob anspruchsvoller Trail oder entspanntes Cruisen, Du hast die Wahl
- Bosch Gen 4 System mit optimierten Fahreigenschaften

## KOMFORTABEL WEITER

- Fahre so lange Du willst, wo immer Du willst
- Extrem niedriger Schwerpunkt für ein präzises & agiles Handling
- Erweitere Deinen Horizont mit dem Range Extender

## VERSATILE ePERFORMANCE

- Designed and engineered as the perfect all-rounder
- Whether you want to shred or explore, the choice is yours
- Bosch gen 4 system with optimised riding characteristics

## COMFORTABLY FURTHER

- Ride as long as you like, on any terrain you like
- Low center of gravity offers confidence inspiring handling
- Conquer new horizons with the range extender

EIN BIKE, VIELE GRÜNDE ES ZU FAHREN

# ONE BIKE, DIFFERENT REASONS TO RIDE

Das neue Aluminium  
AllMtn 3 mit Bosch  
Performance CX System

The all new aluminium  
AllMtn 3 featuring Bosch  
Performance CX System



# BOSCH GEN 4 HIGHLIGHTS

Unsere neuen Bosch Gen 4 Modelle sind preiswerte und schnelle Allrounder, die mit einer unglaublichen Reichweite in jedem Terrain überzeugen.

*Our 2021 Bosch Gen 4 models are affordable, fast allrounders that can cover long distances on a wide range of terrains.*



## BOSCH PERFORMANCE CX

Kompakt und gleichzeitig extrem leistungsstark und effizient


- Beschleunigt extrem kraftvoll
- Reagiert ohne Verzögerung
- Bis zu 340 % perfekt dosierte Unterstützung
- 1,1 kg leichter als sein Vorgänger

Das Bosch Gen 4 System kommt mit einem verbesserten eMTB-Modus mit optimierten Fahreigenschaften. Das Multi-Sensor-Konzept ermöglicht einen dynamischen und reaktionsschnellen Antrieb für präzise Beschleunigung und ein einzigartiges Trail-Erlebnis.

*Compact and at the same time extremely powerful and Efficient*

- Accelerates extremely forcefully
- Reacts without delay
- Up to 340 % perfectly dosed support
- 1.1kg lighter than its predecessor

*The Bosch Gen 4 system comes with an improved eMTB mode with optimized riding characteristics. The multi-sensor concept enables a dynamic and responsive drive unit for precise acceleration and a unique trail experience.*



### 1125 WH FULL SUSPENSION MODELS

## 1125 WH FULL SUSPENSION MODELLE

Mit dem DualBattery System kannst Du deine Reichweite von 625 Wh auf insgesamt 1125 Wh Kapazität steigern. Ein einfaches Handling garantiert dabei unser Modular Rail System (MRS), über das ein Range Extender an allen Fullsuspension & Hardtail eBikes in allen Rahmengrößen montiert werden kann.

- Vollintegrierte Kabelführung
- Integrierter Geschwindigkeitssensor und Dropper-Seatpost
- Vollintegrierter entnehmbarer PowerTube PT625
- Zuverlässiger und robuster Aluminium-Rahmen mit erhöhten Steifigkeitswerten
- Twin Tail Lights ready
- 27,5+ / 29 / Lauftrad-Mix
- Leichter und kleiner: neuer Bosch Performance CX Antrieb

A total of 625 Wh + 500 Wh = 1125 Wh available on every frame size of hardtail and full suspension with the range extender mounted on the Modular Rail System!

- Full integrated cable routing in front and rear triangle
- Integrated speedsensor and dropper-seatpost
- Fully integrated removable Powertube PT625
- Reliable and robust AL frame with increased stiffness
- Twin Tail Lights ready
- 27.5+ / 29+ / mixed-wheels
- Lighter and smaller new Bosch Performance CX drive Unit

### EFFICIENT USE OF ENERGY

## EFFIZIENTE ENERGIE NUTZUNG

Optimale und verbesserte Effizienz von Motor und Getriebe – mit dem Ziel, lange und steile Anstiege zu bewältigen. Der neue Bosch Gen 4 Motor ist kleiner und leichter. Dadurch konnten unsere Designer eBikes mit kürzeren Kettenstreben entwerfen, was für erhöhte Wendigkeit und Verspieltheit sorgt. Der niedrige Tretwiderstand ermöglicht ein effizienteres Fahren und ein natürlicheres Fahrgefühl.

*Optimum and improved efficiency of motor and gearbox in order to conquer long, steep climbs. The smaller Bosch Gen 4 motor allowed our designers to create a bike with shorter chainstays, and therefore increased maneuverability and playfulness. The reduced pedaling resistance allows for more efficient riding and a more natural riding sensation.*

RANGE EXTENDER OPTION

# RANGE EXTENDER OPTION

Längere Touren oder noch mehr Höhenmeter gefällig? Mit der HAIBIKE Range Extender Option kein Problem. Formschön auf dem Unterrohr integriert, bietet der optionale HAIBIKE Range Extender zusätzlich 500Wh an Akkuleistung. Ab sofort für alle Bosch Performance CX Gen 4 Modelle in Rahmengrößen S-XL verfügbar.


„Unser Ziel war es, die bewährte HAIBIKE Hinterbau-Kinematik fortzuführen und gleichzeitig die Integration eines Range Extenders für alle Rahmengrößen zu ermöglichen.“

Darüber hinaus führt die Art der Konstruktion zu einem geringeren Masseschwerpunkt und unterstreicht damit unseren Anspruch an ePerformance“, so Hendrik Schäfers, Head of Innovation Design/HDCM.

*Would you like to ride longer tours or climb higher mountains? Not a Problem with the HAIBIKE Range Extender Option. Elegantly integrated on the down tube, the optional HAIBIKE Range Extender offers an additional 500 Wh of battery power. Now available for all Bosch Performance CX Gen 4 models in frame sizes S-XL.*

*“Our goal was to continue the successful HAIBIKE rear-link kinematics and at the same time to enable the integration of a range extender for all frame sizes.”*

*In addition, this type of construction leads to a lower center of mass and thus underlines our claim to ePerformance“, says Hendrik Schäfers, Head of Innovation Design / HDCM.*



Haibike DesignCenter Munich

Schäfers  
SCHAEFERS 2019


NEW FRAME CONCEPT

# NEUES RAHMENKONZEPT

Die neue Rahmenform besticht durch einen extrem niedrigen Schwerpunkt sowie erhöhte Steifigkeit und ermöglicht dadurch ein agileres Fahrverhalten für noch mehr Fahrspaß. Darüber hinaus ist die Aufnahme eines Range Extenders ab sofort für alle Rahmengrößen S-XL optional möglich.

*The new frame shape impresses with an extremely low center of gravity and increased rigidity, thereby enabling more agile behavior for even more riding pleasure. In addition, a range extender is now optionally available for all frame sizes S-XL.*

HDCM



Schäfers  
SCHAEFERS 2019



# 2021 HAIBIKE BOSCH GEN 4 FAMILY



## ALLMTN



ALLMTN 5 - Black matt Seite/Page 72



ALLMTN 4 - Lava Seite/Page 73



ALLMTN 4 - Cool Grey matt Seite/Page 73



ALLMTN 3 - Space Blue Seite/Page 74



ALLMTN 3 - White stars Seite/Page 74

## FULLSEVEN FULLNINE



FULLSEVEN 10 - Lava/Titan Seite/Page 89  
FULLNINE 10 Seite/Page 81



FULLSEVEN 9 - Cool grey/Red Seite/Page 90  
FULLNINE 9 Seite/Page 82



FULLSEVEN 9 - Titan/Black Seite/Page 90  
FULLNINE 9 Seite/Page 82



FULLSEVEN 8 - Anthracite / White Seite/Page 91  
FULLNINE 8 Seite/Page 83

## TREKKING



TREKKING 10 Unisex - Titan / Lava  
Seite/Page 125



TREKKING 10 Lowstandover - Titan / Lava  
Seite/Page 126



TREKKING 10 Lowstep - Titan / Lava  
Seite/Page 127



TREKKING 9 Unisex - Anthracite / Red  
Seite/Page 128



TREKKING 9 Lowstandover - Anthracite / Red  
Seite/Page 129



TREKKING 9 Lowstep - Anthracite / Red  
Seite/Page 130



TREKKING CROSS 9 Lowstep - Anthracite / Red  
Seite/Page 131

## HARDSEVEN HARDNINE



HARDSEVEN 10 - Titan / Black Seite/Page 111  
HARDNINE 10 Seite/Page 103



HARDSEVEN 9 - Titan / Black Seite/Page 112  
HARDNINE 9 Seite/Page 104

WE ARE  
ePERFORMANCE

HELENE  
FRUHWIRTH



HAIBIKE  
2021

POWERFUL  
ePERFORMANCE

# FLYON

↑ MAX ASSISTANCE  
820%

✂ CARBON  
ALUMINIUM

⊙ HAIBIKE  
FLYON HPR 120

⊞ 630 Wh

MRS MODULAR  
RAIL SYSTEM

○ ○ 27.5" / 29"

NM 120 Nm

⊞ SKYBEAMER 5000  
COMPATIBLE

☀ TWIN TAIL LIGHTS

⊞ 160 mm

⊞ 150 mm

⊞ Max 120 Kg

4 TERRAIN  
CATEGORY

eCONNECT

## HAIBIKE ePERFORMANCE SYSTEM

- Entwickelt, um Dich schneller als je zuvor an die Spitze Deines Lieblingstrails zu bringen
- Exklusiv von HAIBIKE design und entwickelt
- Intuitive Remote und Vollfarbdisplay

## POWER, INTEGRATION UND KONNEKTIVITÄT

- Überwinde mühelos steile Anstiege
- Einer der leistungsstärksten Mittelmotoren auf dem Markt
- Vollintegrierte Beleuchtung und digitales Ökosystem

## HAIBIKE ePERFORMANCE SYSTEM

- Designed to get you to the top of the trails faster than ever
- Exclusively designed and developed by HAIBIKE
- Intuitive remote and full color display

## POWER, INTEGRATION AND CONNECTIVITY

- Conquer steep climbs with ease
- The most powerful mid-drive motor on the market
- Fully integrated lighting and digital eco system

DER MAßSTAB FÜR LEISTUNGSSTARKE HIGH-END ePERFORMANCE

# THE BENCHMARK FOR POWERFUL HIGH-END ePERFORMANCE

ALLMtn 10.0 mit dem FLYON ePerformance-System

ALLMtn 10.0 featuring the FLYON ePerformance system



FLYON HAIBIKE ePERFORMANCE SYSTEM




 MAX ASSISTANCE  
820%

 CARBON  
ALUMINIUM

 HAIBIKE  
FLYON HPR 120


 630 Wh

 MODULAR  
RAIL SYSTEM

 27.5"

 120 Nm

 SKYBEAMER 5000  
COMPATIBLE

 TWIN TAIL LIGHTS

 150 mm

 130 mm

 Max 130 Kg

 TERRAIN  
CATEGORY

 eCONNECT

## HAIBIKE ePERFORMANCE SYSTEM

- Die Speerspitze im ePerformance Segment
- Exklusiv von HAIBIKE design und entwickelt
- Intuitive Remote und Vollfarbdisplay

## HAIBIKE ePERFORMANCE SYSTEM

- The pinnacle of ePerformance
- Exclusively designed and developed by HAIBIKE
- Intuitive remote and full color display

## POWER, INTEGRATION UND KONNEKTIVITÄT

- Komfortabel und praktisch
- Der leistungsstärkste Mittelmotor auf dem Markt
- Vollintegrierte Beleuchtung und digitales Ökosystem

## POWER, INTEGRATION AND CONNECTIVITY

- Comfortable and practical
- The most powerful mid-drive motor on the market
- Fully integrated lighting and digital eco system

DAS MAXIMUM IN SACHEN LEISTUNG UND KOMFORT FÜR DEIN ABENTEUER

# THE ULTIMATE FOR POWER AND COMFORT ON YOUR ADVENTURE

Das ADVENTR FS mit dem FLYON ePerformance-System

The ADVENTR FS featuring the FLYON ePerformance system





FLYON ePERFORMANCE – DAS HERZSTÜCK VON HAIBIKE

# FLYON ePERFORMANCE - HAIBIKE AT THE HEART

FLYON ist das erste, eigene HAIBIKE ePerformance System, das neue Maßstäbe im High-End Bereich setzt.

*FLYON is the first ever ePerformance system designed and developed by HAIBIKE and sets a new benchmark for high-end Performance systems.*

VOLLFARBDISPLAY

## FULL COLOUR DISPLAY

Das zentral über dem Vorbau positionierte Farbdisplay ist durch seine transflektive Bauart in jeder Situation gut ablesbar. Aktuelle Fahrdaten und System-Informationen werden auf insgesamt fünf wechselbaren Screens dargestellt. Auch trainingsrelevante Daten wie Pulsmessung, Kadenz oder auch Kalorienverbrauch können angezeigt und analysiert werden.

*The colour display centrally positioned above the stem is easy to read in every situation due to the transreflective design. Current riding data and system information are displayed on five changeable screens. It is also possible to display and analyse training-relevant data such as pulse measurement, cadence or calorie consumption.*

HAIBIKE REMOTE

## HAIBIKE REMOTE

Für die zentrale Schnittstelle zwischen Fahrer und dem System entwickelten wir eine intuitiv bedienbare Remote, die der kompakten FLYON-Designsprache folgt und perfekte Ergonomie bietet: Der Modus-Schalter sitzt unterhalb des Lenkers und ist während des Fahrens auch blind mit dem Daumen erreichbar. Als Feedback dient hierbei nicht nur die Modus-Anzeige auf dem Display, sondern auch ein gut sichtbarer LED-Streifen an der Remote selbst, der je nach Unterstützungsstufe die Farbe wechselt.

*For the central interface between rider and system, we developed a remote that can be operated intuitively, which follows the compact FLYON design language and provides perfect ergonomics: The mode switch is positioned below the handlebar and can be reached via thumb even during the ride. Not only the mode display serves as feedback, but also a clearly visible LED strap on the remote which changes the colour depending on the level of assistance.*

120 NM DREHMOMENT MOTOR

## 120 NM TORQUE MOTOR

Mächtige Anstiege bezwingen, über Trails „fliegen“, die eigenen Grenzen neu ausloten und erweitern: Ein extrastarkes Kraftpaket – Made in Germany – sorgt dabei für die nötige Power. Gemeinsam mit dem Technologiezulieferer TQ haben wir einen dynamischen Antrieb entwickelt, der mit bis zu 120 Nm Drehmoment aktuell einer der leistungsstärksten Mittelmotoren auf dem Markt ist. Dank des patentierten Pinring-Getriebes agiert dieser auf kleinstem Bauraum extrem kraftvoll.

*Conquer steep ascents, "fly" over trails, explore new frontiers and extend them: An extra strong power package – Made in Germany – ensures the necessary power when you need it, with perfect modulation possible through the five custom assist modes. Together with the technology supplier TQ, we developed a dynamic eMTB motor that is the most powerful mid-drive motor on the market at the moment providing up to 120 Nm torque. Thanks to its patented transmission the motor offers extreme power and efficiency in a compact package.*

5.000 LUMEN SKYBEAMER

## 5.000 LUMEN SKYBEAMER

Warum nur bei Tag Trails und anspruchsvolle Strecken meistern? Auf diese Frage antworten wir mit einem Beleuchtungssystem, mit dem unbekanntes Terrain auch bei tiefster Nacht bewältigt werden kann. Den Skybeamer gibt es in drei Varianten mit 150, 300 oder satten 5000 Lumen-Leistung. Mit dem Skybeamer 5000 entwickelten wir ein eigenständiges System mit Tagfahrlicht, das neben dem klassischen Abblendlicht auch noch über ein 5000 Lumen starkes Fernlicht verfügt. Bedient werden kann das Licht manuell über die Remote oder vollautomatisch über einen Helligkeitssensor im Display.

*Why only master difficult trails and demanding routes by day? The Skybeamer is available in three versions with 150, 300 or 5,000 lumen meaning you can now safely stay out riding after dark! Parking your bike for the short and dark days during the winter months will now be a thing of the past thanks to the powerful headlight. With the Skybeamer 5000, we developed an independent system with daylight, which provides a classic low beam as well as a high beam light with over 5,000 lumen. The light can be operated manually via remote or fully automatically via a brightness sensor in the display.*

TWIN TAIL LIGHTS

## TWIN TAIL LIGHTS

Mit den HAIBIKE Twin Tail Lights können Touren auch nachts selbstsicher bewältigt werden: Je acht hocheffiziente LEDs machen das eBike von Weitem und auch von der Seite gut sichtbar.

*With the HAIBIKE Twin Tail Lights, you can keep on riding even after the sun sets! Eight highly-efficient LEDs make the eBike easily visible, also from the side.*

# 2021 HAIBIKE FLYON FAMILY

## *NDURO*



NDURO 10.0 Seite/Page 61



NDURO 8.0 Seite/Page 62



NDURO 5.0 Seite/Page 63

## *ALLMTN*



ALLMTN 10.0 Seite/Page 67



ALLMTN 8.0 Seite/Page 68



ALLMTN 5.0 Seite/Page 69

## *ADVENTR FS*



ADVENTR FS Seite/Page 121

## *ADVENTR*



ADVENTR Seite/Page 122



ADVENTR Seite/Page 123

## *ALLTRAIL*



ALLTRAIL 6.0 Seite/Page 98



ALLTRAIL 5.0 Seite/Page 99



# MODULAR RAIL SYSTEM

Unser patentiertes Modular Rail System ermöglicht es, verschiedenes Zubehör schnell und einfach am Bike zu befestigen.

Eine Befestigungsschiene ist an der Oberseite des Unterrohrs integriert, in der beispielsweise eine Trinkflasche oder eine Tasche an frei wählbarer Position montiert werden kann. Somit hast Du alle Utensilien, die Du während einer Fahrt benötigst, immer in Griffweite.

*Our patented Modular Rail System allows various accessories to be attached to your bike quickly and easily.*

*A fastening rail is integrated into the upper side of the down tube and allows a drinking bottle or bag to be mounted in any desired position. This means the tools you need during a trip are always within reach.*



WE ARE  
ePERFORMANCE

MODULAR RAIL  
SYSTEM

BEFESTIGE WAS DU BRAUCHST, WANN IMMER DU ES BENÖTIGST

# ATTACH WHAT YOU NEED, FOR WHEN YOU NEED IT



# MRS ACCESSORIES

NEU

2502402000 XLC MRS Trinkflaschen Set MR-S05  
2502402001 XLC MRS Trinkflaschen Set MR-S05  
2502402003 XLC MRS Trinkflaschen Set angewinkelt  
2502404000 XLC MRS Railbag S Tasche-Set  
2502404001 XLC MRS Railbag M Tasche-Set  
2502404002 XLC MRS Railbag L Tasche-Set  
2502404105 XLC MRS Railbag S Tasche-Set  
2502404106 XLC MRS Railbag M Tasche-Set  
2502404107 XLC MRS Railbag L Tasche-Set  
2502408000 XLC MRS FidLock Rail MR-S09  
2502408001 XLC MRS Multimount MR-S10  
2502408002 XLC MRS Kitrack MR-S11

NEU

2502402000 XLC MRS Bottle Set MR-S05  
2502402001 XLC MRS Bottle Set MR-S05  
2502402003 XLC MRS Bottle Set, angled  
2502404000 XLC MRS Railbag S Bag Set  
2502404001 XLC MRS Railbag M Bag Set  
2502404002 XLC MRS Railbag L Bag Set  
2502404106 XLC MRS Railbag M Bag Set  
2502404107 XLC MRS Railbag L Bag Set  
2502404105 XLC MRS Railbag S Bag Set  
2502408000 XLC MRS FidLock Rail MR-S09  
2502408001 XLC MRS Multimount MR-S10  
2502408002 XLC MRS Kit Rack MR-S11

600 ml, transparent, inkl. Fidlock Adapter  
450 ml, transparent, inkl. Fidlock Adapter  
650 ml, transparent, inkl. Fidlock Adapter  
inkl. FidLock base- & railadapter  
inkl. FidLock base- & railadapter  
inkl. FidLock base- & railadapter  
inkl. FidLock baseadapter  
inkl. FidLock baseadapter  
inkl. FidLock baseadapter  
schwarz, inkl. Befestigungsmaterial  
schwarz, inkl. Befestigungsmaterial

600 ml, transparent, inkl. Fidlock adapter  
450 ml, transparent, inkl. Fidlock adapter  
650 ml, transparent, inkl. Fidlock adapter  
Incl. FidLock base + rail adapter  
Incl. FidLock base- & rail adapter  
Incl. FidLock base- & railadapter  
Incl. FidLock baseadapter  
Incl. FidLock baseadapter  
Incl. FidLock base adapter  
black, incl. mounting material  
black, incl. mounting material  
black, incl. mounting material

3062301000 MRS TheRailLock, gleichschließend  
3062301010 MRS TheRailLock, gleichschließend  
3062301020 MRS TheRailLock  
3062303000 MRS TheCableLock  
3062303010 MRS TheChainLock  
3063050100 MRS TheRangeExtender, ohne Batterie  
3063050200 MRS TheRangeExtender, ohne Batterie  
3063050300 MRS TheRangeExtender, ohne Batt. bis 2018  
3063050400 MRS TheRangeExtender, o. Batterie & TheRailLock

Anfertigung nach Schlüsselnummer  
inkl. Bosch Intube-Schließzylinder  
inkl. 2 Schlüsseln  
100 cm / 12 mm, Abus Plus  
85 cm, Abus Plus  
ohne Schließzylinder  
mit MRS Schließzylinder  
MRS Schloss + Intube bezyl. gleichschließend  
MRS Schloss + Intube Zyl + Raillock gleichsc

3062301000 MRS TheRailLock, keyed alike  
3062301010 MRS TheRailLock, keyed alike  
3062301020 MRS TheRailLock  
3062303000 MRS TheCableLock  
3062303010 MRS TheChainLock  
3063050100 MRS TheRangeExtender, w/o battery  
3063050200 MRS TheRangeExtender, w/o battery  
3063050300 MRS TheRangeExtender, w/o batt. unt. 2018  
3063050400 MRS TheRangeExtender + TheRailLock

production according to key number  
incl. Bosch Intube lock cylinder  
incl. 2 keys  
100 cm/12 mm, Abus Plus  
85 cm, Abus Plus  
w/o lock cylinder  
incl. MRS lock cylinder  
MRS lock + Intube cyl. keyed alike  
MRS lock + Intube cyl. + Raillock key. al.



Weitere MRS Produkte sind in der Entwicklung und werden folgen.  
Further MRS products are being developed and will follow.





eCONNECT  
2.0

WE ARE  
DIGITAL

# eCONNECT

**Warum schützen wir nicht das, was uns wichtig ist?**

Mit eConnect wird Dein HAIBIKE zur voll vernetzten Smart-Lösung. Vom GPS-basierten Diebstahlschutz bis hin zum Notruf-Assistenten bietet Dir eConnect mehr Sicherheit mit intelligenten Features für Deine Touren.

**Why not protect what is important to us?**

With eConnect, your HAIBIKE becomes a fully networked smart solution. From GPS-based theft protection to emergency call assistant, eConnect offers you more safety with intelligent features for your tours.


3068000011 eConnect Nachrüst Kit V 2.0

3068000011 eConnect Retrofit Kit V 2.0


THEFT  
PROTECTION &  
TRACKING



- Kostenloses Update für die eConnect 2.0 App
  - Dein eBike holt Hilfe, wenn nötig
  - Automatische Benachrichtigung bei Diebstahl
  - Verbesserte Routenaufzeichnung
  - Kompakte On-Board Unit als Schnittstelle
- 
- Free update for the eConnect 2.0 App
  - Your bike can call for help if needed
  - Automatic notification in case of theft
  - Improved route recording
  - Compact on-board-unit as interface



# MOTOR COMPARISON



HIGH	<b>280 %</b>
STD	<b>190 %</b>
ECO	<b>100 %</b>
ECO +	<b>50 %</b>

YAMAHA  
**PW-ST**

EXPW	<b>360 %</b>
HIGH	<b>280 %</b>
STD	<b>190 %</b>
ECO	<b>100 %</b>
ECO +	<b>50 %</b>

YAMAHA  
**PW-X2**

TURBO	<b>300 %</b>
eMTB	<b>120-300 %</b>
TOUR	<b>120 %</b>
ECO	<b>55 %</b>

BOSCH  
**GEN 3**

TURBO	<b>340 %</b>
eMTB	<b>140-340 %</b>
TOUR	<b>140 %</b>
ECO	<b>60 %</b>


BOSCH  
**GEN 4**

EXTREME	<b>820 %</b>
HIGH	<b>540 %</b>
MID	<b>350 %</b>
LOW	<b>220 %</b>
ECO	<b>150 %</b>

HAIBIKE  
**FLYON**

↑  
820 %  
MAX SUPPORT

↻  
120 Nm  
TORQUE



## FLYON HAIBIKE HPR 120S

- dynamischer und kultivierter Antrieb
- bis zu 120Nm Drehmoment
- einer der leistungsstärksten Mittelmotoren auf dem Markt
- *Dynamic and sophisticated drive unit*
- *Up to 120 Nm torque*
- *One of the most powerful mid-mounted motors on the market*

↑  
340 %  
MAX SUPPORT

↻  
85 Nm  
TORQUE



## BOSCH PERFORMANCE CX

- kompakt und dabei extrem leistungsstark und effizient
- beschleunigt extrem druckvoll
- reagiert ohne Verzögerung
- bis zu 340 % perfekt dosierte Unterstützung
- 1,1 kg leichter als der Vorgänger
- *Compact and at the same time extremely powerful and efficient*
- *Accelerates extremely forcefully*
- *Reacts without delay*
- *Up to 340 % perfectly dosed support*
- *1.1 kg lighter than its predecessor*

↑  
360 %  
MAX SUPPORT

↻  
80 Nm  
TORQUE



## YAMAHA PW-X2

- deutlich stärkere Unterstützung bei hoher Trittfrequenz
- Automatic Support für eMTBs
- Extra Power Mode
- Agiles Ansprechverhalten
- Quad Sensor System
- *constantly higher cadence*
- *more powerful than its predecessor*
- *Automatic support for eMTBs*
- *Extra Power Mode*
- *Agile response*
- *Quad Sensor System*

↑  
280 %  
MAX SUPPORT

↻  
70 Nm  
TORQUE



## YAMAHA PW-ST

- Quad Sensor System
- Automatic Support Mode für Allround-Einsätze und Trails
- natürlich-kraftvolle Unterstützungs-Charakteristik
- *Quad Sensor System*
- *Automatic Support Mode for all-round uses and trails*
- *naturally powerful support-characteristic*



	HAIBIKE FLYON HPR 120S	BOSCH PERFORMANCE CX	BOSCH PERFORMANCE CRUISE	BOSCH ACTIVE LINE PLUS
Gewicht/Weight	ca. 3,7 kg	2,9 kg	ca. 3,2 kg	2,9 kg / 3,2 kg
Rated power	250 Watt	250 Watt	250 Watt	250 Watt
Max. torque	120 Nm	85 Nm	65 Nm	50 Nm
Max. support speed	25 km/h			
Support mode (%)	5 Modi / modes XTREME: 820 HIGH: 540 MID: 350 LOW: 220 ECO: 150	4 Modi / modes TURBO: 340 eMTB: 140-340 TOUR: 140 ECO: 60	4 Modi / modes TURBO: 300 SPORT: 200 TOUR: 120 ECO: 55	4 Modi / modes TURBO: 250 SPORT: 170 TOUR: 100 ECO: 40



	BOSCH PERFORMANCE LINE SPEED	YAMAHA PW-X 2	YAMAHA PWseries ST
Gewicht/Weight	2,9 kg	3,1 kg	3,5 kg / 3,4 kg
Rated power	350 Watt	250 Watt	250 Watt
Max. torque	85 Nm	80 Nm	70 Nm
Max. support speed	45 km/h	25 km/h	
Support mode (%)	4 Modi / modes TURBO: 340 SPORT: 240 TOUR: 140 ECO: 60	5 Modi / modes EXPW/360 HIGH/280 STD/190 ECO/100 +ECO/50	4 Modi / modes HIGH/280 STD/190 ECO/100 +ECO/50

HAIBIKE 2021

ePERFORMANCE

eBIKES



indigo / blue

### SPEZIFIKATIONEN / SPECIFICATIONS

Rahmen / Frame	aluminium 6061, thru-axle M12 (1.75) x 148mm, disc brake Post Mount, Travel: 200mm
Gabel / Fork	RockShox RockShox BoXXer Select RC, air, Travel: 200mm, thru-axle
Dämpfer / Damper	RockShox Super Deluxe Ultimate DH, air
Schaltwerk / Rear derailleur	Sram NX, 11-speed
Schalthebel / Shift lever	Sram NX, trigger switch
Zahnkranz (hinten) / Sprocket	Sram PG1130, 11-42 teeth
Kette / Chain	Sram PC1110
Kettenblatt / Chainring	steel, 38
Kettenführung / Chain guide	Haibike aluminium/Nylon directmount
Bremshebel / Brake lever	Magura MT7 HC-lever, aluminium
Bremse vorne / Brake front	Magura MT7, 203mm
Bremse hinten / Brake rear	Magura MT7, 203mm
Reifen / Tyres	Maxxis Assegai DD, 63-584
Felgen / Rims	Alexrims Supra BH, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub +++
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar +++ Gravity 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components The Stem +++, direct mount
Steuersatz / Headset	A-Head Alloy Tapered
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	XLC AllMtn, Remote, telescope, 31.6mm
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Downhill

### ePERFORMANCE

Motor	Yamaha PW-X2, 250W, 80Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha Lithium Ion 500Wh
Ladegerät / Charger	Yamaha quick charger 4A

500Wh YAMAHA 27,5"

# DWNHLL MODEL

#### CHARAKTERISTIK

##### UNSER eMTB FÜR ADRENALINJUNKIES

Unser Dwnhll Modell bildet zweifellos die Speerspitze in Sachen Fahrspaß und Einsatzbreite. Mit ihm schöpfst Du das volle Downhill-Potential aus und meisterst darüber hinaus extrem steile, technisch anspruchsvolle und bislang unmögliche Steigungen mit Leichtigkeit.

#### CHARACTERISTIC

##### OUR eMTB FOR ADRENALINE JUNKIES

Our Dwnhll model is the pinnacle in terms of riding fun and range of use. This model combines the ability to shred the downhill as well as any gravity bike, together with the capability to master steep, technical, and previously impossible to ride uphill climbs.

### ARTIKELNUMMER / ORDER NUMBER

27.5"	S	45186142	indigo / blue
27.5"	M	45186143	indigo / blue
27.5"	L	45186144	indigo / blue
27.5"	XL	45186145	indigo / blue

ADVANCED OFFROAD NDURO  
**XDURO NDURO 10.0**

**HAIBIKE**



red /carbon /yellow

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	Carbon/Aluminium, thru-axle M12 (1.75) x 148mm, disc brake Post Mount, Travel: 180mm
Gabel / Fork	FOX 38 Factory Kashima, air/oil, Travel: 180mm, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	FOX Float X2 Factory Kashima, air
Schaltwerk / Rear derailleur	Shimano XTR M9100, 12-speed
Schalthebel / Shift lever	Shimano Deore XTR M9100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano XT M8100, 10-51 teeth
Kette / Chain	Shimano XT M8100
Kettenblatt / Chainring	aluminium, Haibike Components The Chainring, 38
Bremshebel / Brake lever	Magura MT7 HC-lever, aluminium
Bremse vorne / Brake front	Magura MT7, 203mm
Bremse hinten / Brake rear	Magura MT7, 203mm
Reifen / Tyres	Schwalbe Magic Mary, 65-584
Laufnrad / Wheel set	DT Swiss FR1950
Lenker / Handlebar	Haibike Components The Bar +++ 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Prologo PROXIM TiroX
Sattelstütze / Seat post	Kind Shock LEV-Integra, telescope, 34.9mm, aluminium
Pedale / Pedals	Haibike Freeride pedal aluminium
Scheinwerfer / Headlight	Haibike Skybeamer 5000, 150 lux
Rücklicht / Rear light	Haibike Twin TailLights
Gewicht / Weight	28kg
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Freeride

**ePERFORMANCE**

Motor	Flyon HPR120S, 25km/h
Display	Flyon The Display
Akku / Battery	Flyon The Battery 630Wh
Ladegerät / Charger	Haibike The Battery Charger 4A

630Wh FLYON 27,5" eConnect MRS

# NDURO MODELS

**CHARAKTERISTIK**

**BERGAUF ZU FLIEGEN HAT NOCH NIE SO VIEL SPASS GEMACHT**

Unsere Nduro Modelle bieten Dir genau den Uphill Spaß, den Du immer wolltest. Mit ihrer komplett auf Enduro abgestimmten Geometrie sind sie dafür gemacht, Dich schneller als je zuvor an die Spitze Deines Lieblingstrails zu bringen und wieder herunter. Immer und immer wieder.

**CHARACTERISTIC**

**FLYING UPHILL WAS NEVER THIS FUN BEFORE**

Our Nduro models offer you exactly the uphill fun you always wanted. Thanks to Enduro focused geometry they were designed to get you to the top of your favourite trails faster than ever before, ready to shred back down, again, and again.

**ARTIKELNUMMER / ORDER NUMBER**

27.5"	S	4541138942	red /carbon /yellow
27.5"	M	4541138944	red /carbon /yellow
27.5"	L	4541138946	red /carbon /yellow
27.5"	XL	4541138948	red /carbon /yellow

ADVANCED OFFROAD NDURO  
**XDURO NDURO 8.0**

**HAIBIKE**



silver /olive /orange matt

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	Carbon/Aluminium, thru-axle M12 (1.75) x 148mm, disc brake Post Mount, Travel: 180mm
Gabel / Fork	FOX 38 Performance, air/oil, Travel: 180mm, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	FOX Float X2 Performance, air
Schaltwerk / Rear derailleur	Shimano Deore XT M8100 Shadow Plus, 12-speed
Schalthebel / Shift lever	Shimano Deore XT M8100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano HG6100, 10-51 teeth
Kette / Chain	Shimano CN-M6100
Kettenblatt / Chainring	aluminium, Haibike Components The Chainring, 38
Bremshebel / Brake lever	Shimano Deore XT M8100, aluminium
Bremse vorne / Brake front	Shimano Deore XT M8120, 203mm
Bremse hinten / Brake rear	Shimano Deore XT M8120, 203mm
Reifen / Tyres	Schwalbe Magic Mary, 65-584
Felgen / Rims	Rodi Tryp 35, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub ++
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++
Speichen / Spokes	DT Swiss Factory, black
Lenker / Handlebar	Haibike Components The Bar +++ 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	XLC AllMtn, Remote, telescope, 34.9mm, aluminium
Pedale / Pedals	MTB platform pedal aluminium
Gewicht / Weight	28.1kg
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Freeride

**ePERFORMANCE**

Motor	Flyon HPR120S, 25km/h
Display	Flyon The Display
Akku / Battery	Flyon The Battery 630Wh
Ladegerät / Charger	Haibike The Battery Charger 4A

**630Wh FLYON 27,5" eConnect MRS**

**ARTIKELNUMMER / ORDER NUMBER**

27.5"	S	4541126942	silver /olive /orange matt
27.5"	M	4541126944	silver /olive /orange matt
27.5"	L	4541126946	silver /olive /orange matt
27.5"	XL	4541126948	silver /olive /orange matt

ADVANCED OFFROAD NDURO  
**XDURO NDURO 5.0**

**HAIBIKE**



blue /white /orange

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	Carbon/Aluminium, thru-axle M12 (1.75) x 148mm, disc brake Post Mount, Travel: 180mm
Gabel / Fork	RockShox Yari RC, air, Travel: 180mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	RockShox Super Deluxe Select Plus, air
Schaltwerk / Rear derailleur	Sram SX Eagle, 12-speed
Schalthebel / Shift lever	Sram SX Eagle, trigger switch
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1230, 11-50 teeth
Kette / Chain	Sram SX Eagle
Kettenblatt / Chainring	aluminium, Haibike Components The Chainring, 38
Bremshebel / Brake lever	Magura MT5 HC-lever, aluminium
Bremse vorne / Brake front	Magura MT5, 203mm
Bremse hinten / Brake rear	Magura MT5, 203mm
Reifen / Tyres	Continental Trail King, 65x584
Felgen / Rims	Rodi Tryp 35, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub ++
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++
Speichen / Spokes	DT Swiss Factory, black
Lenker / Handlebar	Haibike Components The Bar +++ 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	XLC AllMtn, Remote, telescope, 34.9mm, aluminium
Pedale / Pedals	MTB platform pedal aluminium
Gewicht / Weight	28.3kg
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Freeride

**ePERFORMANCE**

Motor	Flyon HPR120S, 25km/h
Display	Flyon The Display
Akku / Battery	Flyon The Battery 630Wh
Ladegerät / Charger	Haibike The Battery Charger 4A

**630Wh FLYON 27,5" eConnect MRS**

**ARTIKELNUMMER / ORDER NUMBER**

27.5"	S	4541108942	blue /white /orange
27.5"	M	4541108944	blue /white /orange
27.5"	L	4541108946	blue /white /orange
27.5"	XL	4541108948	blue /white /orange

ADVANCED OFFROAD ALLMTN  
**XDURO ALLMTN 10.0**

**HAIBIKE**



carbon /silver /red matt

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	Carbon/Aluminium, thru-axle M12 (1.75) x 148mm, disc brake Post Mount, Travel: 150mm
Gabel / Fork	FOX 38 Factory Kashima, air, Travel: 150mm
Dämpfer / Damper	FOX DPX2 Factory Kashima, air
Schaltwerk / Rear derailleur	Sram XX1 Eagle, 12-speed
Schalthebel / Shift lever	Sram XX1 Eagle, trigger switch
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1230, 11-50 teeth
Kette / Chain	Sram XX1 Eagle Gold
Kettenblatt / Chainring	aluminium, Haibike Components The Chainring, 38
Bremshebel / Brake lever	Magura MT7 HC-lever, aluminium
Bremse vorne / Brake front	Magura MT7, 203mm
Bremse hinten / Brake rear	Magura MT7, 203mm
Reifen / Tyres	Maxxis Minion DHF, 63-622 / Maxxis Minion DHR II, 71-584
Laufbandsatz / Wheel set	DT Swiss HX 1501
Lenker / Handlebar	Haibike Components The Bar +++ 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Prologo PROXIM TiroX
Sattelstütze / Seat post	Kind Shock LEV-Integra, telescope, 34.9mm, aluminium
Pedale / Pedals	Haibike Freeride pedal aluminium
Scheinwerfer / Headlight	Haibike Skybeamer 5000, 150 lux
Rücklicht / Rear light	Haibike Twin TailLights
Gewicht / Weight	26.9kg
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB All Mountain

**ePERFORMANCE**

Motor	Flyon HPR120S, 25km/h
Display	Flyon The Display
Akku / Battery	Flyon The Battery 630Wh
Ladegerät / Charger	Haibike The Battery Charger 4A

630Wh FLYON 29/27,5" eConnect MRS

# ALLMTN MODELS

**CHARAKTERISTIK**

**DER PERFEKTE ALLROUNDER**

Wer den perfekten Allrounder sucht, wird unsere AllMtn Modelle lieben! Mit Ihrem breiten Einsatzgebiet gehören sie zu den vielseitigsten Modellen in unserem Portfolio: Uphill-, Downhill- und Touren-Performance vereint in einem eMTB. Gemixte Laufradgrößen verleihen unserer AllMtn Serie hervorragende Traktion und komfortables Überrollverhalten, um auch steilste Anstiege und Abfahrten überlegen zu meistern.

**CHARACTERISTIC**

**THE PERFECT ALLROUNDER**

Anyone looking for the perfect allrounder will love our AllMtn models! With their wide range of use, they are among the most versatile models in our portfolio: uphill, downhill and touring performance combined in one eMTB. Mixed wheel sizes give the AllMtn series excellent traction and comfortable roll-over resistance to master even the steepest climbs and descents.

**ARTIKELNUMMER / ORDER NUMBER**

29"/27.5"	S	4541072941	carbon /silver /red matt
29"/27.5"	M	4541072944	carbon /silver /red matt
29"/27.5"	L	4541072947	carbon /silver /red matt
29"/27.5"	XL	4541072950	carbon /silver /red matt



ADVANCED OFFROAD ALLMTN  
**XDURO ALLMTN 8.0**

**HAIBIKE**



olive /carbon /orange matt

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	Carbon/Aluminium, thru-axle M12 (1.75) x 148mm, disc brake Post Mount, Travel: 150mm
Gabel / Fork	FOX 36 Float Performance Elite Lockout, air, Travel: 150mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	FOX Float DPX2 Performance Elite, air
Schaltwerk / Rear derailleur	Shimano Deore XT M8100 Shadow Plus, 12-speed
Schalthebel / Shift lever	Shimano Deore XT M8100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano HG6100, 10-51 teeth
Kette / Chain	Shimano CN-M6100
Kettenblatt / Chainring	aluminium, Haibike Components The Chainring, 38
Bremshebel / Brake lever	Shimano Deore XT M8100, aluminium
Bremse vorne / Brake front	Shimano Deore XT M8120, 203mm
Bremse hinten / Brake rear	Shimano Deore XT M8120, 203mm
Reifen / Tyres	Maxxis Minion DHF, 63-622 / Maxxis Minion DHR II, 71-584
Felgen / Rims	Rodi Tryp 30, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub ++
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++
Speichen / Spokes	DT Swiss Factory, black
Lenker / Handlebar	Haibike Components The Bar +++ 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	XLC AllMtn, Remote, telescope, 34.9mm, aluminium
Pedale / Pedals	MTB platform pedal aluminium
Gewicht / Weight	27.7kg
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB All Mountain

**ePERFORMANCE**

Motor	Flyon HPR120S, 25km/h
Display	Flyon The Display
Akku / Battery	Flyon The Battery 630Wh
Ladegerät / Charger	Haibike The Battery Charger 4A

**630Wh FLYON 29/27,5" eConnect MRS**

**ARTIKELNUMMER / ORDER NUMBER**

29"/27.5"	S	4541066941	olive /carbon /orange matt
29"/27.5"	M	4541066944	olive /carbon /orange matt
29"/27.5"	L	4541066947	olive /carbon /orange matt
29"/27.5"	XL	4541066950	olive /carbon /orange matt

ADVANCED OFFROAD ALLMTN  
**XDURO ALLMTN 5.0**

**HAIBIKE**



white /blue /orange

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	Carbon/Aluminium, thru-axle M12 (1.75) x 148mm, disc brake Post Mount, Travel: 150mm
Gabel / Fork	RockShox Yari RC, air, Travel: 150mm, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	RockShox Deluxe Select Plus, air
Schaltwerk / Rear derailleur	Sram SX Eagle, 12-speed
Schalthebel / Shift lever	Sram SX Eagle, trigger switch
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1230, 11-50 teeth
Kette / Chain	Sram SX Eagle
Kettenblatt / Chainring	aluminium, Haibike Components The Chainring, 38
Bremshebel / Brake lever	Magura MT5 HC-lever, aluminium
Bremse vorne / Brake front	Magura MT5, 203mm
Bremse hinten / Brake rear	Magura MT5, 203mm
Reifen / Tyres	Continental Trail King, 60x622 / Continental Trail King, 70x584
Felgen / Rims	Rodi Tryp 30, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub ++
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++
Speichen / Spokes	DT Swiss Factory, black
Lenker / Handlebar	Haibike Components The Bar +++ 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	XLC AllMtn, Remote, telescope, 34.9mm, aluminium
Pedale / Pedals	MTB platform pedal aluminium
Gewicht / Weight	27.9kg
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB All Mountain

**ePERFORMANCE**

Motor	Flyon HPR120S, 25km/h
Display	Flyon The Display
Akku / Battery	Flyon The Battery 630Wh
Ladegerät / Charger	Haibike The Battery Charger 4A

**630Wh FLYON 29/27,5" eConnect MRS**

**ARTIKELNUMMER / ORDER NUMBER**

29"/27.5"	S	4541048941	white /blue /orange
29"/27.5"	M	4541048944	white /blue /orange
29"/27.5"	L	4541048947	white /blue /orange
29"/27.5"	XL	4541048950	white /blue /orange

ADVANCED OFFROAD ALLMTN  
**ALLMTN 7**

**HAIBIKE**



coffee / black / blue

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	carbon, SkidPlate, Integrated Motor, UD-Carbon Frame, FullCarbon Interface, Steckachse M12 (1.00) x 148mm, disc brake Post Mount, Travel: 160mm
Gabel / Fork	FOX 38 Factory Kashima, air, Travel: 160mm
Dämpfer / Damper	FOX DPX2 Factory Kashima, air
Schaltwerk / Rear derailleur	Shimano Deore XT M8100 Shadow Plus, 12-speed
Schalthebel / Shift lever	Shimano Deore XT M8100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano M7100, 10-51 teeth
Kette / Chain	Shimano SLX M7100
Kettenblatt / Chainring	aluminium, Haibike Components The Chainring, 38
Bremshebel / Brake lever	Shimano Deore XT M8100, aluminium
Bremse vorne / Brake front	Shimano Deore XT M8120, 203mm
Bremse hinten / Brake rear	Shimano Deore XT M8120, 203mm
Reifen / Tyres	Maxxis Minion DHF, 63-622 / Maxxis Minion DHR II, 71-584
Felgen / Rims	Syntace V30i, eyed, double-walled rim, aluminium
Vorderradnabe/Front wheel hub	Syntace V Hub
Hinterradnabe/Rear wheel hub	Syntace V Hub
Speichen / Spokes	Syntace Straight Pull butted
Lenker / Handlebar	Haibike Components TheBar +++ Gravity 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Steuersatz / Headset	Acros BlockLock
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	Haibike Components Dropper-Post Remote 31.6, telescope, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB All Mountain

**ePERFORMANCE**

Motor	Yamaha PW-X2, 250W, 80Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha InTube 600Wh
Ladegerät / Charger	Yamaha quick charger 4A

**600Wh YAMAHA 29/27,5" MRS**

**FARBVARIANTE / COLOR VARIANT**



black / titan matte /glossy

**ARTIKELNUMMER / ORDER NUMBER**

29"/27.5"	S	45172141	coffee / black / blue
29"/27.5"	M	45172144	coffee / black / blue
29"/27.5"	L	45172147	coffee / black / blue
29"/27.5"	XL	45172150	coffee / black / blue
29"/27.5"	S	45170141	black / titan matte /glossy
29"/27.5"	M	45170144	black / titan matte /glossy
29"/27.5"	L	45170147	black / titan matte /glossy
29"/27.5"	XL	45170150	black / titan matte /glossy

ADVANCED OFFROAD ALLMTN  
**ALLMTN 6**

**HAIBIKE**



bamboo green /cool grey matte

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	carbon, SkidPlate, Integrated Motor, UD-Carbon Frame, FullCarbon Interface, Steckachse M12 (1.00) x 148mm, disc brake Post Mount, Travel: 160mm
Gabel / Fork	FOX 38 Performance, air/oil, Travel: 160mm, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	FOX Float DPS Performance EVOL, air
Schaltwerk / Rear derailleur	Sram GX Eagle, 12-speed
Schalthebel / Shift lever	Sram GX Eagle, trigger switch
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1230, 11-50 teeth
Kette / Chain	Sram SX Eagle
Kettenblatt / Chainring	Sram X-Sync, 38
Bremshebel / Brake lever	Magura MT5 HC-lever, aluminium
Bremse vorne / Brake front	Magura MT5, 203mm
Bremse hinten / Brake rear	Magura MT5, 203mm
Reifen / Tyres	Maxxis Minion DHF, 63-622 / Maxxis Minion DHR II, 71-584
Felgen / Rims	Mavic E-XM 430
Vorderradnabe/Front wheel hub	Haibike Components The Hub ++ Steckachse 15x110mm
Hinterradnabe/Rear wheel hub	Haibike Components TheHub ++ Steckachse 12x148
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar +++ Gravity 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Steuersatz / Headset	Acros BlockLock
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	Haibike Components Dropper-Post Remote 31.6, telescope, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB All Mountain

**ePERFORMANCE**

Motor	Yamaha PW-X2, 250W, 80Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha InTube 600Wh
Ladegerät / Charger	Yamaha quick charger 4A

**600Wh YAMAHA 29/27,5" MRS**

**FARBVARIANTE / COLOR VARIANT**



urban grey / black / red matte

**ARTIKELNUMMER / ORDER NUMBER**

29"/27.5"	S	45166141	bamboo green /cool grey matte
29"/27.5"	M	45166144	bamboo green /cool grey matte
29"/27.5"	L	45166147	bamboo green /cool grey matte
29"/27.5"	XL	45166150	bamboo green /cool grey matte
29"/27.5"	S	45168141	urban grey / black / red matte
29"/27.5"	M	45168144	urban grey / black / red matte
29"/27.5"	L	45168147	urban grey / black / red matte
29"/27.5"	XL	45168150	urban grey / black / red matte

ADVANCED OFFROAD ALLMTN  
**ALLMTN 5**

**HAIBIKE**




black / titan matte /glossy

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	aluminium 6061, Integrated Motor, SkidPlate, thru-axle M12 (1.75) x 148mm, disc brake Post Mount, Travel: 160mm
Gabel / Fork	RockShox Lyrik Ultimate RC, air/oil, Travel: 160mm, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	RockShox Deluxe Select Plus, air
Schaltwerk / Rear derailleur	Shimano Deore XT M8100 Shadow Plus, 12-speed
Schalthebel / Shift lever	Shimano Deore SLX M7100
Zahnkranz (hinten) / Sprocket	Shimano M7100, 10-51 teeth
Kette / Chain	Shimano SLX M7100
Kettenblatt / Chainring	aluminium, Haibike Components, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Shimano Deore XT M8000, aluminium
Bremse vorne / Brake front	Shimano Deore XT M8020 4-Kolben Scheibenbremse
Bremse hinten / Brake rear	Shimano Deore XT M8020 4-Kolben Scheibenbremse
Reifen / Tyres	Maxxis Minion DHF II, 65-622 / Maxxis Minion DHR II, 71-584
Laufbandsatz / Wheel set	DT Swiss H1900
Lenker / Handlebar	Haibike Components TheBar +++ Gravity 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	Haibike Components TheSeatpost ++, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB All Mountain

**ePERFORMANCE**

Motor	Bosch Performance CX GEN4, 250W, 85Nm, 25km/h
Display	Bosch Purion
Akku / Battery	Bosch PowerTube 625Wh
Ladegerät / Charger	Bosch Standard Charger 4A



**ARTIKELNUMMER / ORDER NUMBER**

29"/27.5"	S	45164141	black / titan matte /glossy
29"/27.5"	M	45164144	black / titan matte /glossy
29"/27.5"	L	45164147	black / titan matte /glossy
29"/27.5"	XL	45164150	black / titan matte /glossy

ADVANCED OFFROAD ALLMTN  
**ALLMTN 4**

**HAIBIKE**



cool grey / black matte

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	aluminium 6061, Integrated Motor, SkidPlate, thru-axle M12 (1.75) x 148mm, disc brake Post Mount, Travel: 160mm
Gabel / Fork	RockShox Lyrik Select RC, air/oil, Travel: 160mm, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	RockShox Deluxe Select Plus, air
Schaltwerk / Rear derailleur	Shimano SLX M7100, 12-speed
Schalthebel / Shift lever	Shimano Deore SLX M7100
Zahnkranz (hinten) / Sprocket	Shimano HG6100, 10-51 teeth
Kette / Chain	Shimano SLX M7100
Kettenblatt / Chainring	aluminium, Haibike Components, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Magura MT5 HC-lever, aluminium
Bremse vorne / Brake front	Magura MT5, 203mm
Bremse hinten / Brake rear	Magura MT5, 203mm
Reifen / Tyres	Maxxis Minion DHF II, 65-622 / Maxxis Minion DHR II, 71-584
Felgen / Rims	Rodi Tryp 30, eyed, double-walled rim, aluminium
Vorderradnabe /Front wheel hub	Haibike Components The Hub ++ Steckachse 15x110mm
Hinterradnabe /Rear wheel hub	Haibike Components TheHub ++ Steckachse 12x148
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar +++ Gravity 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	Haibike Components TheSeatpost ++, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB All Mountain

**ePERFORMANCE**

Motor	Bosch Performance CX GEN4, 250W, 85Nm, 25km/h
Display	Bosch Purion
Akku / Battery	Bosch PowerTube 625Wh
Ladegerät / Charger	Bosch Standard Charger 4A



**FARBVARIANTE / COLOR VARIANT**



lava / black

**ARTIKELNUMMER / ORDER NUMBER**

29"/27.5"	S	45160141	cool grey / black matte
29"/27.5"	M	45160144	cool grey / black matte
29"/27.5"	L	45160147	cool grey / black matte
29"/27.5"	XL	45160150	cool grey / black matte
29"/27.5"	S	45162141	lava / black
29"/27.5"	M	45162144	lava / black
29"/27.5"	L	45162147	lava / black
29"/27.5"	XL	45162150	lava / black

ADVANCED OFFROAD ALLMTN  
**ALLMTN 3**

**HAIBIKE**



sparkling white / blue

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	aluminium 6061, Integrated Motor, SkidPlate, thru-axle M12 (1.75) x 148mm, disc brake Post Mount, Travel: 160mm
Gabel / Fork	RockShox Yari RC, air, Travel: 160mm, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	RockShox Deluxe Select Plus, air
Schaltwerk / Rear derailleur	Sram SX Eagle, 12-speed
Schalthebel / Shift lever	Sram SX Eagle, trigger switch
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1210, 11-50 teeth
Kette / Chain	Sram SX Eagle
Kettenblatt / Chainring	Sram X-Sync, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Shimano MT401, aluminium
Bremse vorne / Brake front	Shimano MT420, aluminium, 203mm
Bremse hinten / Brake rear	Shimano MT420, aluminium, 203mm
Reifen / Tyres	Maxxis Minion DHF II, 65-622 / Maxxis Minion DHR II, 71-584
Felgen / Rims	Rodi Tryp 30, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano MT400-B
Hinterradnabe / Rear wheel hub	Shimano MT400-B
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar +++ Gravity 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	Haibike Components TheSeatpost ++, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB All Mountain

**ePERFORMANCE**

Motor	Bosch Performance CX GEN4, 250W, 85Nm, 25km/h
Display	Bosch Purion
Akku / Battery	Bosch PowerTube 625Wh
Ladegerät / Charger	Bosch Standard Charger 4A



**FARBVARIANTE / COLOR VARIANT**



blue / sparkling white

**ARTIKELNUMMER / ORDER NUMBER**

29"/27.5"	S	45156141	sparkling white / blue
29"/27.5"	M	45156144	sparkling white / blue
29"/27.5"	L	45156147	sparkling white / blue
29"/27.5"	XL	45156150	sparkling white / blue
29"/27.5"	S	45158141	blue / sparkling white
29"/27.5"	M	45158144	blue / sparkling white
29"/27.5"	L	45158147	blue / sparkling white
29"/27.5"	XL	45158150	blue / sparkling white

ADVANCED OFFROAD ALLMTN  
**ALLMTN 2**

**HAIBIKE**



titan / black / coral

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	aluminium, thru-axle M12 (1.75) x 148mm, disc brake Post Mount, Travel: 160mm
Gabel / Fork	RockShox Yari RC, air, Travel: 160mm, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	SR Suntour Edge TT LORC, air
Schaltwerk / Rear derailleur	Sram SX Eagle, 12-speed
Schalthebel / Shift lever	Sram SX Eagle, trigger switch
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1210, 11-50 teeth
Kette / Chain	Sram SX Eagle
Kettenblatt / Chainring	Sram X-Sync, 38
Bremshebel / Brake lever	Shimano MT401, aluminium
Bremse vorne / Brake front	Shimano MT420, aluminium, 203mm
Bremse hinten / Brake rear	Shimano MT420, aluminium, 180mm
Reifen / Tyres	Maxxis Minion DHF, 63-622 / Maxxis Minion DHR II, 71-584
Felgen / Rims	Rodi Tryp 30, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano MT400-B
Hinterradnabe / Rear wheel hub	Shimano MT400-B
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar +++ Gravity 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	Haibike Components TheSeatpost ++, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB All Mountain

**ePERFORMANCE**

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	InTube 630Wh
Ladegerät / Charger	Schnellladegerät 4A



**ARTIKELNUMMER / ORDER NUMBER**

29"/27.5"	S	45154142	titan / black / coral
29"/27.5"	M	45154144	titan / black / coral
29"/27.5"	L	45154147	titan / black / coral
29"/27.5"	XL	45154150	titan / black / coral

ADVANCED OFFROAD ALLMTN  
**ALLMTN 1**

**HAIBIKE**



anthracite / turquoise

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	aluminium, thru-axle M12 (1.75) x 148mm, disc brake Post Mount, Travel: 160mm
Gabel / Fork	RockShox 35 Silver, air, Travel: 160mm, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	SR Suntour Edge LO-R8, air
Schaltwerk / Rear derailleur	Shimano Deore M5100, 11-speed
Schalthebel / Shift lever	Shimano Deore M5100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano HG5100, 11-51 teeth
Kette / Chain	KMC X11
Kettenblatt / Chainring	steel, 38
Bremshebel / Brake lever	Tektro Orion M745, aluminium
Bremse vorne / Brake front	Tektro Orion M745, 203mm
Bremse hinten / Brake rear	Tektro Orion M745, 180mm
Reifen / Tyres	Continental Trail King, 60x622 / Continental Trail King, 65x584
Felgen / Rims	Rodi Tryp 30, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub ++
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++ Steckachse 12x148
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar +++ Gravity 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 7"
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	Haibike Components TheSeatpost ++, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB All Mountain

**ePERFORMANCE**

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	InTube 630Wh
Ladegerät / Charger	Schnellladegerät 4A

**630Wh YAMAHA 29/27,5" MRS**


**FARBVARIANTE / COLOR VARIANT**



aquamarine / black

**ARTIKELNUMMER / ORDER NUMBER**

29"/27.5"	S	45150142	anthracite / turquoise
29"/27.5"	M	45150144	anthracite / turquoise
29"/27.5"	L	45150147	anthracite / turquoise
29"/27.5"	XL	45150150	anthracite / turquoise
29"/27.5"	S	45148142	aquamarine / black
29"/27.5"	M	45148144	aquamarine / black
29"/27.5"	L	45148147	aquamarine / black
29"/27.5"	XL	45148150	aquamarine / black





# FULLSEVEN FULLNINE

SPORT FULL SUSPENSION  
**FULLNINE 10**

**HAIBIKE**



titan / black / lava matte

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	aluminium 6061, SkidPlate, Integrated Motor, thru-axle M12 (1.75) x 148mm, disc brake Post Mount, Travel: 140mm
Gabel / Fork	RockShox Pike Ultimate RC, air/oil, Travel: 140mm, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	RockShox Deluxe Select Plus, air
Schaltwerk / Rear derailleur	Shimano Deore XT M8100 Shadow Plus, 12-speed
Schalthebel / Shift lever	Shimano Deore SLX M7100
Zahnkranz (hinten) / Sprocket	Shimano M7100, 10-51 teeth
Kette / Chain	Shimano SLX M7100
Kettenblatt / Chainring	aluminium, Haibike Components, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Shimano Deore XT M8000, aluminium
Bremse vorne / Brake front	Shimano Deore XT M8020, 203mm
Bremse hinten / Brake rear	Shimano Deore XT M8020, 203mm
Reifen / Tyres	Schwalbe Nobby Nic Evo SnakeSkin, 65-622
Laufwheelsatz / Wheel set	DT Swiss H1900
Lenker / Handlebar	Haibike Components TheBar +++ Gravity 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	Haibike Components TheSeatpost ++, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB All Mountain

**ePERFORMANCE**

Motor	Bosch Performance CX GEN4, 250W, 85Nm, 25km/h
Display	Bosch Purion
Akku / Battery	Bosch PowerTube 625Wh
Ladegerät / Charger	Bosch Standard Charger 4A



# FULLNINE MODELS

**CHARAKTERISTIK**

**SCHNELLES eMTB FÜR AUSGIEBIGE TOUREN**

Vollgas ohne Kompromisse in puncto Komfort und Sicherheit. Dafür steht unsere FullNine Serie. Die wendigen Twentyniner sind die perfekten Begleiter für ausgiebige Touren und Ausfahrten im leichten bis mittleren Gelände. Mit ihrer 29 Zoll-Bereifung ermöglichen sie auch auf steilen und schnellen Passagen ein komfortables Überrollverhalten, präzises Handling und Spurtreue.

**CHARACTERISTIC**

**FAST eMTB FOR EXTENSIVE TOURS**

Full throttle without compromising on comfort and safety. This is what our FullNine series stands for. The nimble Twentyniner are the perfect companion for extensive tours and trips in light to medium terrain. Thanks to 29 inch tires, they allow a comfortable rollover resistance, precise handling and directional stability even on steep and fast sections.

**ARTIKELNUMMER / ORDER NUMBER**

29"	S	45086141	titan / black / lava matte
29"	M	45086144	titan / black / lava matte
29"	L	45086147	titan / black / lava matte
29"	XL	45086150	titan / black / lava matte

SPORT FULL SUSPENSION  
**FULLNINE 9**

**HAIBIKE**



cool grey / red

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	aluminium 6061, SkidPlate, Integrated Motor, thru-axle M12 (1.75) x 148mm, disc brake Post Mount, Travel: 140mm
Gabel / Fork	RockShox Pike Select RC, air/oil, Travel: 140mm, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	RockShox Deluxe Select Plus, air
Schaltwerk / Rear derailleur	Shimano SLX M7100, 12-speed
Schalthebel / Shift lever	Shimano Deore M6100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano HG6100, 10-51 teeth
Kette / Chain	Shimano CN-M6100
Kettenblatt / Chainring	aluminium, Haibike Components, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Magura MT5 HC-lever, aluminium
Bremse vorne / Brake front	Magura MT5, 203mm
Bremse hinten / Brake rear	Magura MT5, 203mm
Reifen / Tyres	Schwalbe Nobby Nic Evo SnakeSkin, 65-622
Felgen / Rims	Rodi Tryp 30, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components The Hub ++ Steckachse 15x110mm
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++ Steckachse 12x148
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar +++ Gravity 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	Haibike Components TheSeatpost ++, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB All Mountain

**ePERFORMANCE**

Motor	Bosch Performance CX GEN4, 250W, 85Nm, 25km/h
Display	Bosch Purion
Akku / Battery	Bosch PowerTube 625Wh
Ladegerät / Charger	Bosch Standard Charger 4A



**FARBVARIANTE / COLOR VARIANT**



black / titan / white

**ARTIKELNUMMER / ORDER NUMBER**

29"	S	45082141	cool grey / red
29"	M	45082144	cool grey / red
29"	L	45082147	cool grey / red
29"	XL	45082150	cool grey / red
29"	S	45084141	black / titan / white
29"	M	45084144	black / titan / white
29"	L	45084147	black / titan / white
29"	XL	45084150	black / titan / white

SPORT FULL SUSPENSION  
**FULLNINE 8**

**HAIBIKE**



anthracite / white / black

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	aluminium 6061, SkidPlate, Integrated Motor, thru-axle M12 (1.75) x 148mm, disc brake Post Mount, Travel: 140mm
Gabel / Fork	RockShox Lyrik Select, air/oil, Travel: 140mm, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	RockShox Deluxe Select Plus, air
Schaltwerk / Rear derailleur	Sram SX Eagle, 12-speed
Schalthebel / Shift lever	Sram SX Eagle, trigger switch
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1210, 11-50 teeth
Kette / Chain	Sram SX Eagle
Kettenblatt / Chainring	Sram X-Sync, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Shimano MT401, aluminium
Bremse vorne / Brake front	Shimano MT420, aluminium, 203mm
Bremse hinten / Brake rear	Shimano MT420, aluminium, 203mm
Reifen / Tyres	Schwalbe Nobby Nic Evo SnakeSkin, 65-622
Felgen / Rims	Rodi Tryp 30, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano MT400-B
Hinterradnabe / Rear wheel hub	Shimano MT400-B
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar +++ Gravity 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	Haibike Components TheSeatpost ++, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB All Mountain

**ePERFORMANCE**

Motor	Bosch Performance CX GEN4, 250W, 85Nm, 25km/h
Display	Bosch Purion
Akku / Battery	Bosch PowerTube 625Wh
Ladegerät / Charger	Bosch Standard Charger 4A



**ARTIKELNUMMER / ORDER NUMBER**

29"	S	45080141	anthracite / white / black
29"	M	45080144	anthracite / white / black
29"	L	45080147	anthracite / white / black
29"	XL	45080150	anthracite / white / black



SPORT FULL SUSPENSION  
**FULLNINE 7**

**HAIBIKE**



platin / anthracite

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	aluminium 6061, thru-axle M12 (1.75) x 148mm, disc brake Post Mount, Travel: 120mm
Gabel / Fork	RockShox Revelation RC, air, Travel: 120mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	RockShox Monarch RL, air
Schaltwerk / Rear derailleur	Sram NX Eagle, 12-speed
Schalthebel / Shift lever	Sram SX Eagle, trigger switch
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1210, 11-50 teeth
Kette / Chain	Sram SX Eagle
Kettenblatt / Chainring	Sram X-Sync, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Shimano MT401, aluminium
Bremse vorne / Brake front	Shimano MT420, aluminium, 203mm
Bremse hinten / Brake rear	Shimano MT420, aluminium, 180mm
Reifen / Tyres	Schwalbe Nobby Nic Evo SnakeSkin, 65-622
Felgen / Rims	Rodi Tryp 30, eyed, double-walled rim, aluminium
Vorderradnabe /Front wheel hub	Shimano MT400-B
Hinterradnabe /Rear wheel hub	Shimano MT400-B
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar +++ Gravity 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	Haibike Components TheSeatpost ++, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB All Mountain

**ePERFORMANCE**

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	InTube 630Wh
Ladegerät / Charger	Yamaha quick charger 4A

**630Wh YAMAHA 29" MRS**

**ARTIKELNUMMER / ORDER NUMBER**

29"	S	45076140	platin / anthracite
29"	M	45076144	platin / anthracite
29"	L	45076148	platin / anthracite
29"	XL	45076152	platin / anthracite

SPORT FULL SUSPENSION  
**FULLNINE 6**

**HAIBIKE**



defender / black

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	aluminium 6061, thru-axle M12 (1.75) x 148mm, disc brake Post Mount, Travel: 120mm
Gabel / Fork	RockShox 35 Silver, air, Travel: 120mm, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	RockShox Monarch R, air
Schaltwerk / Rear derailleur	Shimano Deore M6100, 12-speed
Schalthebel / Shift lever	Shimano Deore M6100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano HG6100, 10-51 teeth
Kette / Chain	Shimano CN-M6100
Kettenblatt / Chainring	steel, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Tektro Orion M745, aluminium
Bremse vorne / Brake front	Tektro Orion M745, 203mm
Bremse hinten / Brake rear	Tektro Orion M745, 180mm
Reifen / Tyres	Schwalbe Nobby Nic Performance, 65-622
Felgen / Rims	Rodi Tryp 30, eyed, double-walled rim, aluminium
Vorderradnabe /Front wheel hub	Haibike Components TheHub ++
Hinterradnabe /Rear wheel hub	Haibike Components TheHub ++ Steckachse 12x148
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar +++ Gravity 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 6°
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Dropper-Post Remote 31.6, telescope, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB All Mountain

**ePERFORMANCE**

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	InTube 630Wh
Ladegerät / Charger	Schnellladegerät 4A

**630Wh YAMAHA 29" MRS**

**FARBVARIANTE / COLOR VARIANT**



urban grey / black

**ARTIKELNUMMER / ORDER NUMBER**

29"	S	45074140	defender / black
29"	M	45074144	defender / black
29"	L	45074148	defender / black
29"	XL	45074152	defender / black
29"	S	45072140	urban grey / black
29"	M	45072144	urban grey / black
29"	L	45072148	urban grey / black
29"	XL	45072152	urban grey / black

SPORT FULL SUSPENSION  
**FULLNINE 5**

**HAIBIKE**



blue /canary

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	aluminium 6061, thru-axle M12 (1.75) x 148mm, disc brake Post Mount, Travel: 100mm
Gabel / Fork	RockShox 35 Silver, steel spring, Travel: 120mm, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	RockShox Deluxe Select Plus, air
Schaltwerk / Rear derailleur	Shimano Deore M5100, 11-speed
Schalthebel / Shift lever	Shimano Deore M5100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano HG5100, 11-51 teeth
Kette / Chain	KMC X11
Kettenblatt / Chainring	steel, 38
Kettenführung / Chain guide	Haibike aluminium/Nylon directmount
Bremshebel / Brake lever	Tektro Orion M745, aluminium
Bremse vorne / Brake front	Tektro Orion M745, 203mm
Bremse hinten / Brake rear	Tektro Orion M745, 180mm
Reifen / Tyres	Schwalbe Nobby Nic Performance, 65-622
Felgen / Rims	Rodi Tryp 35, eyed, double-walled rim, aluminium
Vorderradnabe /Front wheel hub	Haibike Components The Hub ++ Steckachse 15x110mm
Hinterradnabe /Rear wheel hub	Haibike Components TheHub ++ Steckachse 12x148
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar +++ Gravity 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 7
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components TheSeatpost ++, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB All Mountain

**ePERFORMANCE**

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha InTube 500Wh
Ladegerät / Charger	Yamaha quick charger 4A

**500Wh YAMAHA 29" MRS**

**ARTIKELNUMMER / ORDER NUMBER**

29"	S	45068140	blue /canary
29"	M	45068144	blue /canary
29"	L	45068148	blue /canary
29"	XL	45068152	blue /canary

SPORT FULL SUSPENSION  
**FULLNINE 4**

**HAIBIKE**



cool grey / lava matte

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	aluminium 6061, thru-axle M12 (1.75) x 142mm, disc brake Post Mount, Travel: 100mm
Gabel / Fork	SR Suntour XCM34 LOR Lockout, steel spring, Travel: 120mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	SR Suntour Edge LO-R8, air
Schaltwerk / Rear derailleur	Shimano Deore M5120, 10-speed
Schalthebel / Shift lever	Shimano Deore M6000, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano HG41, 11-46 teeth
Kette / Chain	KMC e10S
Kettenblatt / Chainring	steel, 38
Kettenführung / Chain guide	Haibike aluminium/Nylon directmount
Bremshebel / Brake lever	Shimano MT401, aluminium
Bremse vorne / Brake front	Shimano MT400, aluminium, 180mm
Bremse hinten / Brake rear	Shimano MT400, aluminium, 180mm
Reifen / Tyres	WTB Ranger Comp, 60-622
Felgen / Rims	Schürmann Yak25, eyed, double-walled rim, aluminium
Vorderradnabe /Front wheel hub	Shimano MT400-B
Hinterradnabe /Rear wheel hub	Shimano MT400-B
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar +++ Gravity 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 7
Steuersatz / Headset	A-Head Alloy Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components TheSeatpost ++, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Cross Country & Marathon

**ePERFORMANCE**

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha InTube 500Wh
Ladegerät / Charger	Yamaha quick charger 4A

**500Wh YAMAHA 29"**

**ARTIKELNUMMER / ORDER NUMBER**

29"	S	45066140	cool grey / lava matte
29"	M	45066144	cool grey / lava matte
29"	L	45066148	cool grey / lava matte
29"	XL	45066152	cool grey / lava matte

SPORT FULL SUSPENSION  
**FULLSEVEN 10**

**HAIBIKE**



titan / black / lava matte

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	aluminium 6061, thru-axle M12 (1.75) x 148mm, disc brake Post Mount, Travel: 150mm
Gabel / Fork	RockShox Pike Ultimate RC, air/oil, Travel: 150mm, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	RockShox Deluxe Select Plus, air
Schaltwerk / Rear derailleur	Shimano Deore XT M8100 Shadow Plus, 12-speed
Schalthebel / Shift lever	Shimano Deore SLX M7100
Zahnkranz (hinten) / Sprocket	Shimano M7100, 10-51 teeth
Kette / Chain	Shimano SLX M7100
Kettenblatt / Chainring	aluminium, Haibike Components, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Shimano Deore XT M8000, aluminium
Bremse vorne / Brake front	Shimano Deore XT M8020, 203mm
Bremse hinten / Brake rear	Shimano Deore XT M8020, 203mm
Reifen / Tyres	Schwalbe Nobby Nic Evo, 70-584
Lafradsatz / Wheel set	DT Swiss H1900
Lenker / Handlebar	Haibike Components TheBar +++ Gravity 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	Haibike Components TheSeatpost ++, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB All Mountain

**ePERFORMANCE**

Motor	Bosch Performance CX GEN4, 250W, 85Nm, 25km/h
Display	Bosch Purion
Akku / Battery	Bosch PowerTube 625Wh
Ladegerät / Charger	Bosch Standard Charger 4A



# FULLSEVEN MODELS

**CHARAKTERISTIK**

**DEIN PERFEKTES TOURING eMTB**

Erlebe jetzt den perfekten Einstieg in die Welt des eMountainbikens. Im leichten bis mittleren Gelände bieten Dir unsere FullSeven Modelle jede Menge Komfort, Stabilität und hervorragende Traktion. So meisterst Du auch steilste Passagen mit einem breiten Grinsen im Gesicht.

**CHARACTERISTIC**

**YOUR PERFECT TOURING eMTB**

*Experience the perfect entry to the world of eMountainbiking. Our FullSeven models offer you a lot of comfort, stability and excellent traction in light to medium terrain. This way you can master even the steepest sections with a big grin on your face.*

**ARTIKELNUMMER / ORDER NUMBER**

27.5"	S	45064141	titan / black / lava matte
27.5"	M	45064144	titan / black / lava matte
27.5"	L	45064147	titan / black / lava matte
27.5"	XL	45064150	titan / black / lava matte

SPORT FULL SUSPENSION  
**FULLSEVEN 9**

**HAIBIKE**



cool grey / red

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	aluminium 6061, thru-axle M12 (1.75) x 148mm, disc brake Post Mount, Travel: 150mm
Gabel / Fork	RockShox Pike Select RC, air, Travel: 150mm, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	RockShox Deluxe Select Plus, air
Schaltwerk / Rear derailleur	Shimano SLX M7100, 12-speed
Schalthebel / Shift lever	Shimano Deore M6100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano HG6100, 10-51 teeth
Kette / Chain	Shimano CN-M6100
Kettenblatt / Chainring	aluminium, Haibike Components, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Magura MT5 HC-lever, aluminium
Bremse vorne / Brake front	Magura MT5, 203mm
Bremse hinten / Brake rear	Magura MT5, 203mm
Reifen / Tyres	Schwalbe Nobby Nic Evo, 70-584
Felgen / Rims	Rodi Tryp 35, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components The Hub ++ Steckachse 15x110mm
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++ Steckachse 12x148
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar +++ Gravity 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	Haibike Components TheSeatpost ++, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB All Mountain

**ePERFORMANCE**

Motor	Bosch Performance CX GEN4, 250W, 85Nm, 25km/h
Display	Bosch Purion
Akku / Battery	Bosch PowerTube 625Wh
Ladegerät / Charger	Bosch Standard Charger 4A



**FARBVARIANTE / COLOR VARIANT**



black / titan / white

**ARTIKELNUMMER / ORDER NUMBER**

27.5"	S	45060141	cool grey / red
27.5"	M	45060144	cool grey / red
27.5"	L	45060147	cool grey / red
27.5"	XL	45060150	cool grey / red
27.5"	S	45062141	black / titan / white
27.5"	M	45062144	black / titan / white
27.5"	L	45062147	black / titan / white
27.5"	XL	45062150	black / titan / white

SPORT FULL SUSPENSION  
**FULLSEVEN 8**

**HAIBIKE**



anthracite / white / black

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	aluminium 6061, thru-axle M12 (1.75) x 148mm, disc brake Post Mount, Travel: 150mm
Gabel / Fork	RockShox Yari RC, air, Travel: 150mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle
Dämpfer / Damper	RockShox Deluxe Select Plus, air
Schaltwerk / Rear derailleur	Sram SX Eagle, 12-speed
Schalthebel / Shift lever	Sram SX Eagle, trigger switch
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1210, 11-50 teeth
Kette / Chain	Sram SX Eagle
Kettenblatt / Chainring	Sram X-Sync, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Shimano MT401, aluminium
Bremse vorne / Brake front	Shimano MT420, aluminium, 203mm
Bremse hinten / Brake rear	Shimano MT420, aluminium, 203mm
Reifen / Tyres	Schwalbe Nobby Nic Evo, 70-584
Felgen / Rims	Rodi Tryp 35, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano MT400-B
Hinterradnabe / Rear wheel hub	Shimano MT400-B
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar +++ Gravity 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	Haibike Components TheSeatpost ++, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB All Mountain

**ePERFORMANCE**

Motor	Bosch Performance CX GEN4, 250W, 85Nm, 25km/h
Display	Bosch Purion
Akku / Battery	Bosch PowerTube 625Wh
Ladegerät / Charger	Bosch Standard Charger 4A



**ARTIKELNUMMER / ORDER NUMBER**

27.5"	S	45058141	anthracite / white / black
27.5"	M	45058144	anthracite / white / black
27.5"	L	45058147	anthracite / white / black
27.5"	XL	45058150	anthracite / white / black

SPORT FULL SUSPENSION  
**FULLSEVEN 7**

**HAIBIKE**



platin / anthracite

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	aluminium 6061, thru-axle M12 (1.75) x 148mm, disc brake Post Mount, Travel: 150mm
Gabel / Fork	RockShox Yari RC, air, Travel: 150mm, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	RockShox Deluxe RT, air
Schaltwerk / Rear derailleur	Sram NX Eagle, 12-speed
Schalthebel / Shift lever	Sram SX Eagle, trigger switch
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1210, 11-50 teeth
Kette / Chain	Sram SX Eagle
Kettenblatt / Chainring	Sram X-Sync, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Shimano MT401, aluminium
Bremse vorne / Brake front	Shimano MT420, aluminium, 203mm
Bremse hinten / Brake rear	Shimano MT420, aluminium, 180mm
Reifen / Tyres	Schwalbe, Nobby Nic Evo SnakeSkin, 65-584
Felgen / Rims	Rodi Tryp 35, eyed, double-walled rim, aluminium
Vorderradnabe /Front wheel hub	Shimano MT400-B
Hinterradnabe /Rear wheel hub	Shimano MT400-B
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar +++ Gravity 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	Haibike Components TheSeatpost ++, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB All Mountain

**ePERFORMANCE**

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	InTube 630Wh
Ladegerät / Charger	Yamaha quick charger 4A

**630Wh YAMAHA 27,5" MRS**

**ARTIKELNUMMER / ORDER NUMBER**

27.5"	S	45054140	platin / anthracite
27.5"	M	45054144	platin / anthracite
27.5"	L	45054148	platin / anthracite
27.5"	XL	45054152	platin / anthracite

SPORT FULL SUSPENSION  
**FULLSEVEN 6**

**HAIBIKE**



defender / black

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	aluminium 6061, thru-axle M12 (1.75) x 148mm, disc brake Post Mount, Travel: 150mm
Gabel / Fork	RockShox 35 Silver, air, Travel: 150mm, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	RockShox Deluxe R, air
Schaltwerk / Rear derailleur	Shimano Deore M6100, 12-speed
Schalthebel / Shift lever	Shimano Deore M6100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano HG6100, 10-51 teeth
Kette / Chain	Shimano CN-M6100
Kettenblatt / Chainring	steel, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Tektro Orion M745, aluminium
Bremse vorne / Brake front	Tektro Orion M745, 203mm
Bremse hinten / Brake rear	Tektro Orion M745, 180mm
Reifen / Tyres	Schwalbe Nobby Nic Performance 65-584
Felgen / Rims	Rodi Tryp 35, eyed, double-walled rim, aluminium
Vorderradnabe /Front wheel hub	Haibike Components TheHub ++
Hinterradnabe /Rear wheel hub	Haibike Components TheHub ++ Steckachse 12x148
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar +++ Gravity 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 6°
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Dropper-Post Remote 31.6, telescope, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB All Mountain

**ePERFORMANCE**

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	InTube 630Wh
Ladegerät / Charger	Schnellladegerät 4A

**630Wh YAMAHA 27,5" MRS**

**FARBVARIANTE / COLOR VARIANT**



urban grey / black

**ARTIKELNUMMER / ORDER NUMBER**

27.5"	S	45052140	defender / black
27.5"	M	45052144	defender / black
27.5"	L	45052148	defender / black
27.5"	XL	45052152	defender / black
27.5"	S	45050140	urban grey / black
27.5"	M	45050144	urban grey / black
27.5"	L	45050148	urban grey / black
27.5"	XL	45050152	urban grey / black

SPORT FULL SUSPENSION  
**FULLSEVEN 5**

**HAIBIKE**



blue / canary

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	aluminium 6061, thru-axle M12 (1.75) x 148mm, disc brake Post Mount, Travel: 150mm
Gabel / Fork	RockShox 35 Silver, steel spring, Travel: 160mm, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	RockShox Deluxe Select Plus, air
Schaltwerk / Rear derailleur	Shimano Deore M5100, 11-speed
Schalthebel / Shift lever	Shimano Deore M5100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano HG5100, 11-51 teeth
Kette / Chain	KMC X11
Kettenblatt / Chainring	steel, 38
Kettenführung / Chain guide	Haibike aluminium/Nylon directmount
Bremshebel / Brake lever	Tektro Orion M745, aluminium
Bremse vorne / Brake front	Tektro Orion M745, 203mm
Bremse hinten / Brake rear	Tektro Orion M745, 180mm
Reifen / Tyres	Schwalbe Nobby Nic Performance 65-584
Felgen / Rims	Rodi Tryp 35, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components The Hub ++ Steckachse 15x110mm
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++ Steckachse 12x148
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar +++ Gravity 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 7
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components TheSeatpost ++, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB All Mountain

**ePERFORMANCE**

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha InTube 500Wh
Ladegerät / Charger	Yamaha quick charger 4A

**500Wh YAMAHA 27,5" MRS**

**ARTIKELNUMMER / ORDER NUMBER**

27.5"	S	45046140	blue / canary
27.5"	M	45046144	blue / canary
27.5"	L	45046148	blue / canary
27.5"	XL	45046152	blue / canary

SPORT FULL SUSPENSION  
**FULLSEVEN 4**

**HAIBIKE**



cool grey / lava matte

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	aluminium 6061, thru-axle M12 (1.75) x 142mm, disc brake Post Mount, Travel: 120mm
Gabel / Fork	SR Suntour XCM34 LOR Lockout, steel spring, Travel: 120mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	SR Suntour Edge LO-R8, air
Schaltwerk / Rear derailleur	Shimano Deore M5120, 10-speed
Schalthebel / Shift lever	Shimano Deore M6000, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano HG41, 11-46 teeth
Kette / Chain	KMC e10S
Kettenblatt / Chainring	steel, 38
Kettenführung / Chain guide	Haibike aluminium/Nylon directmount
Bremshebel / Brake lever	Shimano MT401, aluminium
Bremse vorne / Brake front	Shimano MT400, aluminium, 180mm
Bremse hinten / Brake rear	Shimano MT400, aluminium, 180mm
Reifen / Tyres	WTB Ranger Comp, 60x584
Felgen / Rims	Schürmann Yak25, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano MT400-B
Hinterradnabe / Rear wheel hub	Shimano MT400-B
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar +++ Gravity 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 7
Steuersatz / Headset	A-Head Alloy Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components TheSeatpost ++, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Cross Country & Marathon

**ePERFORMANCE**

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha InTube 500Wh
Ladegerät / Charger	Yamaha quick charger 4A

**500Wh YAMAHA 27,5"**

**ARTIKELNUMMER / ORDER NUMBER**

27.5"	S	45044140	cool grey / lava matte
27.5"	M	45044144	cool grey / lava matte
27.5"	L	45044148	cool grey / lava matte
27.5"	XL	45044152	cool grey / lava matte



# ALLTRAIL MODELS

## CHARAKTERISTIK

### BEREIT, WENN DU ES BIST

Du suchst ein eBike, das für alle Trails geeignet ist? Unser AllTrail ist bereit, wenn Du es bist. Mache Dich auf ins Ungewisse und gehe abseits befestigter Wege auf Entdeckungsreise. Erlebe dabei ein unvergleichbares Fahrgefühl. Das FLYON ePerformance System bietet Dir in jeder Situation das nötige Selbstvertrauen.

## CHARACTERISTIC

### READY WHEN YOU ARE

Are you looking for an eBike that can ride all trails? Our AllTrail is ready when you are. Set off into the unknown, and explore off the beaten track. Experience an unrivalled riding experience. The FLYON ePerformance system gives you the confidence you need for every situation.

ADVANCED OFFROAD  
**XDURO ALLTRAIL 6.0**

**HAIBIKE**



carbon /titanium /bronze

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	carbon, thru-axle M12 (1.75) x 148mm, disc brake Post Mount
Gabel / Fork	RockShox Revelation RC, air, Travel: 140mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle Boost
Schaltwerk / Rear derailleur	Sram GX Eagle, 12-speed
Schalthebel / Shift lever	Sram GX Eagle, trigger switch
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1230, 11-50 teeth
Kette / Chain	Sram GX Eagle
Kettenblatt / Chainring	aluminium, Haibike Components The Chainring, 38
Bremshebel / Brake lever	Magura MT5 HC-lever, aluminium
Bremse vorne / Brake front	Magura MT5, 203mm
Bremse hinten / Brake rear	Magura MT5, 203mm
Reifen / Tyres	Maxxis Minion DHF, 71-584 / Maxxis Minion DHR II, 71-584
Laufbandsatz / Wheel set	DT Swiss H1900
Lenker / Handlebar	Haibike Components The Bar +++ 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	XLC AllMtn, Remote, telescope, 34.9mm, aluminium
Pedale / Pedals	MTB platform pedal aluminium
Gewicht / Weight	23.6kg
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB All Mountain

**ePERFORMANCE**

Motor	Flyon HPR120S, 25km/h
Display	Flyon The Display
Akku / Battery	Flyon The Battery 630Wh
Ladegerät / Charger	Haibike The Battery Charger 4A

**630Wh FLYON 27,5" eConnect MRS**

**ARTIKELNUMMER / ORDER NUMBER**

27.5"	XS	4541006938	carbon /titanium /bronze
27.5"	S	4541006942	carbon /titanium /bronze
27.5"	M	4541006946	carbon /titanium /bronze
27.5"	L	4541006950	carbon /titanium /bronze
27.5"	XL	4541006954	carbon /titanium /bronze

ADVANCED OFFROAD  
**XDURO ALLTRAIL 5.0**

**HAIBIKE**



blue /white /orange

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	carbon, thru-axle M12 (1.75) x 148mm, disc brake Post Mount
Gabel / Fork	RockShox 35 Silver, steel spring, Travel: 140mm, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Schaltwerk / Rear derailleur	Shimano Deore M5100, 11-speed
Schalthebel / Shift lever	Shimano Deore M5100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano HG5100, 11-51 teeth
Kette / Chain	KMC e11S
Kettenblatt / Chainring	aluminium, Haibike Components The Chainring, 38
Bremshebel / Brake lever	Magura MT54 HC-lever, aluminium
Bremse vorne / Brake front	Magura MT5, 203mm
Bremse hinten / Brake rear	Magura MT4, 203mm
Reifen / Tyres	Continental Trail King, 70x584
Felgen / Rims	Rodi Tryp 35, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub ++
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++
Speichen / Spokes	DT Swiss Factory, black
Lenker / Handlebar	Haibike Components The Bar +++ 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components TheSeatpost ++, patent, 34.9mm, aluminium
Pedale / Pedals	MTB platform pedal aluminium
Gewicht / Weight	25.7kg
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB All Mountain

**ePERFORMANCE**

Motor	Flyon HPR120S, 25km/h
Display	Flyon The Display
Akku / Battery	Flyon The Battery 630Wh
Ladegerät / Charger	Haibike The Battery Charger 4A

**630Wh FLYON 27,5" eConnect MRS**

**ARTIKELNUMMER / ORDER NUMBER**

27.5"	XS	4541000938	blue /white /orange
27.5"	S	4541000942	blue /white /orange
27.5"	M	4541000946	blue /white /orange
27.5"	L	4541000950	blue /white /orange
27.5"	XL	4541000954	blue /white /orange



# HARDSEVEN HARDNINE

SPORT HARDTAIL  
**HARDNINE 10**

**HAIBIKE**



titan / black matte

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	aluminium 6061, Steckachse M12 (1.00) x 148mm, disc brake Post Mount, Travel: 120mm
Gabel / Fork	RockShox 35 Gold RL, air, Travel: 120mm, thru-axle Boost
Schaltwerk / Rear derailleur	Shimano SLX M7100, 12-speed
Schalthebel / Shift lever	Shimano Deore M6100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano HG6100, 10-51 teeth
Kette / Chain	Shimano CN-M6100
Kettenblatt / Chainring	steel, 38
Kettenführung / Chain guide	Haibike aluminium/Nylon directmount
Bremshebel / Brake lever	Shimano M6100, aluminium
Bremse vorne / Brake front	Shimano M6120, aluminium, 203mm
Bremse hinten / Brake rear	Shimano M6120, aluminium, 180mm
Reifen / Tyres	Schwalbe Nobby Nic Performance, 65-622
Felgen / Rims	Rodi Tryp 30, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano MT400-B
Hinterradnabe / Rear wheel hub	Shimano MT400-B
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar +++ Gravity 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	XLC AllMtn, Remote, telescope, 34.9mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Hardtail

**ePERFORMANCE**

Motor	Bosch Performance CX GEN4, 250W, 85Nm, 25km/h
Display	Bosch Purion
Akku / Battery	Bosch PowerTube 625Wh
Ladegerät / Charger	Bosch Standard Charger 4A



# HARDNINE MODELS

**CHARAKTERISTIK**

**HARDTAIL eMTB FÜR RELAXTE TOUREN**

Unser HardNine ist die erste Wahl für eMountainbiker, die entspannte Touren in leichtem Gelände bevorzugen. Die 29 Zoll-Bereifung sorgt dabei für optimale Laufruhe und Stabilität. Besonders auf sehr steilen und schnellen Passagen spielt das HardNine seine Stärken aus und garantiert Dir komfortables Überrollverhalten, präzises Handling und Spurtreue.

**CHARACTERISTIC**

**HARDTAIL eMTB FOR RELAXED TOURS**

*Our HardNine is the first choice for eMountainbiker who prefer relaxed tours in easy terrain. The 29 inch tires provide for optimum stability and very smooth running. The HardNine exploit its strengths particularly on steep and fast sections and guarantees you comfortable roll-over resistance, precise handling and directional stability.*

**ARTIKELNUMMER / ORDER NUMBER**

29"	M	45042144	titan / black matte
29"	L	45042148	titan / black matte
29"	XL	45042152	titan / black matte

SPORT HARDTAIL  
**HARDNINE 9**

**HAIBIKE**



urban grey / black

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	aluminium 6061, Steckachse M12 (1.00) x 148mm, disc brake Post Mount, Travel: 120mm
Gabel / Fork	RockShox 35 Silver, steel spring, Travel: 120mm, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Schaltwerk / Rear derailleur	Shimano Deore M5100, 11-speed
Schalthebel / Shift lever	Shimano Deore M5100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano HG5100, 11-51 teeth
Kette / Chain	KMC X11
Kettenblatt / Chainring	steel, 38
Kettenführung / Chain guide	Haibike aluminium/Nylon directmount
Bremshebel / Brake lever	Shimano MT401, aluminium
Bremse vorne / Brake front	Shimano MT420, aluminium, 203mm
Bremse hinten / Brake rear	Shimano MT420, aluminium, 180mm
Reifen / Tyres	Schwalbe Nobby Nic Evo SnakeSkin, 65-622
Felgen / Rims	Rodi Tryp 30, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano MT400-B
Hinterradnabe / Rear wheel hub	Shimano MT400-B
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar + Topflat 720mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 7"
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	XLC MTB
Sattelstütze / Seat post	Haibike Components TheSeatpost ++, patent, 34.9mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Hardtail

**ePERFORMANCE**

Motor	Bosch Performance CX GEN4, 250W, 85Nm, 25km/h
Display	Bosch Purion
Akku / Battery	Bosch PowerTube 625Wh
Ladegerät / Charger	Bosch Standard Charger 4A



**ARTIKELNUMMER / ORDER NUMBER**

29"	M	45040144	urban grey / black
29"	L	45040148	urban grey / black
29"	XL	45040152	urban grey / black

SPORT HARDTAIL  
**HARDNINE 8**

**HAIBIKE**



black ink matte

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	aluminium 6061, Steckachse X-12 (1.00) x 148mm, disc brake Post Mount
Gabel / Fork	RockShox Revelation RC, air, Travel: 120mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle Boost
Schaltwerk / Rear derailleur	Shimano Deore XT M8100 Shadow Plus, 12-speed
Schalthebel / Shift lever	Shimano Deore M6100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano HG6100, 10-51 teeth
Kette / Chain	Shimano CN-M6100
Kettenblatt / Chainring	steel, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Shimano M6100, aluminium
Bremse vorne / Brake front	Shimano M6100, aluminium, 203mm
Bremse hinten / Brake rear	Shimano M6100, aluminium, 180mm
Reifen / Tyres	Schwalbe Nobby Nic Evo, 65-622
Felgen / Rims	Rodi Tryp 30, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano MT400-B
Hinterradnabe / Rear wheel hub	Shimano MT410
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	XLC Topflat 740mm
Griffe / Grips	XLC MTB grips
Vorbau / Stem	XLC Alu, A-head
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	XLC MTB
Sattelstütze / Seat post	Dropper-Post Remote 31.6, telescope, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Hardtail

**ePERFORMANCE**

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	InTube 630Wh
Ladegerät / Charger	Schnellladegerät 4A



**ARTIKELNUMMER / ORDER NUMBER**

29"	M / 46cm	45036147	black ink matte
29"	L / 49cm	45036149	black ink matte
29"	XL / 51cm	45036151	black ink matte

SPORT HARDTAIL  
**HARDNINE 7**

**HAIBIKE**



anthracite / indigo

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	aluminium 6061, Steckachse X-12 (1.00) x 148mm, disc brake Post Mount
Gabel / Fork	RockShox 35 Silver, steel spring, Travel: 120mm, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Schaltwerk / Rear derailleur	Shimano SLX M7100, 12-speed
Schalthebel / Shift lever	Shimano Deore M6100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano HG6100, 10-51 teeth
Kette / Chain	Shimano CN-M6100
Kettenblatt / Chainring	steel, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Shimano MT401, aluminium
Bremse vorne / Brake front	Shimano MT420, aluminium, 203mm
Bremse hinten / Brake rear	Shimano MT420, aluminium, 180mm
Reifen / Tyres	WTB Ranger Comp, 65x622
Felgen / Rims	Rodi Tryp 30, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano MT400-B
Hinterradnabe / Rear wheel hub	Shimano MT410
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	XLC Topflat 740mm
Griffe / Grips	XLC MTB grips
Vorbau / Stem	XLC Alu, A-head
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	XLC MTB
Sattelstütze / Seat post	XLC, patent, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Hardtail

**ePERFORMANCE**

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	InTube 630Wh
Ladegerät / Charger	Schnellladegerät 4A

**630Wh YAMAHA 29"**

**FARBVARIANTE / COLOR VARIANT**



coffee / blue

**ARTIKELNUMMER / ORDER NUMBER**

29"	M / 46cm	45032147	anthracite / indigo
29"	L / 49cm	45032149	anthracite / indigo
29"	XL / 51cm	45032151	anthracite / indigo
29"	M / 46cm	45034147	coffee / blue
29"	L / 49cm	45034149	coffee / blue
29"	XL / 51cm	45034151	coffee / blue

SPORT HARDTAIL  
**HARDNINE 6**

**HAIBIKE**



cool grey / black

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	aluminium 6061, Steckachse X-12 (1.00) x 148mm, disc brake Post Mount
Gabel / Fork	SR Suntour XCM34 NLO DS, steel spring/oil, Travel: 120mm, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Schaltwerk / Rear derailleur	Shimano Deore M4100, 10-speed
Schalthebel / Shift lever	Shimano Deore M4100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano CSM4100, 11-42 teeth
Kette / Chain	KMC e10S
Kettenblatt / Chainring	steel, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Tektro M275, aluminium
Bremse vorne / Brake front	Tektro M275, 180mm
Bremse hinten / Brake rear	Tektro M275, 180mm
Reifen / Tyres	WTB Ranger Comp, 65x622
Felgen / Rims	Rodi Tryp 30, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Fastace Alu Nabe
Hinterradnabe / Rear wheel hub	Haibike Alu Nabe
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	XLC Topflat 740mm
Griffe / Grips	XLC MTB grips
Vorbau / Stem	Haibike Components The Stem +, A-head
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	XLC MTB
Sattelstütze / Seat post	XLC, patent, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Hardtail

**ePERFORMANCE**

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	InTube 630Wh
Ladegerät / Charger	Schnellladegerät 4A

**630Wh YAMAHA 29"**

**ARTIKELNUMMER / ORDER NUMBER**

29"	M / 46cm	45028147	cool grey / black
29"	L / 49cm	45028149	cool grey / black
29"	XL / 51cm	45028151	cool grey / black

SPORT HARDTAIL  
**HARDNINE 5**

**HAIBIKE**



blue /canary

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	aluminium 6061, Steckachse X-12 (1.00) x 148mm, disc brake Post Mount, Travel: 120mm
Gabel / Fork	SR Suntour XCM32 Boost DS, steel spring/oil, Travel: 120mm, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Schaltwerk / Rear derailleur	Shimano Alivio M3100, 9-speed
Schalthebel / Shift lever	Shimano Alivio M3100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano HG200, 11-36 teeth
Kette / Chain	KMC e9S
Kettenblatt / Chainring	steel, 38
Bremshebel / Brake lever	Tektro M275, aluminium
Bremse vorne / Brake front	Tektro M275, 180mm
Bremse hinten / Brake rear	Tektro M275, 180mm
Reifen / Tyres	WTB Ranger Comp, 60-622
Felgen / Rims	Schürmann Yak25, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Fastace Alu Nabe
Hinterradnabe / Rear wheel hub	Haibike Alu Nabe
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	XLC Topflat 720mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	XLC Alu, A-head
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	XLC MTB
Sattelstütze / Seat post	XLC, patent, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Hardtail

**ePERFORMANCE**

Motor	Bosch Performance Line, 250W, 65Nm, 25km/h
Display	Bosch Purion
Akku / Battery	Bosch PowerTube 500Wh
Ladegerät / Charger	Bosch compact charger 2A

**500Wh** **BOSCH** **29"**

**ARTIKELNUMMER / ORDER NUMBER**

29"	M / 46cm	45024147	blue /canary
29"	L / 49cm	45024149	blue /canary
29"	XL / 51cm	45024151	blue /canary

SPORT HARDTAIL  
**HARDNINE 4**

**HAIBIKE**



cool grey / lava matte

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	aluminium 6061, Steckachse X-12 (1.00) x 148mm, disc brake Post Mount, Travel: 120mm
Gabel / Fork	SR Suntour XCM32 Boost DS, steel spring/oil, Travel: 120mm, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Schaltwerk / Rear derailleur	Shimano Alivio M3100, 9-speed
Schalthebel / Shift lever	Shimano Alivio M3100, trigger switch
Zahnkranz (hinten) / Sprocket	SunRace CSM90, 11-36 teeth
Kette / Chain	KMC e9S
Kettenblatt / Chainring	steel, 38
Bremshebel / Brake lever	Tektro M275, aluminium
Bremse vorne / Brake front	Tektro M275, 180mm
Bremse hinten / Brake rear	Tektro M275, 180mm
Reifen / Tyres	Impac Smart Pac, 57-622
Felgen / Rims	Schürmann Yak25, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Fastace Alu Nabe
Hinterradnabe / Rear wheel hub	Haibike Alu Nabe
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	XLC Topflat 720mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	XLC Alu, A-head
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	XLC MTB
Sattelstütze / Seat post	XLC, patent, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Hardtail

**ePERFORMANCE**

Motor	Bosch Performance Line, 250W, 65Nm, 25km/h
Display	Bosch Purion
Akku / Battery	Bosch PowerTube 400Wh
Ladegerät / Charger	Bosch compact charger 2A

**400Wh** **BOSCH** **29"**

**ARTIKELNUMMER / ORDER NUMBER**

29"	M / 46cm	45022147	cool grey / lava matte
29"	L / 49cm	45022149	cool grey / lava matte
29"	XL / 51cm	45022151	cool grey / lava matte

SPORT HARDTAIL  
**HARDSEVEN 10**

**HAIBIKE**



titan / black matte

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	aluminium 6061, Steckachse M12 (1.00) x 148mm, disc brake Post Mount, Travel: 120mm
Gabel / Fork	RockShox 35 Gold RL, air, Travel: 120mm, thru-axle Boost
Schaltwerk / Rear derailleur	Shimano SLX M7100, 12-speed
Schalthebel / Shift lever	Shimano Deore M6100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano HG6100, 10-51 teeth
Kette / Chain	Shimano CN-M6100
Kettenblatt / Chainring	steel, 38
Kettenführung / Chain guide	Haibike aluminium/Nylon directmount
Bremshebel / Brake lever	Shimano M6100, aluminium
Bremse vorne / Brake front	Shimano M6120, aluminium, 203mm
Bremse hinten / Brake rear	Shimano M6120, aluminium, 180mm
Reifen / Tyres	Schwalbe Nobby Nic Performance, 70-584
Felgen / Rims	Rodi Tryp 35, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano MT400-B
Hinterradnabe / Rear wheel hub	Shimano MT400-B
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar +++ Gravity 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	XLC AllMtn, Remote, telescope, 34.9mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Hardtail

**ePERFORMANCE**

Motor	Bosch Performance CX GEN4, 250W, 85Nm, 25km/h
Display	Bosch Purion
Akku / Battery	Bosch PowerTube 625Wh
Ladegerät / Charger	Bosch Standard Charger 4A



# HARDSEVEN MODELS

**CHARAKTERISTIK**

**HARDTAIL eMTB FÜR TOUREN IN LEICHTEM GELÄNDE**  
Asphalt oder Gelände? Kurze Ausfahrt oder ausgedehnte Tour? Unsere HardSeven Modelle machen alles möglich. Mit 27,5-Zoll Bereifung und leichten Aluminiumrahmen sind sie sehr agil im Gelände und bestens für unterschiedliches Terrain geeignet.

Zusätzlich sind die HardSeven Modelle auch mit breiter und komfortabler Plus-Bereifung erhältlich.

**CHARACTERISTIC**

**YOUR HARDTAIL eMTB FOR TOURS IN LIGHT TERRAIN**  
*Asphalt or terrain? Short or extended tour? Our HardSeven models make everything possible. With 27.5-inch tires and light aluminum frames, they are extremely agile off-road and ideally suited for different terrains.*

*The Hard-Seven is also available with wide or comfortable plus tyres.*

**ARTIKELNUMMER / ORDER NUMBER**

27.5"	S	45020140	titan / black matte
27.5"	M	45020144	titan / black matte
27.5"	L	45020148	titan / black matte

SPORT HARDTAIL  
**HARDSEVEN 9**

**HAIBIKE**



urban grey / black

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	aluminium 6061, Steckachse M12 (1.00) x 148mm, disc brake Post Mount, Travel: 120mm
Gabel / Fork	RockShox 35 Silver, steel spring, Travel: 120mm, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Schaltwerk / Rear derailleur	Shimano Deore M5100, 11-speed
Schalthebel / Shift lever	Shimano Deore M5100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano HG5100, 11-51 teeth
Kette / Chain	KMC X11
Kettenblatt / Chainring	steel, 38
Kettenführung / Chain guide	Haibike aluminium/Nylon directmount
Bremshebel / Brake lever	Shimano MT401, aluminium
Bremse vorne / Brake front	Shimano MT420, aluminium, 203mm
Bremse hinten / Brake rear	Shimano MT420, aluminium, 180mm
Reifen / Tyres	Schwalbe Nobby Nic Evo, 70-584
Felgen / Rims	Rodi Tryp 35, eyed, double-walled rim, aluminium
Vorderradnabe /Front wheel hub	Shimano MT400-B
Hinterradnabe /Rear wheel hub	Shimano MT400-B
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar + Topflat 720mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 7"
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	XLC MTB
Sattelstütze / Seat post	Haibike Components TheSeatpost ++, patent, 34.9mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Hardtail

**ePERFORMANCE**

Motor	Bosch Performance CX GEN4, 250W, 85Nm, 25km/h
Display	Bosch Purion
Akku / Battery	Bosch PowerTube 625Wh
Ladegerät / Charger	Bosch Standard Charger 4A



**ARTIKELNUMMER / ORDER NUMBER**

27.5"	S	45019140	urban grey / black
27.5"	M	45019144	urban grey / black
27.5"	L	45019148	urban grey / black

SPORT HARDTAIL  
**HARDSEVEN 8**

**HAIBIKE**



black ink matte

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	aluminium 6061, Steckachse X-12 (1.00) x 148mm, disc brake Post Mount, Travel: 20mm
Gabel / Fork	RockShox Revelation RC, air, Travel: 120mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle Boost
Schaltwerk / Rear derailleur	Shimano Deore XT M8100 Shadow Plus, 12-speed
Schalthebel / Shift lever	Shimano Deore M6100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano HG6100, 10-51 teeth
Kette / Chain	Shimano CN-M6100
Kettenblatt / Chainring	steel, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Shimano M6100, aluminium
Bremse vorne / Brake front	Shimano M6100, aluminium, 203mm
Bremse hinten / Brake rear	Shimano M6100, aluminium, 180mm
Reifen / Tyres	Schwalbe Nobby Nic Evo, 70-584
Felgen / Rims	Rodi Tryp 30, eyed, double-walled rim, aluminium
Vorderradnabe /Front wheel hub	Shimano MT400-B
Hinterradnabe /Rear wheel hub	Shimano MT410
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	XLC Topflat 740mm
Griffe / Grips	XLC MTB grips
Vorbau / Stem	XLC Alu, A-head
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	XLC MTB
Sattelstütze / Seat post	Dropper-Post Remote 31.6, telescope, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Hardtail

**ePERFORMANCE**

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	InTube 630Wh
Ladegerät / Charger	Schnellladegerät 4A



**FARBVARIANTE / COLOR VARIANT**



indigo / razzmatazz

**ARTIKELNUMMER / ORDER NUMBER**

27.5"	S / 40cm	45016145	black ink matte
27.5"	M / 46cm	45016147	black ink matte
27.5"	L / 49cm	45016149	black ink matte
27.5"	S / 40cm	45018145	indigo / razzmatazz
27.5"	M / 46cm	45018147	indigo / razzmatazz
27.5"	L / 49cm	45018149	indigo / razzmatazz

SPORT HARDTAIL  
**HARDSEVEN 7**

**HAIBIKE**



anthracite / indigo

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	aluminium 6061, Steckachse X-12 (1.00) x 148mm, disc brake Post Mount, Travel: 20mm
Gabel / Fork	RockShox 35 Silver, steel spring, Travel: 120mm, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Schaltwerk / Rear derailleur	Shimano SLX M7100, 12-speed
Schalthebel / Shift lever	Shimano Deore M6100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano HG6100, 10-51 teeth
Kette / Chain	Shimano CN-M6100
Kettenblatt / Chainring	steel, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Shimano MT401, aluminium
Bremse vorne / Brake front	Shimano MT420, aluminium, 203mm
Bremse hinten / Brake rear	Shimano MT420, aluminium, 180mm
Reifen / Tyres	WTB Ranger Comp, 65x584
Felgen / Rims	Rodi Tryp 30, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano MT400-B
Hinterradnabe / Rear wheel hub	Shimano MT410
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	XLC Topflat 740mm
Griffe / Grips	XLC MTB grips
Vorbau / Stem	XLC Alu, A-head
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	XLC MTB
Sattelstütze / Seat post	XLC, patent, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Hardtail

**ePERFORMANCE**

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	InTube 630Wh
Ladegerät / Charger	Schnellladegerät 4A

**630Wh YAMAHA 27,5"**

**FARBVARIANTE / COLOR VARIANT**



coffee / blue

**ARTIKELNUMMER / ORDER NUMBER**

27.5"	S / 40cm	45012145	anthracite / indigo
27.5"	M / 46cm	45012147	anthracite / indigo
27.5"	L / 49cm	45012149	anthracite / indigo
27.5"	S / 40cm	45014145	coffee / blue
27.5"	M / 46cm	45014147	coffee / blue
27.5"	L / 49cm	45014149	coffee / blue

SPORT HARDTAIL  
**HARDSEVEN 6**

**HAIBIKE**



cool grey / black

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	aluminium 6061, Steckachse X-12 (1.00) x 148mm, disc brake Post Mount, Travel: 20mm
Gabel / Fork	SR Suntour XCM34 NLO DS, steel spring/oil, Travel: 120mm, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Schaltwerk / Rear derailleur	Shimano Deore M4100, 10-speed
Schalthebel / Shift lever	Shimano Deore M4100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano CSM4100, 11-42 teeth
Kette / Chain	KMC e10S
Kettenblatt / Chainring	steel, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Tektro M275, aluminium
Bremse vorne / Brake front	Tektro M275, 180mm
Bremse hinten / Brake rear	Tektro M275, 180mm
Reifen / Tyres	WTB Ranger Comp, 65x584
Felgen / Rims	Rodi Tryp 30, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Fastace Alu Nabe
Hinterradnabe / Rear wheel hub	Haibike Alu Nabe
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	XLC Topflat 740mm
Griffe / Grips	XLC MTB grips
Vorbau / Stem	Haibike Components The Stem +, A-head
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	XLC MTB
Sattelstütze / Seat post	XLC, patent, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Hardtail

**ePERFORMANCE**

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	InTube 630Wh
Ladegerät / Charger	Schnellladegerät 4A

**630Wh YAMAHA 27,5"**

**FARBVARIANTE / COLOR VARIANT**



defender / black

**ARTIKELNUMMER / ORDER NUMBER**

27.5"	S / 40cm	45008145	cool grey /black
27.5"	M / 46cm	45008147	cool grey /black
27.5"	L / 49cm	45008149	cool grey /black
27.5"	S / 40cm	45010145	defender /black
27.5"	M / 46cm	45010147	defender /black
27.5"	L / 49cm	45010149	defender /black



SPORT HARDTAIL  
**HARDSEVEN 5**

**HAIBIKE**



blue / canary

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	aluminium 6061, Steckachse X-12 (1.00) x 148mm, disc brake Post Mount
Gabel / Fork	SR Suntour XCM32 Boost DS, steel spring/oil, Travel: 120mm, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Schaltwerk / Rear derailleur	Shimano Alivio M3100, 9-speed
Schalthebel / Shift lever	Shimano Alivio M3100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano HG200, 11-36 teeth
Kette / Chain	KMC e9S
Kettenblatt / Chainring	steel, 38
Bremshebel / Brake lever	Tektro M275, aluminium
Bremse vorne / Brake front	Tektro M275, 180mm
Bremse hinten / Brake rear	Tektro M275, 180mm
Reifen / Tyres	WTB Ranger Comp, 60x584
Felgen / Rims	Schürmann Yak25, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Fastace Alu Nabe
Hinterradnabe / Rear wheel hub	Haibike Alu Nabe
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	XLC Topflat 720mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	XLC Alu, A-head
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	XLC MTB
Sattelstütze / Seat post	XLC, patent, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Hardtail

**ePERFORMANCE**

Motor	Bosch Performance Line, 250W, 65Nm, 25km/h
Display	Bosch Purion
Akku / Battery	Bosch PowerTube 500Wh
Ladegerät / Charger	Bosch compact charger 2A

**500Wh BOSCH 27,5"**

**FARBVARIANTE / COLOR VARIANT**



honey / teal matte

**ARTIKELNUMMER / ORDER NUMBER**

27.5"	S / 40cm	45004145	blue / canary
27.5"	M / 46cm	45004147	blue / canary
27.5"	L / 49cm	45004149	blue / canary
27.5"	S / 40cm	45006145	honey / teal matte
27.5"	M / 46cm	45006147	honey / teal matte
27.5"	L / 49cm	45006149	honey / teal matte

SPORT HARDTAIL  
**HARDSEVEN 4**

**HAIBIKE**



cool grey / lava matte

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	aluminium 6061, Steckachse X-12 (1.00) x 148mm, disc brake Post Mount
Gabel / Fork	SR Suntour XCM32 Boost DS, steel spring/oil, Travel: 120mm, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Schaltwerk / Rear derailleur	Shimano Alivio M3100, 9-speed
Schalthebel / Shift lever	Shimano Alivio M3100, trigger switch
Zahnkranz (hinten) / Sprocket	SunRace CSM90, 11-36 teeth
Kette / Chain	KMC e9S
Kettenblatt / Chainring	steel, 38
Bremshebel / Brake lever	Tektro M275, aluminium
Bremse vorne / Brake front	Tektro M275, 180mm
Bremse hinten / Brake rear	Tektro M275, 180mm
Reifen / Tyres	Impac Smart Pac, 57-584
Felgen / Rims	Schürmann Yak25, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Fastace Alu Nabe
Hinterradnabe / Rear wheel hub	Haibike Alu Nabe
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	XLC Topflat 720mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	XLC Alu, A-head
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	XLC MTB
Sattelstütze / Seat post	XLC, patent, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Hardtail

**ePERFORMANCE**

Motor	Bosch Performance Line, 250W, 65Nm, 25km/h
Display	Bosch Purion
Akku / Battery	Bosch PowerTube 400Wh
Ladegerät / Charger	Bosch compact charger 2A

**400Wh BOSCH 27,5"**

**ARTIKELNUMMER / ORDER NUMBER**

27.5"	S / 40cm	45002145	cool grey / lava matte
27.5"	M / 46cm	45002147	cool grey / lava matte
27.5"	L / 49cm	45002149	cool grey / lava matte

SPORT HARDTAIL HARDFOUR  
**HARDFOUR**

**HAIBIKE**



cool grey / red / cyan

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Gabel / Fork	SR Suntour XCR LO Lockout, steel spring, Travel: 63mm, steel steerer tube 1 1/8", quick release
Schaltwerk / Rear derailleur	Shimano Altus M2000, 9-speed
Schalthebel / Shift lever	Shimano Altus M2010, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano HG200, 11-36 teeth
Kette / Chain	KMC X9
Kettenblatt / Chainring	steel, 32
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Tektro M282, aluminium
Bremse vorne / Brake front	Tektro M282, 160mm
Bremse hinten / Brake rear	Tektro M282, 160mm
Reifen / Tyres	Schwalbe Table Top Performance, 57-507
Felgen / Rims	Rodi FW Disc, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub +
Hinterradnabe / Rear wheel hub	Haibike Components TheHub +
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar + Topflat 640mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 12°
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle Junior
Sattelstütze / Seat post	Haibike Components The Seatpost +, patent, 31.6mm, aluminium
Pedale / Pedals	Wellgo LU984DU
Gewicht / Weight	20kg
Zul. Gesamtgewicht / Permitted total weight	80kg
Bicycle type	bikes for kids and teenagers

**ePERFORMANCE**

Motor	Yamaha PW-TE System, 250W, 60Nm, 20km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha Lithium Ion 400Wh
Ladegerät / Charger	Yamaha quick charger 4A

400Wh YAMAHA 24"

# HARDFOUR MODEL

**CHARAKTERISTIK**

**GROßER FAHRSPAß FÜR ALLE NACHWUCHS eBIKER**  
 Ob auf großer Tour mit der Familie oder zur nächsten Eisdielen, mit unserem HardFour für Kids ist garantiert kein Berg zu steil und keine Tour mehr zu lang. Das eMTB Hardtail sorgt für jede Menge Fahrspaß bei den Kleinen, die dank der Motorunterstützung endlich mit den Großen mithalten können.

So wird jede Familienausfahrt zu einem tollen Erlebnis.

**CHARACTERISTIC**

**GREAT RIDING FUN FOR ALL YOUNG eBIKERS**  
*Whether you set out on a big tour with the family or to the next ice cream parlor, with our HardFour for kids, no mountain is too steep and no tour too long. The eMTB hardtail provides plenty of riding fun for the little ones, who can finally keep pace with the big ones thanks to that extra surge of power of the motor.*

*Family rides become an enjoyable experience with a great deal of fun for all.*

**ARTIKELNUMMER / ORDER NUMBER**

24" Uni 45000134 cool grey / red / cyan

ADVANCED TREKKING  
**XDURO ADVENTR FS**

**HAIBIKE**



chocolate / black

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	Carbon/Aluminium, thru-axle M12 (1.75) x 148mm, disc brake Post Mount, Travel: 130mm
Gabel / Fork	RockShox 35 Gold RL, air, Travel: 150mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	RockShox Deluxe Select Plus RT, air
Schaltwerk / Rear derailleur	Shimano Deore XT M8100 Shadow Plus, 12-speed
Schalthebel / Shift lever	Shimano Deore SLX M7100
Zahnkranz (hinten) / Sprocket	Shimano HG6100, 10-51 teeth
Kette / Chain	Shimano CN-M6100
Kettenblatt / Chainring	aluminium, Haibike Components The Chainring, 42
Bremshebel / Brake lever	Shimano Deore XT M8100, aluminium
Bremse vorne / Brake front	Shimano Deore XT M8120, 203mm
Bremse hinten / Brake rear	Shimano Deore XT M8120, 203mm
Reifen / Tyres	Schwalbe Johnny Watts, 65-584, reflex
Felgen / Rims	Rodi Tryp 35, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components The Hub ++ Steckachse 15x110mm
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++
Speichen / Spokes	DT Swiss Factory, black
Lenker / Handlebar	Haibike Components The Bar +++ 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	XLC AllMtn, Remote, telescope, 34.9mm, aluminium
Pedale / Pedals	MTB platform pedal aluminium
Scheinwerfer / Headlight	Haibike Skybeamer 5000, 150 lux
Rücklicht / Rear light	Haibike Twin TailLights
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Haibike Flyon FS Systemgepäckträger, AVS
Schutzbleche / Fenders	Curana Apollo 80, aluminium
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	MTB All Mountain

**ePERFORMANCE**

Motor	Flyon HPR120S, 25km/h
Display	Flyon The Display
Akku / Battery	Flyon The Battery 630Wh
Ladegerät / Charger	Haibike The Battery Charger 4A



# ADVENTR MODELS

**CHARAKTERISTIK**

**SPONTANITÄT IST DIE BESTE ART DES ABENTEUERS**  
Mit dem Haibike Adventr eBike bist Du immer bereit für neue Abenteuer! Dank FLYON ePerformance System, integrierter Beleuchtung, Gepäckträger und Vorbereitung für eine Weber Anhängerkupplung, bringen Dich unsere Adventr Modelle und Dein Gepäck zu jeder Tageszeit mühelos über die steilsten Berge und durch die tiefsten Täler. Worauf wartest Du noch?

**CHARACTERISTIC**

**SPONTANEITY IS THE BEST KIND OF ADVENTURE**  
*With the Haibike Adventr eBike at your disposal, you are always ready for new adventures! Thanks to the FLYON ePerformance system, integrated lights, panniers and Weber connector for a trailer, our Adventr models can carry you and your cargo from the highest mountains to the deepest valleys at any time of the day. What are you waiting for?*

**ARTIKELNUMMER / ORDER NUMBER**

27.5"	M	45190144	chocolate / black
27.5"	L	45190147	chocolate / black
27.5"	XL	45190150	chocolate / black

ADVANCED TREKKING  
**XDURO ADVENTR 6.0**

**HAIBIKE**



carbon /titanium /bronze

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	carbon, thru-axle M12 (1.75) x 148mm, disc brake Post Mount
Gabel / Fork	SR Suntour Aion35 RLR DS Lockout, air, Travel: 120mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle Boost
Schaltwerk / Rear derailleur	Shimano Deore XT M8000, 11-speed
Schalthebel / Shift lever	Shimano Deore XT M8000, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano SLX M7000, 11-46 teeth
Kette / Chain	Shimano HG601
Kettenblatt / Chainring	aluminium, Haibike Components The Chainring, 42
Bremshebel / Brake lever	Shimano Deore XT M8000, aluminium
Bremse vorne / Brake front	Shimano Deore XT M8020, 203mm
Bremse hinten / Brake rear	Shimano Deore XT M8000, 203mm
Reifen / Tyres	Schwalbe Marathon MTB Plus, 57-584, puncture protection, reflex
Felgen / Rims	Rodi Tryp 35, eyed, double-walled rim, aluminium
Vorderradnabe /Front wheel hub	Haibike Components TheHub ++
Hinterradnabe /Rear wheel hub	Haibike Components TheHub ++
Speichen / Spokes	DT Swiss Factory, black
Lenker / Handlebar	Haibike Components The Bar +++ 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	XLC AllMtn, Remote, telescope, 34.9mm, aluminium
Pedale / Pedals	MTB platform pedal aluminium
Scheinwerfer / Headlight	Haibike Skybeamer 5000, 150 lux
Rücklicht / Rear light	Haibike Twin TailLights
Dynamo / Dynamo	via system battery
Gepräckträger / Carrier	Haibike system carrier, AVS
Schutzbleche / Fenders	SKS, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

**ePERFORMANCE**

Motor	Flyon HPR120S, 25km/h
Display	Flyon The Display
Akku / Battery	Flyon The Battery 630Wh
Ladegerät / Charger	Haibike The Battery Charger 4A

**630Wh FLYON 27,5" eConnect MRS StVZO**

**ARTIKELNUMMER / ORDER NUMBER**

27.5"	XS	4541192944	carbon /titanium /bronze
27.5"	S	4541192948	carbon /titanium /bronze
27.5"	M	4541192952	carbon /titanium /bronze
27.5"	L	4541192956	carbon /titanium /bronze
27.5"	XL	4541192960	carbon /titanium /bronze

ADVANCED TREKKING  
**XDURO ADVENTR 5.0**

**HAIBIKE**



white /blue /orange

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	carbon, thru-axle M12 (1.75) x 148mm, disc brake Post Mount
Gabel / Fork	SR Suntour XCR34 Coil LOR Lockout, steel spring, Travel: 120mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle Boost
Schaltwerk / Rear derailleur	Sram NX, 11-speed
Schalthebel / Shift lever	Sram NX, trigger switch
Zahnkranz (hinten) / Sprocket	Sram PG1130, 11-42 teeth
Kette / Chain	Sram PC1110
Kettenblatt / Chainring	aluminium, Haibike Components The Chainring, 42
Bremshebel / Brake lever	Magura MT54 HC-lever, aluminium
Bremse vorne / Brake front	Magura MT5, 203mm
Bremse hinten / Brake rear	Magura MT4, 203mm
Reifen / Tyres	Schwalbe Smart Sam, 57-584, reflex
Felgen / Rims	Rodi Tryp 35, eyed, double-walled rim, aluminium
Vorderradnabe /Front wheel hub	Haibike Components TheHub ++
Hinterradnabe /Rear wheel hub	Haibike Components TheHub ++
Speichen / Spokes	DT Swiss Factory, black
Lenker / Handlebar	Haibike Components The Bar +++ 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components TheSeatpost ++, patent, 34.9mm, aluminium
Pedale / Pedals	MTB platform pedal aluminium
Scheinwerfer / Headlight	Haibike Skybeamer 300, 100 lux
Rücklicht / Rear light	Haibike Twin TailLights
Dynamo / Dynamo	via system battery
Gepräckträger / Carrier	Haibike system carrier, AVS
Schutzbleche / Fenders	SKS, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Gewicht / Weight	29.1kg
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

**ePERFORMANCE**

Motor	Flyon HPR120S, 25km/h
Display	Flyon The Display
Akku / Battery	Flyon The Battery 630Wh
Ladegerät / Charger	Haibike The Battery Charger 4A

**630Wh FLYON 27,5" eConnect MRS StVZO**

**ARTIKELNUMMER / ORDER NUMBER**

27.5"	XS	4541186944	white /blue /orange
27.5"	S	4541186948	white /blue /orange
27.5"	M	4541186952	white /blue /orange
27.5"	L	4541186956	white /blue /orange
27.5"	XL	4541186960	white /blue /orange

TREKKING-CROSS  
**TREKKING 10**

**HAIBIKE**



titan /lava matt

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount, Travel: 100mm
Gabel / Fork	SR Suntour Mobie E45 LOR Lockout, air, Travel: 80mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle
Schaltwerk / Rear derailleur	Shimano SLX M7100, 12-speed
Schalthebel / Shift lever	Shimano Deore M6100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano HG6100, 10-51 teeth
Kette / Chain	Shimano CN-M6100
Kettenblatt / Chainring	aluminium, 42
Bremshebel / Brake lever	Shimano M6100, aluminium
Bremse vorne / Brake front	Shimano M6120, aluminium, 203mm
Bremse hinten / Brake rear	Shimano M6120, aluminium, 180mm
Reifen / Tyres	Schwalbe Super Moto X, 62-584, reflex
Felgen / Rims	Rodi Tryp 30, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano MT400-B
Hinterradnabe / Rear wheel hub	Shimano MT410
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar ++ 740mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 12°
Steuersatz / Headset	A-Head Alloy Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components TheSeatpost ++, patent, 34.9mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Haibike Skybeamer 300, 100 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepräckträger / Carrier	StandWell KM040
Schutzbleche / Fenders	SKS, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

**ePERFORMANCE**

Motor	Bosch Performance CX GEN4, 250W, 85Nm, 25km/h
Display	Bosch Kiox
Akku / Battery	Bosch PowerTube 625Wh
Ladegerät / Charger	Bosch Standard Charger 4A



# TREKKING MODELS

**CHARAKTERISTIK**

**PERFEKTE BEGLEITER FÜR JEDES ABENTEUER**  
 Entspannt zur Arbeit fahren, spontan eine Feierabendrunde oder einen Mehrtagestrip starten? Dank der langstreckentauglichen Geometrie und sehr komfortabler PlusBereifung sind diese eTrekking Bikes für jedes Abenteuer bereit. Je nach Bedarf sind sie mit oder ohne Vollausstattung erhältlich. Maximalen Komfort mit einem besonders angenehmen Ein- und Ausstieg bieten Dir unsere neuen Lowstep Varianten.

**CHARACTERISTIC**

**PERFECT COMPANION FOR EVERY ADVENTURE**  
 Commuting to work in a relaxed way, spontaneously start an after-work session or a multi-day trip? Thanks to the long-distance geometry and comfortable plus tires, these eTrekking bikes are ready for any adventure. Depending on your needs, they are available with or without full equipment. Our new Lowstep versions offer comfortable access on and off the bike.

**ARTIKELNUMMER / ORDER NUMBER**

27.5"	S	45132150	titan /lava matt
27.5"	M	45132154	titan /lava matt
27.5"	L	45132158	titan /lava matt
27.5"	XL	45132162	titan /lava matt

TREKKING-CROSS  
**TREKKING 10**  
LOWSTANDOVER

**HAIBIKE**



titan /lava matt

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount, Travel: 100mm
Gabel / Fork	SR Suntour Mobie E45 LOR Lockout, air, Travel: 80mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle
Schaltwerk / Rear derailleur	Shimano SLX M7100, 12-speed
Schalthebel / Shift lever	Shimano Deore M6100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano HG6100, 10-51 teeth
Kette / Chain	Shimano CN-M6100
Kettenblatt / Chainring	aluminium, 42
Bremshebel / Brake lever	Shimano M6100, aluminium
Bremse vorne / Brake front	Shimano M6120, aluminium, 203mm
Bremse hinten / Brake rear	Shimano M6120, aluminium, 180mm
Reifen / Tyres	Schwalbe Super Moto X, 62-584, reflex
Felgen / Rims	Rodi Tryp 30, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano MT400-B
Hinterradnabe / Rear wheel hub	Shimano MT410
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar ++ 740mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 12"
Steuersatz / Headset	A-Head Alloy Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components TheSeatpost ++, patent, 34.9mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Haibike Skybeamer 300, 100 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepräckträger / Carrier	StandWell KM040
Schutzbleche / Fenders	SKS, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

**ePERFORMANCE**

Motor	Bosch Performance CX GEN4, 250W, 85Nm, 25km/h
Display	Bosch Kiox
Akku / Battery	Bosch PowerTube 625Wh
Ladegerät / Charger	Bosch Standard Charger 4A



**ARTIKELNUMMER / ORDER NUMBER**

27.5"	XS	45134140	titan /lava matt
27.5"	S	45134144	titan /lava matt
27.5"	M	45134148	titan /lava matt
27.5"	L	45134152	titan /lava matt

TREKKING-CROSS  
**TREKKING 10**  
LOWSTEP

**HAIBIKE**



titan /lava matt

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount, Travel: 100mm
Gabel / Fork	SR Suntour Mobie E45 LOR Lockout, air, Travel: 80mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle
Schaltwerk / Rear derailleur	Shimano SLX M7100, 12-speed
Schalthebel / Shift lever	Shimano Deore M6100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano HG6100, 10-51 teeth
Kette / Chain	Shimano CN-M6100
Kettenblatt / Chainring	aluminium, 42
Bremshebel / Brake lever	Shimano M6100, aluminium
Bremse vorne / Brake front	Shimano M6120, aluminium, 203mm
Bremse hinten / Brake rear	Shimano M6120, aluminium, 180mm
Reifen / Tyres	Schwalbe Super Moto X, 62-584, reflex
Felgen / Rims	Rodi Tryp 30, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano MT400-B
Hinterradnabe / Rear wheel hub	Shimano MT410
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar ++ 740mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 12"
Steuersatz / Headset	A-Head Alloy Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components TheSeatpost ++, patent, 34.9mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Haibike Skybeamer 300, 100 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepräckträger / Carrier	StandWell KM040
Schutzbleche / Fenders	SKS, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

**ePERFORMANCE**

Motor	Bosch Performance CX GEN4, 250W, 85Nm, 25km/h
Display	Bosch Kiox
Akku / Battery	Bosch PowerTube 625Wh
Ladegerät / Charger	Bosch Standard Charger 4A



**ARTIKELNUMMER / ORDER NUMBER**

27.5"	S	45136146	titan /lava matt
27.5"	M	45136150	titan /lava matt
27.5"	L	45136154	titan /lava matt

TREKKING-CROSS  
**TREKKING 9**

**HAIBIKE**



anthracite / red

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount, Travel: 100mm
Gabel / Fork	SR Suntour Mobie 25 LOR, air, Travel: 75mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle
Schaltwerk / Rear derailleur	Shimano Deore M5100, 11-speed
Schalthebel / Shift lever	Shimano Deore M5100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano HG5100, 11-51 teeth
Kette / Chain	KMC X11
Kettenblatt / Chainring	aluminium, 42
Bremshebel / Brake lever	Shimano MT401, aluminium
Bremse vorne / Brake front	Shimano MT400, aluminium, 180mm
Bremse hinten / Brake rear	Shimano MT400, aluminium, 180mm
Reifen / Tyres	Continental Contact Cruiser, 60x584, reflex
Felgen / Rims	Rodi Tryp 30, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano MT400-B
Hinterradnabe / Rear wheel hub	Shimano MT410
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar ++ 740mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 12"
Steuersatz / Headset	A-Head Alloy Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components TheSeatpost ++, patent, 34.9mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Haibike Skybeamer 300, 100 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepräckträger / Carrier	StandWell KM040
Schutzbleche / Fenders	SKS, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

**ePERFORMANCE**

Motor	Bosch Performance CX GEN4, 250W, 85Nm, 25km/h
Display	Bosch Intuvia
Akku / Battery	Bosch PowerTube 625Wh
Ladegerät / Charger	Bosch Standard Charger 4A



**ARTIKELNUMMER / ORDER NUMBER**

27.5"	S	45126150	anthracite / red
27.5"	M	45126154	anthracite / red
27.5"	L	45126158	anthracite / red
27.5"	XL	45126162	anthracite / red

TREKKING-CROSS  
**TREKKING 9  
LOWSTANDOVER**

**HAIBIKE**



anthracite / red

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount, Travel: 100mm
Gabel / Fork	SR Suntour Mobie 25 LOR, air, Travel: 75mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle
Schaltwerk / Rear derailleur	Shimano Deore M5100, 11-speed
Schalthebel / Shift lever	Shimano Deore M5100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano HG5100, 11-51 teeth
Kette / Chain	KMC X11
Kettenblatt / Chainring	aluminium, 42
Bremshebel / Brake lever	Shimano MT401, aluminium
Bremse vorne / Brake front	Shimano MT400, aluminium, 180mm
Bremse hinten / Brake rear	Shimano MT400, aluminium, 180mm
Reifen / Tyres	Continental Contact Cruiser, 60x584, reflex
Felgen / Rims	Rodi Tryp 30, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano MT400-B
Hinterradnabe / Rear wheel hub	Shimano MT410
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar ++ 740mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 12"
Steuersatz / Headset	A-Head Alloy Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components TheSeatpost ++, patent, 34.9mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Haibike Skybeamer 300, 100 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepräckträger / Carrier	StandWell KM040
Schutzbleche / Fenders	SKS, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

**ePERFORMANCE**

Motor	Bosch Performance CX GEN4, 250W, 85Nm, 25km/h
Display	Bosch Intuvia
Akku / Battery	Bosch PowerTube 625Wh
Ladegerät / Charger	Bosch Standard Charger 4A



**ARTIKELNUMMER / ORDER NUMBER**

27.5"	XS	45128140	anthracite / red
27.5"	S	45128144	anthracite / red
27.5"	M	45128148	anthracite / red
27.5"	L	45128152	anthracite / red

TREKKING-CROSS  
**TREKKING 9**  
LOWSTEP

**HAIBIKE**



anthracite / red

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount, Travel: 100mm
Gabel / Fork	SR Suntour Mobie 25 LOR, air, Travel: 75mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle
Schaltwerk / Rear derailleur	Shimano Deore M5100, 11-speed
Schalthebel / Shift lever	Shimano Deore M5100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano HG5100, 11-51 teeth
Kette / Chain	KMC X11
Kettenblatt / Chainring	aluminium, 42
Bremshebel / Brake lever	Shimano MT401, aluminium
Bremse vorne / Brake front	Shimano MT400, aluminium, 180mm
Bremse hinten / Brake rear	Shimano MT400, aluminium, 180mm
Reifen / Tyres	Continental Contact Cruiser, 60x584, reflex
Felgen / Rims	Rodi Tryp 30, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano MT400-B
Hinterradnabe / Rear wheel hub	Shimano MT410
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar ++ 740mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 12"
Steuersatz / Headset	A-Head Alloy Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components TheSeatpost ++, patent, 34.9mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Haibike Skybeamer 300, 100 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepräckträger / Carrier	StandWell KM040
Schutzbleche / Fenders	SKS, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

**ePERFORMANCE**

Motor	Bosch Performance CX GEN4, 250W, 85Nm, 25km/h
Display	Bosch Intuvia
Akku / Battery	Bosch PowerTube 625Wh
Ladegerät / Charger	Bosch Standard Charger 4A



**ARTIKELNUMMER / ORDER NUMBER**

27.5"	S	45130146	anthracite / red
27.5"	M	45130150	anthracite / red
27.5"	L	45130154	anthracite / red

TREKKING-CROSS  
**TREKKING CROSS 9**  
LOWSTEP

**HAIBIKE**



anthracite / red

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount, Travel: 100mm
Gabel / Fork	RockShox Recon RL Remote Lockout, air, Travel: 100mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle
Schaltwerk / Rear derailleur	Shimano Deore M5100, 11-speed
Schalthebel / Shift lever	Shimano Deore M5100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano HG5100, 11-51 teeth
Kette / Chain	KMC X11
Kettenblatt / Chainring	aluminium, 42
Bremshebel / Brake lever	Shimano MT401, aluminium
Bremse vorne / Brake front	Shimano MT400, aluminium, 180mm
Bremse hinten / Brake rear	Shimano MT400, aluminium, 180mm
Reifen / Tyres	Schwalbe Smart Sam Active, 65-584
Felgen / Rims	Rodi Tryp 30, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano MT400-B
Hinterradnabe / Rear wheel hub	Shimano MT410
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar ++ 740mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 12"
Steuersatz / Headset	A-Head Alloy Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components TheSeatpost ++, patent, 34.9mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

**ePERFORMANCE**

Motor	Bosch Performance CX GEN4, 250W, 85Nm, 25km/h
Display	Bosch Intuvia
Akku / Battery	Bosch PowerTube 625Wh
Ladegerät / Charger	Bosch Standard Charger 4A



**ARTIKELNUMMER / ORDER NUMBER**

27.5"	S	45138146	anthracite / red
27.5"	M	45138150	anthracite / red
27.5"	L	45138154	anthracite / red



TREKKING-CROSS  
**TREKKING 8**

**HAIBIKE**



sparkling white

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	aluminium 6061, Steckachse X-12 (1.00) x 148mm, disc brake Post Mount, Travel: 63mm
Gabel / Fork	RockShox Recon RL, air, Travel: 100mm, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Schaltwerk / Rear derailleur	Shimano Deore XT M8100 Shadow Plus, 12-speed
Schalthebel / Shift lever	Shimano Deore M6100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano HG6100, 10-51 teeth
Kette / Chain	Shimano CN-M6100
Kettenblatt / Chainring	steel, 38
Bremshebel / Brake lever	Shimano XT T8100, aluminium
Bremse vorne / Brake front	Shimano XT M8100, aluminium, 180mm
Bremse hinten / Brake rear	Shimano XT M8100, aluminium, 180mm
Reifen / Tyres	Schwalbe Super Moto X, 62-584, reflex
Felgen / Rims	Schürmann Yak25, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano MT400-B
Hinterradnabe / Rear wheel hub	Shimano MT410
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	XLC Topflat 720mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	XLC Alu, A-head
Steuersatz / Headset	A-Head Alloy Tapered
Sattel / Saddle	XLC MTB
Sattelstütze / Seat post	XLC, patent, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Haibike Skybeamer 150, 50 lux
Rücklicht / Rear light	AXA Juno Ebike
Dynamo / Dynamo	via system battery
Gepräckträger / Carrier	Massload Systemgepäckträger
Schutzbleche / Fenders	Eurofender Tempo, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

**ePERFORMANCE**

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Multi Switch
Akku / Battery	InTube 630Wh
Ladegerät / Charger	Schnellladegerät 4A

**630Wh** **YAMAHA** **27,5"** **STVZO**

**ARTIKELNUMMER / ORDER NUMBER**

27.5"	S	45122148	sparkling white
27.5"	L	45122156	sparkling white
27.5"	XL	45122160	sparkling white
27.5"	M	45122152	sparkling white

TREKKING-CROSS  
**TREKKING 8  
LOWSTANDOVER**

**HAIBIKE**



sparkling white

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	aluminium 6061, Steckachse X-12 (1.00) x 148mm, disc brake Post Mount, Travel: 63mm
Gabel / Fork	RockShox Recon RL, air, Travel: 100mm, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Schaltwerk / Rear derailleur	Shimano Deore XT M8100 Shadow Plus, 12-speed
Schalthebel / Shift lever	Shimano Deore M6100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano HG6100, 10-51 teeth
Kette / Chain	Shimano CN-M6100
Kettenblatt / Chainring	steel, 38
Bremshebel / Brake lever	Shimano XT T8100, aluminium
Bremse vorne / Brake front	Shimano XT M8100, aluminium, 180mm
Bremse hinten / Brake rear	Shimano XT M8100, aluminium, 180mm
Reifen / Tyres	Schwalbe Super Moto X, 62-584, reflex
Felgen / Rims	Schürmann Yak25, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano MT400-B
Hinterradnabe / Rear wheel hub	Shimano MT410
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	XLC Topflat 720mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	XLC Alu, A-head
Steuersatz / Headset	A-Head Alloy Tapered
Sattel / Saddle	XLC MTB
Sattelstütze / Seat post	XLC, patent, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Haibike Skybeamer 150, 50 lux
Rücklicht / Rear light	AXA Juno Ebike
Dynamo / Dynamo	via system battery
Gepräckträger / Carrier	Massload Systemgepäckträger
Schutzbleche / Fenders	Eurofender Tempo, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

**ePERFORMANCE**

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Multi Switch
Akku / Battery	InTube 630Wh
Ladegerät / Charger	Schnellladegerät 4A

**630Wh** **YAMAHA** **27,5"** **STVZO**

**ARTIKELNUMMER / ORDER NUMBER**

27.5"	L	45124152	sparkling white
27.5"	M	45124148	sparkling white
27.5"	S	45124144	sparkling white

TREKKING-CROSS  
**TREKKING 7**

**HAIBIKE**



cool grey / red matte

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	aluminium 6061, Steckachse X-12 (1.00) x 148mm, disc brake Post Mount, Travel: 63mm
Gabel / Fork	SR Suntour Mobie A32, steel spring, Travel: 75mm, aluminium steerer tube 1 1/8", thru-axle
Schaltwerk / Rear derailleur	Shimano Deore M5100, 11-speed
Schalthebel / Shift lever	Shimano Deore M5100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano HG5100, 11-51 teeth
Kette / Chain	KMC e10S
Kettenblatt / Chainring	steel, 38
Bremshebel / Brake lever	Shimano MT401, aluminium
Bremse vorne / Brake front	Shimano MT410, aluminium, 180mm
Bremse hinten / Brake rear	Shimano MT410, aluminium, 180mm
Reifen / Tyres	WTB Groov-E, 61-584, reflex
Felgen / Rims	Schürmann Yak25, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike TheHub ++
Hinterradnabe / Rear wheel hub	Haibike TheHub ++
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	XLC Topflat 720mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	XLC Alu, A-head
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Wave
Sattelstütze / Seat post	XLC, patent, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Trelock Bike - i Veo LS230, 20 lux
Rücklicht / Rear light	AXA Juno Ebike
Dynamo / Dynamo	via system battery
Gepräckträger / Carrier	Massload Systemgepäckträger
Schutzbleche / Fenders	Eurofender Tempo, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

**ePERFORMANCE**

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Multi Switch
Akku / Battery	InTube 630Wh
Ladegerät / Charger	Schnellladegerät 4A

**630Wh YAMAHA 27,5" SVZO**

**FARBVARIANTE / COLOR VARIANT**



blue / sand

**ARTIKELNUMMER / ORDER NUMBER**

27.5"	S	45114148	cool grey / red matte
27.5"	M	45114152	cool grey / red matte
27.5"	L	45114156	cool grey / red matte
27.5"	XL	45114160	cool grey / red matte
27.5"	XXL	45114164	cool grey / red matte
27.5"	S	45118148	blue / sand
27.5"	M	45118152	blue / sand
27.5"	L	45118156	blue / sand
27.5"	XL	45118160	blue / sand
27.5"	XXL	45118164	blue / sand

TREKKING-CROSS  
**TREKKING 7  
LOWSTANDOVER**

**HAIBIKE**



cool grey / red matte

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	aluminium 6061, Steckachse X-12 (1.00) x 148mm, disc brake Post Mount, Travel: 63mm
Gabel / Fork	SR Suntour Mobie A32, steel spring, Travel: 75mm, aluminium steerer tube 1 1/8", thru-axle
Schaltwerk / Rear derailleur	Shimano Deore M5100, 11-speed
Schalthebel / Shift lever	Shimano Deore M5100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano HG5100, 11-51 teeth
Kette / Chain	KMC e10S
Kettenblatt / Chainring	steel, 38
Bremshebel / Brake lever	Shimano MT401, aluminium
Bremse vorne / Brake front	Shimano MT410, aluminium, 180mm
Bremse hinten / Brake rear	Shimano MT410, aluminium, 180mm
Reifen / Tyres	WTB Groov-E, 61-584, reflex
Felgen / Rims	Schürmann Yak25, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike TheHub ++
Hinterradnabe / Rear wheel hub	Haibike TheHub ++
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	XLC Topflat 720mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	XLC Alu, A-head
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Wave
Sattelstütze / Seat post	XLC, patent, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Trelock Bike - i Veo LS230, 20 lux
Rücklicht / Rear light	AXA Juno Ebike
Dynamo / Dynamo	via system battery
Gepräckträger / Carrier	Massload Systemgepäckträger
Schutzbleche / Fenders	Eurofender Tempo, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

**ePERFORMANCE**

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Multi Switch
Akku / Battery	InTube 630Wh
Ladegerät / Charger	Schnellladegerät 4A

**630Wh YAMAHA 27,5" SVZO**

**FARBVARIANTE / COLOR VARIANT**



blue / sand

**ARTIKELNUMMER / ORDER NUMBER**

27.5"	S	45116144	cool grey / red matte
27.5"	M	45116148	cool grey / red matte
27.5"	L	45116152	cool grey / red matte
27.5"	XL	45116156	cool grey / red matte
27.5"	S	45120144	blue / sand
27.5"	M	45120148	blue / sand
27.5"	L	45120152	blue / sand
27.5"	XL	45120156	blue / sand

TREKKING-CROSS  
**TREKKING 6**

**HAIBIKE**



cool grey / red

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	aluminium 6061, thru-axle M12 (1.75) x 148mm, disc brake Post Mount
Gabel / Fork	SR Suntour NEX E25, steel spring, Travel: 63mm, steel steerer tube 1 1/8" - 1 1/2" tapered, quick release
Schaltwerk / Rear derailleur	Shimano Deore M5120, 10-speed
Schalthebel / Shift lever	Shimano Deore M4100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano HG41, 11-46 teeth
Kette / Chain	KMC e10S
Kettenblatt / Chainring	steel, 38
Bremshebel / Brake lever	Tektro T275, aluminium
Bremse vorne / Brake front	Tektro T275, aluminium, 180mm
Bremse hinten / Brake rear	Tektro T275, aluminium, 160mm
Reifen / Tyres	Continental Contact Urban, 55x584, reflex
Felgen / Rims	Schürmann Yak25, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub ++
Hinterradnabe / Rear wheel hub	Haibike TheHub ++
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	XLC Topflat 720mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	XLC Alu, A-head
Steuersatz / Headset	Cane Creek Viscoset
Sattel / Saddle	XLC MTB
Sattelstütze / Seat post	XLC, patent, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Haibike Skybeamer 150, 50 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepräckträger / Carrier	StandWell KM040
Schutzbleche / Fenders	SKS, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

**ePERFORMANCE**

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Multi Switch
Akku / Battery	Yamaha InTube 500Wh
Ladegerät / Charger	Yamaha quick charger 4A

**500Wh YAMAHA 27,5" SVZO**

**ARTIKELNUMMER / ORDER NUMBER**

27.5"	S	45102148	cool grey / red
27.5"	M	45102152	cool grey / red
27.5"	L	45102156	cool grey / red
27.5"	XL	45102160	cool grey / red
27.5"	XXL	45102164	cool grey / red

TREKKING-CROSS  
**TREKKING 6  
LOWSTANDOVER**

**HAIBIKE**



cool grey / red

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	aluminium 6061, thru-axle M12 (1.75) x 148mm, disc brake Post Mount
Gabel / Fork	SR Suntour NEX E25, steel spring, Travel: 63mm, steel steerer tube 1 1/8" - 1 1/2" tapered, quick release
Schaltwerk / Rear derailleur	Shimano Deore M5120, 10-speed
Schalthebel / Shift lever	Shimano Deore M4100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano HG41, 11-46 teeth
Kette / Chain	KMC e10S
Kettenblatt / Chainring	steel, 38
Bremshebel / Brake lever	Tektro T275, aluminium
Bremse vorne / Brake front	Tektro T275, aluminium, 180mm
Bremse hinten / Brake rear	Tektro T275, aluminium, 160mm
Reifen / Tyres	Continental Contact Urban, 55x584, reflex
Felgen / Rims	Schürmann Yak25, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub ++
Hinterradnabe / Rear wheel hub	Haibike TheHub ++
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	XLC Topflat 720mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	XLC Alu, A-head
Steuersatz / Headset	Cane Creek Viscoset
Sattel / Saddle	XLC MTB
Sattelstütze / Seat post	XLC, patent, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Haibike Skybeamer 150, 50 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepräckträger / Carrier	StandWell KM040
Schutzbleche / Fenders	SKS, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

**ePERFORMANCE**

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Multi Switch
Akku / Battery	Yamaha InTube 500Wh
Ladegerät / Charger	Yamaha quick charger 4A

**500Wh YAMAHA 27,5" SVZO**

**ARTIKELNUMMER / ORDER NUMBER**

27.5"	S	45104144	cool grey / red
27.5"	M	45104148	cool grey / red
27.5"	L	45104152	cool grey / red
27.5"	XL	45104156	cool grey / red

TREKKING-CROSS  
**TREKKING 6**  
LOWSTEP

**HAIBIKE**



cool grey / red

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	aluminium 6061, thru-axle M12 (1.75) x 148mm, disc brake Post Mount
Gabel / Fork	SR Suntour NEX E25, steel spring, Travel: 63mm, steel steerer tube 1 1/8" - 1 1/2" tapered, quick release
Schaltwerk / Rear derailleur	Shimano Deore M5120, 10-speed
Schalthebel / Shift lever	Shimano Deore M4100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano HG41, 11-46 teeth
Kette / Chain	KMC e10S
Kettenblatt / Chainring	steel, 38
Bremshebel / Brake lever	Tektro T275, aluminium
Bremse vorne / Brake front	Tektro T275, aluminium, 180mm
Bremse hinten / Brake rear	Tektro T275, aluminium, 160mm
Reifen / Tyres	Continental Contact Urban, 55x584, reflex
Felgen / Rims	Schürmann Yak25, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub ++
Hinterradnabe / Rear wheel hub	Haibike TheHub ++
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	XLC Topflat 720mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	XLC Alu, A-head
Steuersatz / Headset	Cane Creek Viscoset
Sattel / Saddle	XLC MTB
Sattelstütze / Seat post	XLC, patent, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Haibike Skybeamer 150, 50 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepräckträger / Carrier	StandWell KM040
Schutzbleche / Fenders	SKS, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

**ePERFORMANCE**

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Multi Switch
Akku / Battery	Yamaha InTube 500Wh
Ladegerät / Charger	Yamaha quick charger 4A

**500Wh YAMAHA 27,5" SVZO**

**ARTIKELNUMMER / ORDER NUMBER**

27.5"	S	45106146	cool grey / red
27.5"	M	45106150	cool grey / red
27.5"	L	45106154	cool grey / red

TREKKING-CROSS  
**TREKKING 5**

**HAIBIKE**



blue / canary

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	aluminium 6061, Steckachse X-12 (1.00) x 148mm, disc brake Post Mount, Travel: 63mm
Gabel / Fork	SR Suntour XCM ATB HLO Lockout, steel spring, Travel: 65mm, steel steerer tube 1 1/8", quick release
Schaltwerk / Rear derailleur	Shimano Alivio M3100, 9-speed
Schalthebel / Shift lever	Shimano Alivio M3100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano HG200, 11-36 teeth
Kette / Chain	KMC e9S
Kettenblatt / Chainring	steel, 38
Bremshebel / Brake lever	Tektro T275, aluminium
Bremse vorne / Brake front	Tektro T275, aluminium, 180mm
Bremse hinten / Brake rear	Tektro T275, aluminium, 180mm
Reifen / Tyres	WTB Groov-E, 61-584, reflex
Felgen / Rims	Schürmann Yak25, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike TheHub ++
Hinterradnabe / Rear wheel hub	Haibike TheHub ++
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	XLC Topflat 720mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	XLC Alu, A-head
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Wave
Sattelstütze / Seat post	XLC, patent, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Trelock Bike - i Veo LS230, 20 lux
Rücklicht / Rear light	AXA Juno Ebike
Dynamo / Dynamo	via system battery
Gepräckträger / Carrier	Massload Systemgepäckträger
Schutzbleche / Fenders	Eurofender Tempo, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

**ePERFORMANCE**

Motor	Bosch Performance Line, 250W, 65Nm, 25km/h
Display	Bosch Purion
Akku / Battery	Bosch PowerTube 500Wh
Ladegerät / Charger	Bosch compact charger 2A

**500Wh BOSCH 27,5" SVZO**

**ARTIKELNUMMER / ORDER NUMBER**

27.5"	S	45098148	blue / canary
27.5"	M	45098152	blue / canary
27.5"	L	45098156	blue / canary
27.5"	XL	45098160	blue / canary
27.5"	XXL	45098164	blue / canary

TREKKING-CROSS  
**TREKKING 5**  
LOWSTANDOVER

**HAIBIKE**



blue / canary

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	aluminium 6061, Steckachse X-12 (1.00) x 148mm, disc brake Post Mount, Travel: 63mm
Gabel / Fork	SR Suntour XCM ATB HLO Lockout, steel spring, Travel: 65mm, steel steerer tube 1 1/8", quick release
Schaltwerk / Rear derailleur	Shimano Alivio M3100, 9-speed
Schalthebel / Shift lever	Shimano Alivio M3100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano HG200, 11-36 teeth
Kette / Chain	KMC e9S
Kettenblatt / Chainring	steel, 38
Bremshebel / Brake lever	Tektro T275, aluminium
Bremse vorne / Brake front	Tektro T275, aluminium, 180mm
Bremse hinten / Brake rear	Tektro T275, aluminium, 180mm
Reifen / Tyres	WTB Groov-E, 61-584, reflex
Felgen / Rims	Schürmann Yak25, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike TheHub ++
Hinterradnabe / Rear wheel hub	Haibike TheHub ++
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	XLC Topflat 720mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	XLC Alu, A-head
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Wave
Sattelstütze / Seat post	XLC, patent, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Trelock Bike - i Veo LS230, 20 lux
Rücklicht / Rear light	AXA Juno Ebike
Dynamo / Dynamo	via system battery
Gepräckträger / Carrier	Massload Systemgepäckträger
Schutzbleche / Fenders	Eurofender Tempo, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

**ePERFORMANCE**

Motor	Bosch Performance Line, 250W, 65Nm, 25km/h
Display	Bosch Purion
Akku / Battery	Bosch PowerTube 500Wh
Ladegerät / Charger	Bosch compact charger 2A

**500Wh** **BOSCH** **27,5"** **SVZO**

**ARTIKELNUMMER / ORDER NUMBER**

27.5"	XS	45100140	blue / canary
27.5"	M	45100148	blue / canary
27.5"	S	45100144	blue / canary
27.5"	L	45100152	blue / canary
27.5"	XL	45100156	blue / canary

TREKKING-CROSS  
**TREKKING 4**

**HAIBIKE**



desert / white

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	aluminium 6061, thru-axle M12 (1.75) x 148mm, disc brake Post Mount
Gabel / Fork	SR Suntour NEX E25, steel spring, Travel: 63mm, steel steerer tube 1 1/8" - 1 1/2" tapered, quick release
Schaltwerk / Rear derailleur	Shimano Altus M2000, 9-speed
Schalthebel / Shift lever	Shimano Alivio M3100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano HG200, 11-36 teeth
Kette / Chain	KMC e9S
Kettenblatt / Chainring	steel, 38
Bremshebel / Brake lever	Tektro T275, aluminium
Bremse vorne / Brake front	Tektro T275, aluminium, 180mm
Bremse hinten / Brake rear	Tektro T275, aluminium, 160mm
Reifen / Tyres	Continental Contact Urban, 55x584, reflex
Felgen / Rims	Schürmann Yak25, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike TheHub ++
Hinterradnabe / Rear wheel hub	Haibike TheHub ++
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	XLC Topflat 720mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	XLC Alu, A-head
Steuersatz / Headset	Cane Creek Viscoset
Sattel / Saddle	Selle Royal Wave
Sattelstütze / Seat post	XLC, patent, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Trelock Bike - i Veo LS230, 20 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepräckträger / Carrier	StandWell KM040
Schutzbleche / Fenders	SKS, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

**ePERFORMANCE**

Motor	Yamaha PW-TE System, 250W, 60Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha InTube 500Wh
Ladegerät / Charger	Yamaha quick charger 4A

**500Wh** **YAMAHA** **27,5"** **SVZO**

**ARTIKELNUMMER / ORDER NUMBER**

27.5"	S	45092148	desert / white
27.5"	M	45092152	desert / white
27.5"	L	45092156	desert / white
27.5"	XL	45092160	desert / white
27.5"	XXL	45092164	desert / white

TREKKING-CROSS  
**TREKKING 4**  
 LOWSTANDOVER

**HAIBIKE**



desert / white

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	aluminium 6061, thru-axle M12 (1.75) x 148mm, disc brake Post Mount
Gabel / Fork	SR Suntour NEX E25, steel spring, Travel: 63mm, steel steerer tube 1 1/8" - 1 1/2" tapered, quick release
Schaltwerk / Rear derailleur	Shimano Altus M2000, 9-speed
Schalthebel / Shift lever	Shimano Alivio M3100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano HG200, 11-36 teeth
Kette / Chain	KMC e9S
Kettenblatt / Chainring	steel, 38
Bremshebel / Brake lever	Tektro T275, aluminium
Bremse vorne / Brake front	Tektro T275, aluminium, 180mm
Bremse hinten / Brake rear	Tektro T275, aluminium, 160mm
Reifen / Tyres	Continental Contact Urban, 55x584, reflex
Felgen / Rims	Schürmann Yak25, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike TheHub ++
Hinterradnabe / Rear wheel hub	Haibike TheHub ++
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	XLC Topflat 720mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	XLC Alu, A-head
Steuersatz / Headset	Cane Creek Viscoset
Sattel / Saddle	Selle Royal Wave
Sattelstütze / Seat post	XLC, patent, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Trelock Bike - i Veo LS230, 20 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepräckträger / Carrier	StandWell KM040
Schutzbleche / Fenders	SKS, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

**ePERFORMANCE**

Motor	Yamaha PW-TE System, 250W, 60Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha InTube 500Wh
Ladegerät / Charger	Yamaha quick charger 4A

**500Wh** **YAMAHA** **27,5"** **SVZO**

**ARTIKELNUMMER / ORDER NUMBER**

27.5"	S	45094144	desert / white
27.5"	M	45094148	desert / white
27.5"	L	45094152	desert / white
27.5"	XL	45094156	desert / white

TREKKING-CROSS  
**TREKKING 4**  
 LOWSTEP

**HAIBIKE**



desert / white

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	aluminium 6061, thru-axle M12 (1.75) x 148mm, disc brake Post Mount
Gabel / Fork	SR Suntour NEX E25, steel spring, Travel: 63mm, steel steerer tube 1 1/8" - 1 1/2" tapered, quick release
Schaltwerk / Rear derailleur	Shimano Altus M2000, 9-speed
Schalthebel / Shift lever	Shimano Alivio M3100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano HG200, 11-36 teeth
Kette / Chain	KMC e9S
Kettenblatt / Chainring	steel, 38
Bremshebel / Brake lever	Tektro T275, aluminium
Bremse vorne / Brake front	Tektro T275, aluminium, 180mm
Bremse hinten / Brake rear	Tektro T275, aluminium, 160mm
Reifen / Tyres	Continental Contact Urban, 55x584, reflex
Felgen / Rims	Schürmann Yak25, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike TheHub ++
Hinterradnabe / Rear wheel hub	Haibike TheHub ++
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	XLC Topflat 720mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	XLC Alu, A-head
Steuersatz / Headset	Cane Creek Viscoset
Sattel / Saddle	Selle Royal Wave
Sattelstütze / Seat post	XLC, patent, 31.6mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Trelock Bike - i Veo LS230, 20 lux
Rücklicht / Rear light	AXA Blueline
Dynamo / Dynamo	via system battery
Gepräckträger / Carrier	StandWell KM040
Schutzbleche / Fenders	SKS, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

**ePERFORMANCE**

Motor	Yamaha PW-TE System, 250W, 60Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha InTube 500Wh
Ladegerät / Charger	Yamaha quick charger 4A

**500Wh** **YAMAHA** **27,5"** **SVZO**

**ARTIKELNUMMER / ORDER NUMBER**

27.5"	S	45096146	desert / white
27.5"	M	45096150	desert / white
27.5"	L	45096154	desert / white

S-PEDELECS TREKKING S  
**TREKKING S 10**

**HAIBIKE**



titan /lava matt

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount, Travel: 100mm
Gabel / Fork	SR Suntour Mobie 25 LOR Lockout, steel spring, Travel: 75mm, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle
Schaltwerk / Rear derailleur	Shimano Deore XT M8000, 11-speed
Schalthebel / Shift lever	Shimano SLX M7000, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano SLX M7000, 11-40 teeth
Kette / Chain	KMC X11
Kettenblatt / Chainring	aluminium, 44
Bremshebel / Brake lever	Tektro HD-E715, aluminium
Bremse vorne / Brake front	Tektro HD-E715, aluminium, 180mm
Bremse hinten / Brake rear	Tektro HD-E715, aluminium, 160mm
Reifen / Tyres	Schwalbe Super Moto X, 62-584, reflex
Felgen / Rims	Rodi Tryp 30, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Fastace Alunabe
Hinterradnabe / Rear wheel hub	Shimano Deore XT T8000
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Ergobar, oversize 640mm
Griffe / Grips	Ergogriffe
Vorbau / Stem	Alu, A-head, Bar bore: 31.8mm
Steuersatz / Headset	Neco MIX A-HEAD
Sattel / Saddle	Selle Royal EZONE MODERATE
Sattelstütze / Seat post	Haibike Components The seat post ++, patent, 31.6mm
Pedale / Pedals	Marwi SP-828
Scheinwerfer / Headlight	Spanninga Axendo 100, 100 lux
Rücklicht / Rear light	Spanninga Flexio speed
Dynamo / Dynamo	via system battery
Gepräckträger / Carrier	SKS Systemgepäckträger S-Pedelec Mantis
Schutzbleche / Fenders	SKS, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	S-Pedelecs/motor vehicles

**ePERFORMANCE**

Motor	Bosch Performance Speed GEN4, 250W, 85Nm, 45km/h
Display	Bosch Kiox
Akku / Battery	Bosch PowerTube 625Wh
Ladegerät / Charger	Bosch Standard Charger 4A



# TREKKING S MODELS

**CHARAKTERISTIK**

**MIT BIS ZU 45 KM/H NOCH SCHNELLER  
 AM ZIEL ANKOMMEN**

Das ideale Fortbewegungsmittel für Pendler und Biker, die schnell von A nach B kommen wollen! Unsere Trekking S-Pedelecs unterstützen Dich bis 45 km/h und eignen sich hervorragend um längere Strecken zu bewältigen und zu genießen. Lasse einfach Staus, Parkplatzmangel und Langeweile hinter Dir und erlebe eine interessante Alternative, um zur Arbeit zu pendeln oder eine Radreise zu starten.

**CHARACTERISTIC**

**WITH SPEEDS UP TO 45 KMH, ARRIVE  
 AT YOUR DESTINATION EVEN FASTER**

The ideal means of transport for commuters and bikers who want to get from A to B quickly! Our Trekking S-Pedelecs support you up to 45 km/h and are excellent for mastering and enjoying longer distances. Leave traffic jams, lack of parking space and boredom behind and experience an exciting new alternative to commute to work or start a bike tour.

**ARTIKELNUMMER / ORDER NUMBER**

27.5"	M	45142153	titan /lava matt
27.5"	L	45142157	titan /lava matt
27.5"	XL	45142161	titan /lava matt

S-PEDELECS TREKKING S  
**TREKKING S 10**  
LOWSTANDOVER

**HAIBIKE**



titan /lava matt

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount, Travel: 100mm
Gabel / Fork	SR Suntour Mobie 25 LOR Lockout, steel spring, Travel: 75mm, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle
Schaltwerk / Rear derailleur	Shimano Deore XT M8000, 11-speed
Schalthebel / Shift lever	Shimano SLX M7000, rapidfire
Zahnkranz (hinten) / Sprocket	Shimano SLX M7000, 11-40 teeth
Kette / Chain	KMC X11
Kettenblatt / Chainring	aluminium, 44
Bremshebel / Brake lever	Tektro HD-E715, aluminium
Bremse vorne / Brake front	Tektro HD-E715, aluminium, 180mm
Bremse hinten / Brake rear	Tektro HD-E715, aluminium, 160mm
Reifen / Tyres	Schwalbe Super Moto X, 62-584, reflex
Felgen / Rims	Rodi Tryp 30, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Fastace Alunabe
Hinterradnabe / Rear wheel hub	Shimano Deore XT T8000
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Ergobar, oversize 640mm
Griffe / Grips	Ergogriffe
Vorbau / Stem	Alu, A-head, Bar bore: 31.8mm
Steuersatz / Headset	Neco MIX A-HEAD
Sattel / Saddle	Selle Royal EZONE MODERATE
Sattelstütze / Seat post	Haibike Components The seat post ++, patent, 31.6mm
Pedale / Pedals	Marwi SP-828
Scheinwerfer / Headlight	Spanninga Axendo 100, 100 lux
Rücklicht / Rear light	Spanninga Flexio speed
Dynamo / Dynamo	via system battery
Gepräckträger / Carrier	SKS Systemgepäckträger S-Pedelec Mantis
Schutzbleche / Fenders	SKS, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	S-Pedelecs/motor vehicles

**ePERFORMANCE**

Motor	Bosch Performance Speed GEN4, 250W, 85Nm, 45km/h
Display	Bosch Kiox
Akku / Battery	Bosch PowerTube 625Wh
Ladegerät / Charger	Bosch Standard Charger 4A



**ARTIKELNUMMER / ORDER NUMBER**

27.5"	M	45143148	titan /lava matt
27.5"	L	45143153	titan /lava matt
27.5"	XL	45143157	titan /lava matt

S-PEDELECS TREKKING S  
**SDURO TREKKING S 9.0**

**HAIBIKE**



anthracite / red

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	aluminium 6061, Gravity Casting, hydroformed, quick-release 5 x 135mm, disc brake Post Mount
Gabel / Fork	SR Suntour XCM32 LO E45 Lockout, steel spring, Travel: 60mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle
Schaltwerk / Rear derailleur	Shimano Deore XT M8000, 20-speed
Schalthebel / Shift lever	Shimano Deore M4100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano HG50, 11-36 teeth
Kette / Chain	KMC e10S
Kettenblatt / Chainring	stainless steel, Haibike CNC sprocket, 20
Bremshebel / Brake lever	Magura MT4
Bremse vorne / Brake front	Magura MT4, 180mm
Bremse hinten / Brake rear	Magura MT4, 180mm
Reifen / Tyres	Schwalbe Energizer Plus, 47-622, puncture protection, reflex
Felgen / Rims	Rodi Black Rock 21, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	alu disc, thru-axle 15x100
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar + 720mm
Griffe / Grips	XLC Sport bo2 lock on grips
Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 12°
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components TheSeatpost ++, patent, 31.6mm
Pedale / Pedals	Wellgo C29
Scheinwerfer / Headlight	Spanninga Axendo 100, 100 lux
Rücklicht / Rear light	Busch & Müller Toplight Line E Brake
Dynamo / Dynamo	via system battery
Gepräckträger / Carrier	StandWell system carrier S-Pedelec, XLC Carrymore
Schutzbleche / Fenders	SKS, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	S-Pedelecs/motor vehicles

**ePERFORMANCE**

Motor	Yamaha PW-System, 500W, 45km/h
Display	Yamaha Multi Switch
Akku / Battery	Yamaha Lithium Ion 500Wh
Ladegerät / Charger	Yamaha quick charger 4A



**ARTIKELNUMMER / ORDER NUMBER**

28"	S	45140148	anthracite / red
28"	M	45140152	anthracite / red
28"	L	45140156	anthracite / red
28"	XL	45140160	anthracite / red
28"	XXL	45140164	anthracite / red



S-PEDELECS TREKKING S  
**SDURO TREKKING S 9.0**  
 LOWSTANDOVER

**HAIBIKE**



anthracite / red

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	aluminium 6061, Gravity Casting, hydroformed, quick-release 5 x 135mm, disc brake Post Mount
Gabel / Fork	SR Suntour XCM32 LO E45 Lockout, steel spring, Travel: 60mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle
Schaltwerk / Rear derailleur	Shimano Deore XT M8000, 20-speed
Schalthebel / Shift lever	Shimano Deore M4100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano HG50, 11-36 teeth
Kette / Chain	KMC e10S
Kettenblatt / Chainring	stainless steel, Haibike CNC sprocket, 20
Bremshebel / Brake lever	Magura MT4
Bremse vorne / Brake front	Magura MT4, 180mm
Bremse hinten / Brake rear	Magura MT4, 180mm
Reifen / Tyres	Schwalbe Energizer Plus, 47-622, puncture protection, reflex
Felgen / Rims	Rodi Black Rock 21, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	alu disc, thru-axle 15x100
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar + 720mm
Griffe / Grips	XLC Sport bo2 lock on grips
Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 12°
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Haibike Components TheSaddle
Sattelstütze / Seat post	Haibike Components TheSeatpost ++, patent, 31.6mm
Pedale / Pedals	Wellgo C29
Scheinwerfer / Headlight	Spanninga Axendo 100, 100 lux
Rücklicht / Rear light	Busch & Müller Toplight Line E Brake
Dynamo / Dynamo	via system battery
Gepräckträger / Carrier	StandWell system carrier S-Pedelec, XLC Carrymore
Schutzbleche / Fenders	SKS, chromoplastics
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Bicycle type	S-Pedelecs/motor vehicles

**ePERFORMANCE**

Motor	Yamaha PW-System, 500W, 45km/h
Display	Yamaha Multi Switch
Akku / Battery	Yamaha Lithium Ion 500Wh
Ladegerät / Charger	Yamaha quick charger 4A

**500Wh YAMAHA 28" 45km/h STVZO**

**ARTIKELNUMMER / ORDER NUMBER**

28"	S	45141144	anthracite / red
28"	M	45141148	anthracite / red
28"	L	45141152	anthracite / red
28"	XL	45141156	anthracite / red





canary / bamboo matte

**SPEZIFIKATIONEN / SPECIFICATIONS**

Rahmen / Frame	aluminium 6061, thru-axle M12 (1.50) x 197mm, disc brake Post Mount, Travel: 120mm
Gabel / Fork	RockShox Bluto RL Remote Lockout, air, Travel: 120mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle
Dämpfer / Damper	RockShox Deluxe Select Plus, air
Schaltwerk / Rear derailleur	Sram GX Eagle, 12-speed
Schalthebel / Shift lever	Sram GX Eagle, trigger switch
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1230, 11-50 teeth
Kette / Chain	Sram SX Eagle
Kettenblatt / Chainring	Sram X-Sync, 38
Bremshebel / Brake lever	TRP G-Spec Trail S, aluminium
Bremse vorne / Brake front	TRP G-Spec Trail S, aluminium, 203mm
Bremse hinten / Brake rear	TRP G-Spec Trail S, aluminium, 180mm
Reifen / Tyres	Schwalbe Jumbo Jim Evo, 100-559
Felgen / Rims	Alexrims Blizzerk80, aluminium
Vorderradnabe / Front wheel hub	Haibike Components TheHub ++
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar +++ Gravity 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	Kind Shock LEV-DX, telescope, 31.6mm
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Fatbike

**ePERFORMANCE**

Motor	Yamaha PW-X2, 250W, 80Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	Yamaha Lithium Ion 500Wh
Ladegerät / Charger	Yamaha quick charger 4A

**500Wh YAMAHA 26"**

# FULLFATSIX MODELS

**CHARAKTERISTIK**

**KEIN UNTERGRUND KANN DICH AUFHALTEN**

Unser SUV unter den Offroad-Bikes: Mit dem FullFatSix bekommst Du einen vollgefederten Monster-Truck, der in puncto Komfort und Sicherheit keine Abstriche macht. Mit seinen 4" Reifen, 120 mm Federweg und kraftvollen Scheibenbremsen erreichst Du maximale Traktion und Sicherheit auf jedem Untergrund – und das alles mit einem fetten Grinsen im Gesicht.

**CHARACTERISTIC**

**PASSING ANY OBSTACLE ON ANY GROUND**

*The SUV among off-road bikes: The FullFatSix is a full suspension monster truck that doesn't compromise on comfort or safety. Its 4" tyres, 120 mm travel and powerful disc brakes provide maximum traction and safety on any ground - all with a massive grin on your face.*

**ARTIKELNUMMER / ORDER NUMBER**

26"	S	45188142	canary / bamboo matte
26"	M	45188146	canary / bamboo matte
26"	L	45188150	canary / bamboo matte

# BIKES



# SEET MODELS

## CHARAKTERISTIK

### SPORTLICHE MTBS FÜR HOHE LEISTUNGEN

Du suchst ein sportliches und leichtes Alu-Hardtail in attraktivem Design und mit hochwertigen Komponenten? Dann sind unsere Mountainbikes der SEET-Serie genau das Richtige für Dich. Mit 27,5"- oder 29"-Laufrädern oder kleineren Größen für alle Nachwuchs-Biker bietet unser Sortiment eine große Auswahl zu fairen Preisen.

## CHARACTERISTIC

### SPORTY MOUNTAIN BIKES FOR HIGH PERFORMANCE

Are you looking for a sporty and lightweight aluminum hardtail with a attractive design and high-quality components? Then our mountain bikes from the SEET series are just what you need. With 27.5" or 29" wheels or smaller sizes for all young bikers you'll find a great selection at fair prices in our range.

## HARDTAIL SEET 10

**HAIBIKE**



titan /lava matt

## SPEZIFIKATIONEN / SPECIFICATIONS

27,5"

29"

Rahmen / Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Gabel / Fork	SR Suntour XCR Air RL-R Remote Lockout, air, Travel: 100mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle
Schaltwerk / Rear derailleur	Shimano Deore M6100, 12-speed
Schalthebel / Shift lever	Shimano Deore M6100, trigger switch
Kettenradgarnitur / Crankset	Shimano Deore M5101, 30 teeth
Zahnkranz (hinten) / Sprocket	Shimano HG6100, 10-51 teeth
Kette / Chain	KMC X12
Bremshebel / Brake lever	Shimano MT200
Bremse vorne / Brake front	Shimano MT200, 180mm
Bremse hinten / Brake rear	Shimano MT200, 160mm
Reifen / Tyres	Schwalbe Tough Tom, 57x584 / Schwalbe Tough Tom, 57-622 / Schwalbe Rapid Rob, 57-584 / Schwalbe Rapid Rob, 57-622
Felgen / Rims	XLC X-630 D-WALL, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano TX505
Hinterradnabe / Rear wheel hub	Shimano MT401
Speichen / Spokes	black, black
Lenker / Handlebar	XLC Topflat 720mm
Griffe / Grips	XLC MTB grips
Vorbau / Stem	XLC Alu, A-head
Steuersatz / Headset	WTB NO.10 ED 1-1/8" SEMI INTEGRATED
Sattel / Saddle	XLC MTB
Sattelstütze / Seat post	patent, 31.6mm, aluminium
Pedale / Pedals	plastic, non-slip
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Hardtail

## ARTIKELNUMMER / ORDER NUMBER

27.5"	XS	41014136	titan /lava matt
27.5"	S	41014140	titan /lava matt
27.5"	M	41014144	titan /lava matt
29"	M	41024144	titan /lava matt
29"	L	41024148	titan /lava matt
29"	XL	41024152	titan /lava matt

# HARDTAIL SEET 9

HAIBIKE



27.5 29



rot /cool grey

## SPEZIFIKATIONEN / SPECIFICATIONS

27,5" 29"

Rahmen / Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Gabel / Fork	SR Suntour XCR Air RL-R Remote Lockout, air, Travel: 100mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle
Schaltwerk / Rear derailleur	Shimano Deore M5100, 11-speed
Schalthebel / Shift lever	Shimano Deore M5100, trigger switch
Kettenradgarnitur / Crankset	Shimano Deore M5100, 32 teeth
Zahnkranz (hinten) / Sprocket	Shimano HG5100, 11-51 teeth
Kette / Chain	KMC X11
Bremshebel / Brake lever	Shimano MT200
Bremse vorne / Brake front	Shimano MT200, 180mm
Bremse hinten / Brake rear	Shimano MT200, 160mm
Reifen / Tyres	Schwalbe Tough Tom, 57x584 / Schwalbe Tough Tom, 57-622 / Schwalbe Rapid Rob, 57-584 / Schwalbe Rapid Rob, 57-622
Felgen / Rims	XLC X-630 D-WALL, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano TX505
Hinterradnabe / Rear wheel hub	Shimano TX505-8
Speichen / Spokes	black, black
Lenker / Handlebar	XLC Topflat 720mm
Griffe / Grips	XLC MTB grips
Vorbau / Stem	XLC Alu, A-head
Steuersatz / Headset	WTB NO.10 ED 1-1/8" SEMI INTEGRATED
Sattel / Saddle	XLC MTB
Sattelstütze / Seat post	patent, 31.6mm, aluminium
Pedale / Pedals	plastic, non-slip
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Hardtail

## ARTIKELNUMMER / ORDER NUMBER

27.5"	XS	41012136	rot /cool grey
27.5"	S	41012140	rot /cool grey
27.5"	M	41012144	rot /cool grey
29"	M	41022144	rot /cool grey
29"	L	41022148	rot /cool grey
29"	XL	41022152	rot /cool grey

# HARDTAIL SEET 8

HAIBIKE



schwarz /weiß

## SPEZIFIKATIONEN / SPECIFICATIONS

27,5" 29"

Rahmen / Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Gabel / Fork	SR Suntour XCM RL-DS Remote Lockout, steel spring, Travel: 100mm, steel steerer tube 1 1/8", quick release
Umwerfer / Front derailleur	Shimano Alivio M312
Schaltwerk / Rear derailleur	Shimano Altus M2000, 18-speed
Schalthebel / Shift lever	Shimano Acera M3010, trigger switch
Kettenradgarnitur / Crankset	Shimano MT1012, 22 teeth
Innenlager / Bottom bracket	FP-B908L, BSA
Zahnkranz (hinten) / Sprocket	SunRace CSM90, 11-36 teeth
Kette / Chain	KMC X9
Bremshebel / Brake lever	Shimano MT200
Bremse vorne / Brake front	Shimano MT200, 160mm
Bremse hinten / Brake rear	Shimano MT200, 160mm
Reifen / Tyres	Schwalbe Tough Tom, 57x584 / Schwalbe Tough Tom, 57-622 / Schwalbe Rapid Rob, 57-584 / Schwalbe Rapid Rob, 57-622
Felgen / Rims	XLC X-630 D-WALL, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano TX505
Hinterradnabe / Rear wheel hub	Shimano TX505-8
Speichen / Spokes	black, black
Lenker / Handlebar	XLC Topflat 720mm
Griffe / Grips	XLC MTB grips
Vorbau / Stem	XLC Alu, A-head
Steuersatz / Headset	WTB NO.10 ED 1-1/8" SEMI INTEGRATED
Sattel / Saddle	XLC MTB
Sattelstütze / Seat post	patent, 31.6mm, aluminium
Pedale / Pedals	plastic, non-slip
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Hardtail

## ARTIKELNUMMER / ORDER NUMBER

27.5"	XS	41010136	schwarz /weiß
27.5"	S	41010140	schwarz /weiß
27.5"	M	41010144	schwarz /weiß
29"	M	41020144	schwarz /weiß
29"	L	41020148	schwarz /weiß
29"	XL	41020152	schwarz /weiß

**HARDTAIL  
SEET 7**

**HAIBIKE**



27.5 29



black /titanium

**SPEZIFIKATIONEN / SPECIFICATIONS**

**27,5" 29"**

Rahmen / Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Gabel / Fork	SR Suntour XCT HLO-DS Lockout, steel spring, Travel: 100mm, steel steerer tube 1 1/8", quick release
Umwerfer / Front derailleur	Shimano Altus M313
Schaltwerk / Rear derailleur	Shimano Acera M360, 24-speed
Schalthebel / Shift lever	Shimano EF505, shift / brake lever combination
Kettenradgarnitur / Crankset	Shimano TY301, aluminium, 24-42 teeth
Innenlager / Bottom bracket	FP-B908L, BSA
Zahnkranz (hinten) / Sprocket	SunRace CSM40, 12-32 teeth
Kette / Chain	KMC Z51
Bremshebel / Brake lever	Shimano EF505, aluminium
Bremse vorne / Brake front	Shimano MT200, 160mm
Bremse hinten / Brake rear	Shimano MT200, 160mm
Reifen / Tyres	Mitas Ocelot, 54x584 / Mitas Ocelot, 54x622
Felgen / Rims	XLC X-630 D-WALL, double-walled rim, aluminium
Vorderradnabe /Front wheel hub	Shimano TX505
Hinterradnabe /Rear wheel hub	Shimano TX505-8
Speichen / Spokes	black, black
Lenker / Handlebar	XLC Topflat 720mm
Griffe / Grips	XLC MTB grips
Vorbau / Stem	XLC Alu, A-head
Steuersatz / Headset	WTB NO.10 ED 1-1/8" SEMI INTEGRATED
Sattel / Saddle	XLC MTB
Sattelstütze / Seat post	patent, 31.6mm, aluminium
Pedale / Pedals	plastic, non-slip
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Hardtail

**ARTIKELNUMMER / ORDER NUMBER**

27.5"	XS	41008136	black /titanium
27.5"	S	41008140	black /titanium
27.5"	M	41008144	black /titanium
29"	M	41018144	black /titanium
29"	L	41018148	black /titanium
29"	XL	41018152	black /titanium

**HARDTAIL  
SEET 6**

**HAIBIKE**



bamboo green /cool grey matte

**SPEZIFIKATIONEN / SPECIFICATIONS**

**27,5" 29"**

Rahmen / Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Gabel / Fork	SR Suntour SF19 XCE28, steel spring, Travel: 100mm, steel steerer tube 1 1/8", quick release
Umwerfer / Front derailleur	Shimano Tourney TY300
Schaltwerk / Rear derailleur	Shimano Tourney TY300, 21-speed
Schalthebel / Shift lever	Shimano EF505, shift / brake lever combination
Kettenradgarnitur / Crankset	Shimano TY301, aluminium, 24-42 teeth
Innenlager / Bottom bracket	FP-B908L, BSA
Zahnkranz (hinten) / Sprocket	Shimano HG200, 12-32 teeth
Kette / Chain	KMC Z51
Bremshebel / Brake lever	Shimano EF505, aluminium
Bremse vorne / Brake front	Shimano MT200, 160mm
Bremse hinten / Brake rear	Shimano MT200, 160mm
Reifen / Tyres	Mitas Ocelot, 54x584 / Mitas Ocelot, 54x622
Felgen / Rims	XLC X-630 D-WALL, double-walled rim, aluminium
Vorderradnabe /Front wheel hub	Shimano TX505
Hinterradnabe /Rear wheel hub	Shimano TX505-8
Speichen / Spokes	black, black
Lenker / Handlebar	XLC Topflat 720mm
Griffe / Grips	XLC MTB grips
Vorbau / Stem	XLC Alu, A-head
Steuersatz / Headset	WTB NO.10 ED 1-1/8" SEMI INTEGRATED
Sattel / Saddle	XLC MTB
Sattelstütze / Seat post	patent, 31.6mm, aluminium
Pedale / Pedals	plastic, non-slip
Zul. Gesamtgewicht / Permitted total weight	120kg
Bicycle type	MTB Hardtail

**ARTIKELNUMMER / ORDER NUMBER**

27.5"	XS	41006136	bamboo green /cool grey matte
27.5"	S	41006140	bamboo green /cool grey matte
27.5"	M	41006144	bamboo green /cool grey matte
29"	M	41016144	bamboo green /cool grey matte
29"	L	41016148	bamboo green /cool grey matte
29"	XL	41016152	bamboo green /cool grey matte

# KIDS MODELS

## CHARAKTERISTIK

### MOUNTAINBIKES FÜR NACHWUCHSSPORTLER

Auf zwei Rädern die Welt erkunden? Damit die ersten Ausfahrten mit Mama und Papa so richtig Spaß machen, ist ein passendes Bike das A und O! "Klein aber oho" lautet daher unsere Devise in Sachen Ausstattung und Design. Von 16" für die Kleinsten bis zu 24" für sportliche Youngsters bieten wir strapazierfähige Mountainbikes für jedes Alter.

## CHARACTERISTIC

### SPORTY KIDS BIKES FOR OUR JUNIOR BIKERS

Discovering the world on two wheels. The right bike is essential if your first rides with Mum and Dad are to be fun! We offer sturdy mountain bikes for every age, from 16" for the little ones to 24" for sporty youngsters.



KIDS & YOUTH HARDFOUR  
**SEET HARDFOUR 1.0**

**HAIBIKE**



white /anthracite /red

**SPEZIFIKATIONEN / SPECIFICATIONS**

**24"**

Rahmen / Frame	aluminium 6061
Gabel / Fork	SR Suntour M3010, steel spring, Travel: 40mm, steel steerer tube 1 1/8"
Umwerfer / Front derailleur	Shimano Tourney TY300
Schaltwerk / Rear derailleur	Shimano Tourney TY300, 21-speed
Schalthebel / Shift lever	Shimano RS36, twist shifter
Schaltauge / Hanger	XLC 2501170005
Kettenradgarnitur / Crankset	Shimano TY301, aluminium, 24-42 teeth
Innenlager / Bottom bracket	CH63-2, BSA
Zahnkranz (hinten) / Sprocket	Shimano TZ500, 14-34 teeth
Kette / Chain	KMC Z51
Bremshebel / Brake lever	aluminium lever, adjustable grip width, adjustable grip width, aluminium
Bremse vorne / Brake front	XLC V-Brake
Bremse hinten / Brake rear	XLC V-Brake
Reifen / Tyres	H-5129 Victory, 52-507
Felgen / Rims	XLC FREEWAY D-WALL, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	KT A15F
Hinterradnabe / Rear wheel hub	KT A1ER
Speichen / Spokes	black, black
Lenker / Handlebar	Haibike Components The Bar Kids 560mm
Griffe / Grips	S-WAVE
Vorbau / Stem	Haibike Components The Stem Kids, A-head, Bar bore: 25.4mm, 15°
Steuersatz / Headset	A-Head 1 1/8"
Sattel / Saddle	Haibike Components TheSaddle Junior
Sattelstütze / Seat post	Haibike Components TheSeatpost, patent, 27.2mm, aluminium
Pedale / Pedals	plastic, non-slip
Gewicht / Weight	12.9kg
Zul. Gesamtgewicht / Permitted total weight	80kg
Bicycle type	bikes for kids and teenagers

**ARTIKELNUMMER / ORDER NUMBER**

24" XS 4100030930 white /anthracite /red

KIDS & YOUTH GREEDY 20  
**SEET GREEDY 20" SF**

**HAIBIKE**



grey /blue /lime matt

**SPEZIFIKATIONEN / SPECIFICATIONS**

**20"**

Rahmen / Frame	aluminium 6061, V-brake
Gabel / Fork	SR Suntour M3010, steel spring, Travel: 40mm, steel steerer tube 1 1/8"
Schaltwerk / Rear derailleur	Shimano Tourney TY300, 7-speed
Schalthebel / Shift lever	Shimano RS36, twist shifter
Schaltauge / Hanger	XLC 2501170005
Kettenradgarnitur / Crankset	Prowheel, steel, 38 teeth
Innenlager / Bottom bracket	VP BC75T, BSA
Zahnkranz (hinten) / Sprocket	Shimano TZ500, 14-28 teeth
Kette / Chain	KMC Z51
Bremshebel / Brake lever	aluminium lever, adjustable grip width, adjustable grip width, aluminium
Bremse vorne / Brake front	XLC V-Brake
Bremse hinten / Brake rear	XLC V-Brake
Reifen / Tyres	H-5129 Victory, 50-406
Felgen / Rims	XLC 6063-T5, aluminium
Vorderradnabe / Front wheel hub	KT A15F
Hinterradnabe / Rear wheel hub	Haibike Components TheHub +
Speichen / Spokes	black, black
Lenker / Handlebar	Haibike Components The Bar Kids 540mm
Griffe / Grips	S-WAVE
Vorbau / Stem	Haibike Components The Stem Kids, A-head, Bar bore: 25.4mm, 15°
Steuersatz / Headset	A-Head 1 1/8"
Sattel / Saddle	Haibike Components TheSaddle Junior
Sattelstütze / Seat post	Haibike Components TheSeatpost, patent, 27.2mm, aluminium
Pedale / Pedals	plastic, non-slip
Gewicht / Weight	11.1kg
Zul. Gesamtgewicht / Permitted total weight	60kg
Bicycle type	bikes for kids and teenagers

**ARTIKELNUMMER / ORDER NUMBER**

20" Uni 4100012926 grey /blue /lime matt



KIDS & YOUTH GREEDY 16  
SEET GREEDY 16"

HAIBIKE



blue /black /lime

SPEZIFIKATIONEN / SPECIFICATIONS

16"

Rahmen / Frame	aluminium 6061
Gabel / Fork	Unicrown, steel steerer tube 1 1/8"
Kettenradgarnitur / Crankset	32 teeth
Innenlager / Bottom bracket	SF-BB08, BSA
Zahnkranz (hinten) / Sprocket	pinion, 18 teeth
Kette / Chain	KMC S1
Kettenschutz / Chain guard	full chain case
Bremshebel / Brake lever	kids brake lever, adjustable grip width, adjustable grip width
Bremse vorne / Brake front	XLC V-Brake
Bremse hinten / Brake rear	coaster brake, coaster brake
Reifen / Tyres	CST C-1382N, 57-305 / Mitas Ocelot Reflective, 50x584, reflex
Felgen / Rims	XLC STRONG P26, aluminium
Vorderradnabe/Front wheel hub	aluminium hub SF-HB29
Hinterradnabe/Rear wheel hub	coaster brake hub
Speichen / Spokes	black, black
Lenker / Handlebar	Haibike Components The Bar Kids 480mm
Griffe / Grips	S-WAVE
Vorbau / Stem	Promax MA-50, A-head, Bar bore: 31.8mm
Steuersatz / Headset	CH 281
Sattel / Saddle	Haibike Components TheSaddle Kids
Sattelstütze / Seat post	integrated in the saddle, 27.2mm
Pedale / Pedals	kids' pedal plastic, non-slip
Schutzbleche / Fenders	plastic
Gewicht / Weight	8.6kg
Zul. Gesamtgewicht / Permitted total weight	45kg
Bicycle type	bikes for kids and teenagers



Fahrzeuge der Kategorie 0 sind in der Regel Kinderspielräder 12" und Kinderräder 12" und 16".  
Vehicles in category 0 are usually 12" children's play bikes and 12" and 16" children's bikes.



Fahrzeuge der Kategorie 1 sind für rein urbane Infrastruktur (Fahrbahnbeschaffenheit) ausgelegte Fahrzeuge.  
Category 1 vehicles are vehicles designed for purely urban infrastructure (road conditions).



Fahrzeuge der Kategorie 2 sind in der Regel Fahrräder, Pedelecs & S-Pedelecs des Typs City-, Trekking-, Cross-Trekking-, Reise- oder Lastenrad, außerdem Jugendräder 24" und Kinderräder 20".  
Category 2 cycles are generally bikes, pedelecs and S-Pedelecs in the style of city, trekking, cross-trekking, travel- or cargo bikes, plus 24" junior bikes and 20" children's bikes.



Fahrzeuge der Kategorie 3 sind in der Regel Fahrräder, Pedelecs und S-Pedelecs des Typs Mountainbike mit Einsatzzweck Cross Country, Marathon und Tour, sowie Fahrräder aus den Bereichen Gravel, Cyclo-Cross und All Track.  
Vehicles in category 3 are usually bikes, Pedelecs and S-Pedelecs that are mountain bikes intended for cross country, marathon and tour riding, as well as all Gravel, Cyclo-Cross and All Track bikes.



Fahrzeuge der Kategorie 4 sind in der Regel Fahrräder, Pedelecs und S-Pedelecs des Typs Mountainbike mit Einsatzzweck Allmountain/Trail-Bikes.  
Category 4 cycles are generally bikes, pedelecs and S-Pedelecs in the style of mountain bikes designed for all-mountain and trail use.



Fahrzeuge der Kategorie 5 sind in der Regel Fahrräder, Pedelecs und S-Pedelecs des Typs Mountainbike mit Einsatzzweck Enduro/Freeride/Downhill/Dirtjump.  
Vehicles in category 5 are usually bikes, Pedelecs and S-Pedelecs that are mountain bikes intended for Enduro, Freeride and Downhill riding/Dirtjump.



Fahrzeuge der Kategorie 6 sind in der Regel Fahrräder, Pedelecs und S-Pedelecs des Typs Rennrad oder Fitness Bike (Urban Bike)/Zeitfahrräder/Triathlonräder.  
Category 6 vehicles are usually bicycles, pedelecs and S-Pedelecs of the racing bike or fitness bike (urban bike)/time trial/triathlon bike type.

ARTIKELNUMMER / ORDER NUMBER


16" Uni 4100000921 blue /black /lime




Bitte lesen Sie die Betriebsanleitungen.  
Please read the operating instructions.

GEOMETRIES / DATA CHARTS

# RAHMEN GEOMETRIEN





**A** SITZROHRLÄNGE  
SEATTUBE LENGTH

**B** SITZROHRWINKEL  
SEATTUBE ANGLE

**C** SITZROHROFFSET  
SEATTUBE OFFSET

**D** SITZWINKEL  
SEAT ANGLE

**E** STEUERROHRLÄNGE  
HEADTUBE LENGTH

**F** LENKWINKEL  
HEADTUBE ANGLE

**G** OBERROHRLÄNGE HORIZONTAL  
TOPTUBE LENGTH HORIZONTAL

**H** KETTENSTREBENLÄNGE  
CHAINSTAY LENGTH

**I** TRETLAGERABSSENKUNG  
BB DROP

**J** RADSTAND  
WHEELBASE

**K** STACK  
STACK

**L** REACH  
REACH

## DWNHLL

Seattube Length [mm]	A
Seattube Angle [°]	B
Seattube Offset [mm]	C
Seat Angle [°]	D
Headtube Length [mm]	E
Headtube Angle [°]	F
Toptube length [mm]	G
Chainstay length [mm]	H
BB Drop [mm]	I
Wheelbase [mm]	J
Stack [mm]	K
Reach [mm]	L

### Dwnhll

	27.5"	27.5"	27.5"	27.5"
	S	M	L	XL
Seattube Length [mm]	420	430	440	450
Seattube Angle [°]	74	74	74	74
Seattube Offset [mm]	16	16	16	16
Seat Angle [°]	75.5	75.5	75.5	75.5
Headtube Length [mm]	120	125	130	135
Headtube Angle [°]	63	63	63	63
Toptube length [mm]	560	585	610	635
Chainstay length [mm]	470	470	470	470
BB Drop [mm]	15	15	15	15
Wheelbase [mm]	1244.5	1270.5	1296.5	1322.5
Stack [mm]	593.1	597.6	602	606.5
Reach [mm]	406.6	430.3	454	477.7

## NDURO

Seattube Length [mm]	A
Seattube Angle [°]	B
Seattube Offset [mm]	C
Seat Angle [°]	D
Headtube Length [mm]	E
Headtube Angle [°]	F
Toptube length [mm]	G
Chainstay length [mm]	H
BB Drop [mm]	I
Wheelbase [mm]	J
Stack [mm]	K
Reach [mm]	L

### XDURO NDURO 5.0/8.0/10.0

	27.5"	27.5"	27.5"	27.5"
	S	M	L	XL
Seattube Length [mm]	420	440	460	480
Seattube Angle [°]	74	74	74	74
Seattube Offset [mm]	12	12	12	12
Seat Angle [°]	75.1	75.1	75.1	75.1
Headtube Length [mm]	110	110	130	130
Headtube Angle [°]	64	64	64	64
Toptube length [mm]	570	600	630	660
Chainstay length [mm]	470	470	470	470
BB Drop [mm]	-5	-5	-5	-5
Wheelbase [mm]	1226.1	1256.1	1289.7	1319.7
Stack [mm]	593.8	593.8	611.8	611.8
Reach [mm]	412.2	442.2	467.1	497.1

## ALLMTN

### XDURO ALLMtn 5.0/8.0/10.0

	29"/27.5"	29"/27.5"	29"/27.5"	29"/27.5"
	S	M	L	XL
Seattube Length [mm]	410	440	470	500
Seattube Angle [°]	74	74	74	74
Seattube Offset [mm]	12	12	12	12
Seat Angle [°]	75.1	75.1	75.1	75.1
Headtube Length [mm]	110	110	130	130
Headtube Angle [°]	65.5	65.5	65.5	65.5
Toptube length [mm]	570	600	630	660
Chainstay length [mm]	470	470	470	470
BB Drop [mm]	-25	-25	-25	-25
Wheelbase [mm]	1196	1226	1259	1289
Stack [mm]	629	629	647	647
Reach [mm]	402	432	457	487

## ALLMTN

Seattube Length [mm]	A
Seattube Angle [°]	B
Seattube Offset [mm]	C
Seat Angle [°]	D
Headtube Length [mm]	E
Headtube Angle [°]	F
Toptube length [mm]	G
Chainstay length [mm]	H
BB Drop [mm]	I
Wheelbase [mm]	J
Stack [mm]	K
Reach [mm]	L

### ALLMtn 6/7

	29"/27.5"	29"/27.5"	29"/27.5"	29"/27.5"
	S	M	L	XL
Seattube Length [mm]	410	440	470	510
Seattube Angle [°]	75	75	75	75
Seattube Offset [mm]	15	15	15	15
Seat Angle [°]	76.3	76.3	76.3	76.3
Headtube Length [mm]	110	110	130	130
Headtube Angle [°]	65	65	65	65
Toptube length [mm]	560	590	620	650
Chainstay length [mm]	460	460	460	460
BB Drop [mm]	-20	-20	-20	-20
Wheelbase [mm]	1200	1230	1264	1294
Stack [mm]	632	632	650	650
Reach [mm]	406	436	461	491

### ALLMtn 3/4/5

	29"/27.5"	29"/27.5"	29"/27.5"	29"/27.5"
	S	M	L	XL
Seattube Length [mm]	410	440	470	500
Seattube Angle [°]	75	75	75	75
Seattube Offset [mm]	15	15	15	15
Seat Angle [°]	76.3	76.3	76.3	76.3
Headtube Length [mm]	115	120	130	145
Headtube Angle [°]	65	65	65	65
Toptube length [mm]	567	588	620	654
Chainstay length [mm]	455	455	455	455
BB Drop [mm]	-20	-20	-20	-20
Wheelbase [mm]	1194	1216	1250	1287
Stack [mm]	639	643	652	666
Reach [mm]	410	430	460	490

### ALLMtn 1/2

	29"/27.5"	29"/27.5"	29"/27.5"	29"/27.5"
	S	M	L	XL
Seattube Length [mm]	420	440	470	500
Seattube Angle [°]	73	73	73	73
Seattube Offset [mm]				
Seat Angle [°]	73	73	73	73
Headtube Length [mm]	115	120	130	145
Headtube Angle [°]	65	65	65	65
Toptube length [mm]	600	630	660	690
Chainstay length [mm]	460	460	460	460
BB Drop [mm]	-20	-20	-20	-20
Wheelbase [mm]	1202	1232	1264	1296
Stack [mm]	636	641	650	663
Reach [mm]	406	434	461	487

# FULLNINE

## FullNine 8/9/10

Seattube Length [mm]	A
Seattube Angle [°]	B
Seattube Offset [mm]	C
Seat Angle [°]	D
Headtube Length [mm]	E
Headtube Angle [°]	F
Toptube length [mm]	G
Chainstay length [mm]	H
BB Drop [mm]	I
Wheelbase [mm]	J
Stack [mm]	K
Reach [mm]	L

29"	29"	29"	29"
S	M	L	XL
410	440	470	500
75	75	75	75
15	15	15	15
76.3	76.3	76.3	76.3
120	130	145	160
66	66	66	66
563	576	599	633
477	477	477	477
-30	-30	-30	-30
1199	1213	1240	1275
626	635	649	662
410	420	440	470

## FullNine 6/7

29"	29"	29"	29"
S	M	L	XL
400	440	480	520
72.5	72.5	72.5	72.5
72.5	72.5	72.5	72.5
130	135	140	145
66.5	66.5	66.5	66.5
600	620	640	660
495	495	495	495
-30	-30	-30	-30
1211	1231	1252	1272
619	623	628	632
405	424	442	461

## FullNine 4/5

29"	29"	29"	29"
S	M	L	XL
400	440	480	520
73	73	73	73
73	73	73	73
130	125	130	135
67	67	67	67
590	600	620	640
495	495	495	495
-35	-35	-35	-35
1197.5	1206.9	1227.5	1248
616.2	611.6	616.2	620.8
401.6	413	431.6	450.2

# ALLTRAIL

## XDURO AllTrail 5.0/6.0

Seattube Length [mm]	A
Seattube Angle [°]	B
Seattube Offset [mm]	C
Seat Angle [°]	D
Headtube Length [mm]	E
Headtube Angle [°]	F
Toptube length [mm]	G
Chainstay length [mm]	H
BB Drop [mm]	I
Wheelbase [mm]	J
Stack [mm]	K
Reach [mm]	L

27.5"	27.5"	27.5"	27.5"	27.5"
XS	S	M	L	XL
380	420	460	500	540
74	74	74	74	74
12	12	12	12	12
75.1	75.1	75.1	75.1	75.1
110	110	110	110	110
66	66	66	66	66
570	590	610	630	650
465	465	465	465	465
-35	-35	-35	-35	-35
1183.5	1203.5	1223.5	1243.5	1263.5
613	613	613	631	631
406.8	426.8	446.8	466.8	486.8

# FULLSEVEN

## FullSeven 8/9/10

Seattube Length [mm]	A
Seattube Angle [°]	B
Seattube Offset [mm]	C
Seat Angle [°]	D
Headtube Length [mm]	E
Headtube Angle [°]	F
Toptube length [mm]	G
Chainstay length [mm]	H
BB Drop [mm]	I
Wheelbase [mm]	J
Stack [mm]	K
Reach [mm]	L

27.5"	27.5"	27.5"	27.5"
S	M	L	XL
410	440	470	500
75	75	75	75
15	15	15	15
76.3	76.3	76.3	76.3
120	130	145	160
66	66	66	66
560	573	596	630
455	455	455	455
-20	-20	-20	-20
1182	1196	1222	1258
619	628	642	655
410	420	440	470

## FullSeven 6/7

27.5"	27.5"	27.5"	27.5"
S	M	L	XL
400	440	480	520
73	73	73	73
73	73	73	73
140	125	130	135
67	67	67	67
590	600	620	640
470	470	470	470
0	0	0	0
1180	1188	1208	1229
614	600	605	609
402	417	435	454

## FullSeven 5

27.5"	27.5"	27.5"	27.5"
S	M	L	XL
400	440	480	520
73	73	73	73
73	73	73	73
140	125	130	135
67	67	67	67
590	600	620	640
470	470	470	470
0	0	0	0
1189.7	1198	1218.6	1239.1
625.3	611.5	616.1	620.7
398.8	413	431.6	450.2

# HARDNINE

## HardNine 9/10

Seattube Length [mm]	A
Seattube Angle [°]	B
Seattube Offset [mm]	C
Seat Angle [°]	D
Headtube Length [mm]	E
Headtube Angle [°]	F
Toptube length [mm]	G
Chainstay length [mm]	H
BB Drop [mm]	I
Wheelbase [mm]	J
Stack [mm]	K
Reach [mm]	L

29"	29"	29"
M	L	XL
440	480	520
73	73	73
73	73	73
140	150	160
67	67	67
630	645	670
470	470	470
-60	-60	-60
1198	1214	1240
669	678	687
426	438	460

## HardNine 6/7/8

29"	29"	29"
M	L	XL
460	490	510
75.5	75.5	75.5
75.5	75.5	75.5
115	135	160
65	65	65
608	619	675
475	475	475
-69	-69	-69
1242	1281	1318
648	661	684
441	471	498

## HardNine 4/5

29"	29"	29"
M	L	XL
460	490	510
74.6	74.6	74.6
74.6	74.6	74.6
115	135	160
65	65	65
606	639	671
495	495	495
-69	-64	-64
1249	1287	1323
648	661	684
427	457	483

# FULLSEVEN

## FullSeven 4

Seattube Length [mm]	A
Seattube Angle [°]	B
Seattube Offset [mm]	C
Seat Angle [°]	D
Headtube Length [mm]	E
Headtube Angle [°]	F
Toptube length [mm]	G
Chainstay length [mm]	H
BB Drop [mm]	I
Wheelbase [mm]	J
Stack [mm]	K
Reach [mm]	L

27.5"	27.5"	27.5"	27.5"
S	M	L	XL
400	440	480	520
73	73	73	73
73	73	73	73
130	125	130	135
67	67	67	67
590	600	620	640
470	470	470	470
-20	-20	-20	-20
1170.4	1179.9	1200.4	1221
602.5	597.9	602.5	607.1
405.8	417.2	435.8	454.4

# HARD SEVEN

## HardSeven 9/10

Seattube Length [mm]	A
Seattube Angle [°]	B
Seattube Offset [mm]	C
Seat Angle [°]	D
Headtube Length [mm]	E
Headtube Angle [°]	F
Toptube length [mm]	G
Chainstay length [mm]	H
BB Drop [mm]	I
Wheelbase [mm]	J
Stack [mm]	K
Reach [mm]	L

27.5"	27.5"	27.5"
S	M	L
400	440	480
73	73	73
73	73	73
130	140	150
67	67	67
590	610	630
460	460	460
-45	-45	-45
1151	1172	1193
627	636	645
398	415	433

## HardSeven 6/7/8

27.5"	27.5"	27.5"
S	M	L
400	460	490
75.5	75.5	75.5
75.5	75.5	75.5
120	140	175
65	65	65
578	610	641
470	470	470
-54	-54	-49
1207	1244	1283
615	637	664
419	446	470

## HardSeven 4/5

27.5"	27.5"	27.5"
S	M	L
400	460	490
74.8	74.7	74.7
74.8	74.7	74.7
125	135	170
65	65	65
574	610	640
490	490	490
-54	-54	-49
1217	1253	1291
624	633	660
405	437	460

# HARDFOUR

## HardFour

		24"
		Uni
Seattube Length [mm]	A	340
Seattube Angle [°]	B	73
Seattube Offset [mm]	C	
Seat Angle [°]	D	73
Headtube Length [mm]	E	165
Headtube Angle [°]	F	68
Toptube length [mm]	G	500
Chainstay length [mm]	H	415
BB Drop [mm]	I	-30
Wheelbase [mm]	J	999.5
Stack [mm]	K	555.6
Reach [mm]	L	330.1

# ADVENTR

## XDURO Adventr FS

## XDURO Adventr 5.0/6.0

		A	B	C	D	E	F	G	H	I	J	K	L
Seattube Length [mm]	A	440	470	500									
Seattube Angle [°]	B	74	74	74									
Seattube Offset [mm]	C	12	12	12									
Seat Angle [°]	D	75.1	75.1	75.1									
Headtube Length [mm]	E	110	130	130									
Headtube Angle [°]	F	65.5	65.5	65.5									
Toptube length [mm]	G	600	630	660									
Chainstay length [mm]	H	470	470	470									
BB Drop [mm]	I	-25	-25	-25									
Wheelbase [mm]	J	1226	1259	1289									
Stack [mm]	K	629	647	647									
Reach [mm]	L	432	457	487									

27.5"	27.5"	27.5"
M	L	XL
440	470	500
74	74	74
12	12	12
75.1	75.1	75.1
110	130	130
65.5	65.5	65.5
600	630	660
470	470	470
-25	-25	-25
1226	1259	1289
629	647	647
432	457	487

27.5"	27.5"	27.5"	27.5"	27.5"
XS	S	M	L	XL
440	480	520	560	600
74	74	74	74	74
12	12	12	12	12
75.1	75.1	75.1	75.1	75.1
110	110	110	110	110
66	66	66	66	66
560	580	600	620	640
465	465	465	465	465
-50	-50	-50	-50	-50
1156.6	1176.6	1196.6	1216.6	1236.6
598	616	616	635	635
401	421	441	461	481

# TREKKING

## Trekking 9/10

## Trekking 9/10

## Trekking 9/9 Cross

		A	B	C	D	E	F	G	H	I	J	K	L
Seattube Length [mm]	A	500	540	580	620								
Seattube Angle [°]	B	73	73	73	73								
Seattube Offset [mm]	C												
Seat Angle [°]	D	73	73	73	73								
Headtube Length [mm]	E	160	170	180	190								
Headtube Angle [°]	F	67	67	67	67								
Toptube length [mm]	G	610	620	645	670								
Chainstay length [mm]	H	470	470	470	470								
BB Drop [mm]	I	-60	-60	-60	-60								
Wheelbase [mm]	J	1176	1187	1213	1239								
Stack [mm]	K	654	663	672	682								
Reach [mm]	L	410	417	439	462								

				LowStandover			
27.5"	27.5"	27.5"	27.5"	27.5"	27.5"	27.5"	27.5"
S	M	L	XL	XS	S	M	L
500	540	580	620	400	440	480	520
73	73	73	73	73	73	73	73
73	73	73	73	73	73	73	73
160	170	180	190	140	150	160	170
67	67	67	67	67	67	67	67
610	620	645	670	570	585	600	615
470	470	470	470	470	470	470	470
-60	-60	-60	-60	-60	-60	-60	-60
1176	1187	1213	1239	1132	1148	1164	1180
654	663	672	682	636	646	655	664
410	417	439	462	375	388	400	412

			LowStep		
27.5"	27.5"	27.5"	27.5"	27.5"	27.5"
S	M	L	S	M	L
460	500	540			
73	73	73			
73	73	73			
170	180	190			
70	70	70			
620	635	650			
470	470	470			
-60	-60	-60			
1150	1165	1181			
660	669	678			
418	430	443			

# TREKKING

## Trekking 7/8

		A	B	C	D	E	F	G	H	I	J	K	L
Seattube Length [mm]	A												
Seattube Angle [°]	B												
Seattube Offset [mm]	C												
Seat Angle [°]	D												
Headtube Length [mm]	E	155	170	180	190	210	155	170	190	210			
Headtube Angle [°]	F	67	67	67	67	67	67	67	67	67			
Toptube length [mm]	G	590	610	635	660	685	575	595	615	635			
Chainstay length [mm]	H	490	490	490	490	490	490	490	490	490			
BB Drop [mm]	I	-69	-69	-69	-69	-69	-69	-69	-69	-69			
Wheelbase [mm]	J	1186	1198	1224	1250	1278	1186	1194	1205	1228			
Stack [mm]	K	622	636	645	655	673	622	636	655	673			
Reach [mm]	L	407	414	436	458	478	407	410	413	428			

					LowStandover				
27.5"	27.5"	27.5"	27.5"	27.5"	27.5"	27.5"	27.5"	27.5"	27.5"
S	M	L	XL	XXL	S	M	L	XL	
480	520	560	600	640	440	480	520	560	
73	73	73	73	73	73	73	73	73	
73	73	73	73	73	73	73	73	73	
155	170	180	190	210	155	170	190	210	
67	67	67	67	67	67	67	67	67	
590	610	635	660	685	575	595	615	635	
490	490	490	490	490	490	490	490	490	
-69	-69	-69	-69	-69	-69	-69	-69	-69	
1186	1198	1224	1250	1278	1186	1194	1205	1228	
622	636	645	655	673	622	636	655	673	
407	414	436	458	478	407	410	413	428	

# TREKKING

## Trekking 4/5/6

		A	B	C	D	E	F	G	H	I	J	K	L
Seattube Length [mm]	A	480	520	560	600	640	440	480	520	560	460	500	540
Seattube Angle [°]	B	73	73	73	73	73	73	73	73	73	73	73	73
Seattube Offset [mm]	C												
Seat Angle [°]	D	73	73	73	73	73	73	73	73	73	73	73	73
Headtube Length [mm]	E	155	170	180	190	210	155	170	190	210	170	180	190
Headtube Angle [°]	F	67	67	67	67	67	67	67	67	70	70	70	70
Toptube length [mm]	G	587	608	633	658	684	580	595	613	625	590	620	650
Chainstay length [mm]	H	490	490	490	490	490	490	490	490	470	470	470	470
BB Drop [mm]	I	-55	-55	-55	-55	-55	-55	-55	-55	-60	-60	-60	-60
Wheelbase [mm]	J	1176	1198	1224	1250	1278	1169	1184	1205	1155.2	1120	1150	1181
Stack [mm]	K	622	636	645	655	678	622	636	655	688.5	660	669	678
Reach [mm]	L	397	414	436	458	478	390	400	413	414.5	388	415	443

					LowStandover				LowStep		
27.5"	27.5"	27.5"	27.5"	27.5"	27.5"	27.5"	27.5"	27.5"	27.5"	27.5"	27.5"
S	M	L	XL	XXL	S	M	L	XL	S	M	L
480	520	560	600	640	440	480	520	560	460	500	540
73	73	73	73	73	73	73	73	73	73	73	73
73	73	73	73	73	73	73	73	73	73	73	73
155	170	180	190	210	155	170	190	210	170	180	190
67	67	67	67	67	67	67	67	70	70	70	70
587	608	633	658	684	580	595	613	625	590	620	650
490	490	490	490	490	490	490	490	470	470	470	470
-55	-55	-55	-55	-55	-55	-55	-55	-60	-60	-60	-60
1176	1198	1224	1250	1278	1169	1184	1205	1155.2	1120		

# TREKKING S

## Trekking S

		LowStandover				
	27.5"	27.5"	27.5"	27.5"	27.5"	27.5"
	M	XL	L	L	M	XL
Seattube Length [mm]	530	610	570	530	480	570
Seattube Angle [°]	72	72	72	72	72	72
Seattube Offset [mm]						
Seat Angle [°]	72	72	72	72	72	72
Headtube Length [mm]	180	180	180	180	180	180
Headtube Angle [°]	70	70	70	70	70	70
Toptube length [mm]	580	580	580	580	580	580
Chainstay length [mm]	485	485	485	458	485	458
BB Drop [mm]	-60	-60	-60	-60	-60	-60
Wheelbase [mm]						
Stack [mm]						
Reach [mm]						

# TREKKING S

## SDURO Trekking S 9.0

	LowStandover								
	28"	28"	28"	28"	28"	28"	28"	28"	28"
	S	M	L	XL	XXL	S	M	L	XL
Seattube Length [mm]	480	520	560	600	640	440	480	520	560
Seattube Angle [°]	73	73	73	73	73	73	73	73	73
Seattube Offset [mm]									
Seat Angle [°]	73	73	73	73	73	73	73	73	73
Headtube Length [mm]	150	150	150	150	150	150	150	150	150
Headtube Angle [°]	70	70	70	70	70	69	69	69	69
Toptube length [mm]	585	600	615	630	645	570	585	600	615
Chainstay length [mm]	469	469	469	469	469	469	469	469	469
BB Drop [mm]	-60	-60	-60	-60	-60	-60	-60	-60	-60
Wheelbase [mm]	1109.8	1124.8	1139.8	1154.8	1169.8	1102.9	1117.9	1132.9	1147.9
Stack [mm]	631.1	631.1	631.1	631.1	631.1	627.6	627.6	627.6	627.6
Reach [mm]	392.1	407.1	422.1	437.1	452.1	378.1	393.1	408.1	423.1

# FULLFATSIX

## FullFatSix

	LowStandover		
	26"	26"	26"
	S	M	L
Seattube Length [mm]	420	460	500
Seattube Angle [°]	74	74	74
Seattube Offset [mm]	10	10	10
Seat Angle [°]	74.9	74.9	74.9
Headtube Length [mm]	130	140	150
Headtube Angle [°]	68	68	68
Toptube length [mm]	590	610	630
Chainstay length [mm]	460	460	460
BB Drop [mm]	-20	-20	-20
Wheelbase [mm]	1179.2	1200.3	1221.4
Stack [mm]	616.5	625.8	635.1
Reach [mm]	423.6	441	458.3

# SEET

## SEET 6/7/8/9/10

	LowStandover					
	27.5"	27.5"	27.5"	29"	29"	29"
	XS	S	M	M	L	XL
Seattube Length [mm]	360	400	440	440	480	520
Seattube Angle [°]	73.5	73.5	73.5	73.5	73.5	73.5
Seattube Offset [mm]						
Seat Angle [°]	73.5	73.5	73.5	73.5	73.5	73.5
Headtube Length [mm]	105	115	125	115	125	135
Headtube Angle [°]	68	68	68	68	68	68
Toptube length [mm]	545	570	590	595	615	635
Chainstay length [mm]	430	430	430	450	450	450
BB Drop [mm]	-45	-45	-45	-60	-60	-60
Wheelbase [mm]	1063	1089	1110	1134	1155	1176
Stack [mm]	588	598	607	630	639	648
Reach [mm]	371	393	410	408	426	443

# SEET KIDS ATB

## SEET HardFour

## SEET Greedy 20" SF

## SEET Greedy 16"

	24"	20"	16"
	XS	Uni	Uni
Seattube Length [mm]	300	260	210
Seattube Angle [°]	73	73	73
Seattube Offset [mm]			
Seat Angle [°]	73	73	73
Headtube Length [mm]	100	100	100
Headtube Angle [°]	69	70	70
Toptube length [mm]	500	430	360
Chainstay length [mm]	400	380	300
BB Drop [mm]	30	-10	-5
Wheelbase [mm]	979.5	878.7	702
Stack [mm]	469.3	412.3	82
Reach [mm]	356.5	304	334.9

HAIBIKE 2021

BRAND WEAR



**HAIBIKE  
BRAND WEAR**



**FUNKTIONSSHIRT LUIE**  
FUNCTIONAL SHIRT



beige/schwarz  
beige/black

Art.-Nr. / Item no.	Größe / Size	EVP/RRP				
		45.90 EUR	54.90 CHF	230.- PLN	1.400.- CZK	370.- HRK
9505240002	XS					
9505240003	S					
9505240004	M					
9505240005	L					
9505240006	XL					
9505240007	XXL					

**RIDING SHORTS HAIBIKE RYAN II**



schwarz  
black

Art.-Nr. / Item no.	Größe / Size	EVP/RRP				
		79.90 EUR	89.90 CHF	360.- PLN	2.200.- CZK	600.- HRK
9505231019	XS					
9505231020	S					
9505231021	M					
9505231022	L					
9505231023	XL					
9505231024	XXL					

**TRIKOT HAIBIKE GO**  
JERSEY HAIBIKE GO



grau melange/schwarz  
grey/melange/black

Art.-Nr. / Item no.	Größe / Size	EVP/RRP				
		65.90 EUR	72.90 CHF	300.- PLN	1.800.- CZK	500.- HRK
9505231210	S					
9505231211	M					
9505231212	L					
9505231213	XL					
9505231214	XXL					

**TRIKOT HAIBIKE GOLD**  
JERSEY HAIBIKE GOLD



anthrazit/gold  
anthracite/gold

Art.-Nr. / Item no.	Größe / Size	EVP/RRP				
		72.90 EUR	79.90 CHF	350.- PLN	2.000.- CZK	550.- HRK
9505231215	S					
9505231216	M					
9505231217	L					
9505231218	XL					
9505231219	XXL					

**TRIKOT HAIBIKE LINUS**  
JERSEY HAIBIKE LINUS



olive/orange  
olive/orange

Art.-Nr. / Item no.	Größe / Size	EVP/RRP				
		65.90 EUR	72.90 CHF	300.- PLN	1.800.- CZK	500.- HRK
9505231070	S					
9505231071	M					
9505231072	L					
9505231073	XL					

**CAP HAIBIKE LUI**



beige/schwarz  
beige/black

Art.-Nr. / Item no.	Größe / Size	EVP/RRP				
		29.90 EUR	32.90 CHF	150.- PLN	800.- CZK	250.- HRK
9505240008	S/M					
9505240009	L/XL					

**SOCKEN HAIBIKE LU**  
SOCKS HAIBIKE LU



beige/schwarz  
beige/black

Art.-Nr. / Item no.	Größe / Size	EVP/RRP				
		12.90 EUR	14.90 CHF	60.- PLN	350.- CZK	100.- HRK
9505250203	38-42					
9505250204	43-46					



**CAP HAIBIKE LOU**



grau/schwarz  
grey/black

Art.-Nr. / Item no.	Größe / Size	EVP/RRP				
		29.90 EUR	32.90 CHF	150.- PLN	800.- CZK	250.- HRK
9505250140	S/M					
9505250141	L/XL					

**CAP HAIBIKE SCHWARZ**



schwarz/gold  
black/gold

Art.-Nr. / Item no.	Größe / Size	EVP/RRP				
		29.90 EUR	32.90 CHF	150.- PLN	800.- CZK	250.- HRK
9505250147	S/M					
9505250148	L/XL					

**CAP HAIBIKE LOU 2**



olive/schwarz  
olive/black

Art.-Nr. / Item no.	Größe / Size	EVP/RRP				
		29.90 EUR	32.90 CHF	150.- PLN	800.- CZK	250.- HRK
9505250145	S/M					
9505250146	L/XL					



**QUICK-DRY JACKE  
HAIBIKE MASON**  
QUICK-DRY JACKET



grau melange  
grey melange

EVP/RRP		59.90	65.90	270,-	1.600,-	450,-
		EUR	CHF	PLN	CZK	HRK
Art.-Nr. / Item no.	Größe / Size					
9505231125	S					
9505231126	M					
9505231127	L					
9505231128	XL					
9505231129	XXL					

**LONGSLEEVE  
HAIBIKE TAYLOR**



weiß/schwarz/grün  
white/black/green

EVP/RRP		39.90	43.90	180,-	1.100,-	300,-
		EUR	CHF	PLN	CZK	HRK
Art.-Nr. / Item no.	Größe / Size					
9505231099	XS					
9505231100	S					
9505231101	M					
9505231102	L					
9505231103	XL					
9505231104	XXL					

**SWEATSHIRT  
HAIBIKE MATT**



grau melange/gold  
grey melange/gold

EVP/RRP		49.90	54.90	230,-	1.400,-	370,-
		EUR	CHF	PLN	CZK	HRK
Art.-Nr. / Item no.	Größe / Size					
9505231150	XS					
9505231151	S					
9505231152	M					
9505231153	L					
9505231154	XL					
9505231155	XXL					

**SOCKEN HAIBIKE PABLO**  
SOCKS HAIBIKE PABLO



rot/gelb/schwarz  
red/yellow/black

EVP/RRP		17.90	19.90	80,-	480,-	140,-
		EUR	CHF	PLN	CZK	HRK
Art.-Nr. / Item no.	Größe / Size					
9505250182	38-42					
9505250183	43-46					

**SOCKEN HAIBIKE CARLO**  
SOCKS HAIBIKE CARLO



grün/orange/weiß  
green/orange/white

EVP/RRP		12.90	14.90	60,-	350,-	100,-
		EUR	CHF	PLN	CZK	HRK
Art.-Nr. / Item no.	Größe / Size					
9505250184	38-42					
9505250185	43-46					

**SOCKE HAIBIKE LEE**  
SOCKS HAIBIKE LEE



schwarz/beige/weiß  
black/beige/white

EVP/RRP		12.90	14.90	60,-	350,-	100,-
		EUR	CHF	PLN	CZK	HRK
Art.-Nr. / Item no.	Größe / Size					
9505250201	38-42					
9505250202	43-46					

**T-SHIRT HAIBIKE DAMEN**  
ePERFORMANCE



blau melange/weiß  
blue melange/white

EVP/RRP		29.90	32.90	150,-	800,-	250,-
		EUR	CHF	PLN	CZK	HRK
Art.-Nr. / Item no.	Größe / Size					
9505220000	XS					
9505220001	S					
9505220002	M					
9505220003	L					
9505220004	XL					
9505220005	XXL					

**T-SHIRT HAIBIKE HERREN**  
ePERFORMANCE



blau melange/weiß  
blue melange/white

EVP/RRP		29.90	32.90	150,-	800,-	250,-
		EUR	CHF	PLN	CZK	HRK
Art.-Nr. / Item no.	Größe / Size					
950522007	S					
950522008	M					
950522009	L					
950522010	XL					
950522011	XXL					
950522012	3XL					

**HOODIE HAIBIKE**  
ePERFORMANCE



blau melange/weiß  
blue melange/white

EVP/RRP		49.90	54.90	230,-	1.400,-	370,-
		EUR	CHF	PLN	CZK	HRK
Art.-Nr. / Item no.	Größe / Size					
950522015	XS					
950522016	S					
950522017	M					
950522018	L					
950522019	XL					
950522020	XXL					
950522021	3XL					

**SOCKEN HAIBIKE FELIPP**  
SOCKS HAIBIKE FELIPP



anthrazit/weiß  
anthracite/white

EVP/RRP		9.90	10.90	45,-	270,-	75,-
		EUR	CHF	PLN	CZK	HRK
Art.-Nr. / Item no.	Größe / Size					
9505250186	38-42					
9505250187	43-46					

**SOCKE HAIBIKE FELIPP 2**  
SOCKS HAIBIKE FELIPP 2



blau/orange  
blue/orange

EVP/RRP		9.90	10.90	45,-	270,-	75,-
		EUR	CHF	PLN	CZK	HRK
Art.-Nr. / Item no.	Größe / Size					
9505250197	38-42					
9505250198	43-46					

**SOCKE HAIBIKE WEISS**  
SOCKS HAIBIKE WHITE



weiß  
white

EVP/RRP		12.90	14.90	60,-	350,-	100,-
		EUR	CHF	PLN	CZK	HRK
Art.-Nr. / Item no.	Größe / Size					
9505250199	38-42					
9505250200	43-46					

# IMPRINT

Alle Angaben der WINORA-STAIGER GmbH wie Preise, Größen, Gewichte, Farben einschließlich Lieferzeiten und/oder sonstigen Angaben erfolgen mit größter Sorgfalt. Die WINORA-STAIGER GmbH übernimmt keine Gewähr für mögliche Abweichungen. Offensichtliche Fehler oder Irrtümer im Katalog sind für die WINORA-STAIGER GmbH nicht bindend.

Alle Preise sind unverbindliche Preisempfehlungen inklusive der gesetzlichen MwSt.

## FOTOS

Emotion: Piers Spencer-Phillips, Produkt: Frank Pieth

## DANK AN

Alle Mitarbeiter von der WINORA-STAIGER GmbH – jeden Einzelnen in unserer einmaligen Firma, der ein Teil dieses langen und manchmal auch harten Entwicklungsprozesses unserer Produkte war, die wir nun mit Stolz präsentieren.

WINORA-STAIGER ist ein Mitglied der ACCELL GROUP.

© WINORA-Staiger GmbH, Sennfeld, Deutschland 2020

Irrtümer, Änderungen und Druckfehler vorbehalten. Bilder können vom Original abweichen. Weiterführende Informationen und Neuigkeiten finden sie unter [www.haibike.com](http://www.haibike.com).

Unter Umständen sind nicht alle in diesem Katalog gezeigten Produkte in allen Regionen erhältlich, bitte kontaktiere dazu dein Vertriebs-Team.

All representations made by WINORA-STAIGER GmbH regarding numbers, sizes, weights, colours including delivery times and/or other specifications are made with care. WINORA-STAIGER GmbH does not guarantee that there will not be any deviations. Obvious mistakes or errors in the catalogue are not binding on WINORA-STAIGER GmbH.

All prices are recommended retail prices incl. VAT.

## PHOTOS

Emotion: Piers Spencer-Phillips, Product: Frank Pieth

## THANKS TO

All employees of WINORA-STAIGER GmbH – to each one of you in our unique company who was a part of this long and sometimes difficult development process of our products which we now proudly present.

WINORA-STAIGER GmbH is a member of ACCELL GROUP.

© WINORA-Staiger GmbH, Sennfeld, Deutschland 2020

We are not liable for errors, changes or misprints. Images might not represent the original. For more detailed information and other news, please visit our website at [www.haibike.com](http://www.haibike.com).

Under certain circumstances, not all of the products shown in this catalogue might be available in all regions. Please contact your sales department for more information.




## WINORA GROUP

Winora-Staiger GmbH  
E. Wiener Bike Parts GmbH

Max-Planck-Straße 4-8 › 97526 Sennfeld › Germany  
+49 9721 6501-0 › [info@winora-group.de](mailto:info@winora-group.de) › [winora-group.com](http://winora-group.com)



4 055149 410711



Dealerbook HAIBIKE  
Art.-Nr. 9990090066